## LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS 207 SE DOUGLAS STREET LEE'S SUMMIT, MISSOURI 64063-2372 (816) 969-1309 FAX (816) 969-1313 TDD (816) 969-7407

## PLANS REVIEW CONDITIONS

Permit No: PRCOM20110360 Project Title: SUMMIT FAIR BUILDING "O" Location: 970 NW BLUE PKWY, Corridor LEES SUMMIT, MO 64086 Type of Work: Corridor Sprinkler Alteration Occupancy Group: UC Description: CORRIDOR AND DEMISING WALLS AS PART OF THE SHELL BUILDING Construction Type: Type IIB (Unprotected) Map Page: 195A

Date: April 12, 2011 Applicant: KCFS 901 E LOULA OLATHE, KS 66061 (913) 780-3473

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

**Alarm Plan Review** 

**Reviewed By: Jim Eden** 

**Released for Construction** 

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Alarm alteration plans received April 11, 2011.

2. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Action required: Call (816) 969-1300 to schedule a test.