

Michael L. Parson
Governor

Sandra K. Karsten
Director, Public Safety

J. Tim Bean
State Fire Marshal



205 Jefferson Street, Suite 1315
Mailing Address: P.O. Box 844
Jefferson City, MO 65102
Telephone: (573) 526-3660
Fax: (573) 526-5971
Email: Gus.Guadamuz@dfs.dps.mo.gov
Ashley.Temmen@dfs.dps.mo.gov

Missouri Department of Public Safety
Division of Fire Safety

July 5, 2022

KONE Elevator
2700 Bi State Drive #100
Kansas City, MO 64108

New Installation Permit

Agent
KONE Elevator
2700 Bi State Drive #100
Kansas City, MO 64108

Architect
TRi Architects
(314) 395-9750

Owner
Brinkman Constructors - KC
8700 Indian Creek Pkwy, Ste 150
Overland Park, KS 66210

Location #15244
Signature at West Pryor
2150 NW Lowenstein Dr
Lee's Summit, MO 64081

Equipment State ID #26061
Type: Passenger Traction
Speed: 150 Capacity: 3500
Manufacturer: KONE Elevator
Serial Number: 44695648
ApprovedDate: 7/5/2022

General Contractor
Brinkmann Constructors - KC
8700 Indian Creek Pkwy, Suite 150
Overland Park, KS 64081

Equipment Contractor
Addyson Shaw
2700 Bi State Drive #100
Kansas City, MO 64108

This is to certify that all plans and information required by the board have been submitted and clearly demonstrates that the installation or major alteration shall be constructed and installed in conformity with the standards prescribed in the American Society of Mechanical Engineers, ASME A17.1, Safety Code of Elevators and Escalators, American National Standard Safety Code for Manlifts ANSI A90.1, American National Safety Code for Personnel Hoist ANSI A10.4 latest version adopted and amended by the Elevator Safety Rules and Regulations, RSMo 701.350 through 701.380 and 11CSR 40-5.010 through 40-5.150.

Passenger Traction Elevator Installation (MRL) (A17.1-2016 Part 2)

Deputy Chief Elevator Inspector

State Fire Marshal

Michael L. Parson
Governor

Sandra K. Karsten
Director, Public Safety

J. Tim Bean
State Fire Marshal



205 Jefferson Street, Suite 1315
Mailing Address: P.O. Box 844
Jefferson City, MO 65102
Telephone: (573) 526-3660
Fax: (573) 526-5971
Email: Gus.Guadamuz@dfs.dps.mo.gov
Ashley.Temmen@dfs.dps.mo.gov

Missouri Department of Public Safety
Division of Fire Safety

July 5, 2022

KONE Elevator
2700 Bi State Drive #100
Kansas City, MO 64108

New Installation Permit

Agent
KONE Elevator
2700 Bi State Drive #100
Kansas City, MO 64108

Architect
TRi Architects
(314) 395-9750

Owner
Brinkman Constructors - KC
8700 Indian Creek Pkwy, Ste 150
Overland Park, KS 66210

Location #15244
Signature at West Pryor
2150 NW Lowenstein Dr
Lee's Summit, MO 64081

Equipment State ID #26060
Type: Passenger Traction
Speed: 150 Capacity: 3500
Manufacturer: Kone
Serial Number: 44695647
ApprovedDate: 7/5/2022

General Contractor
Brinkmann Constructors - KC
8700 Indian Creek Pkwy, Suite 150
Overland Park, KS 64081

Equipment Contractor
Addyson Shaw
2700 Bi State Drive #100
Kansas City, MO 64108

This is to certify that all plans and information required by the board have been submitted and clearly demonstrates that the installation or major alteration shall be constructed and installed in conformity with the standards prescribed in the American Society of Mechanical Engineers, ASME A17.1, Safety Code of Elevators and Escalators, American National Standard Safety Code for Manlifts ANSI A90.1, American National Safety Code for Personnel Hoist ANSI A10.4 latest version adopted and amended by the Elevator Safety Rules and Regulations, RSMo 701.350 through 701.380 and 11CSR 40-5.010 through 40-5.150.

Passenger Traction Elevator Installation (MRL) (A17.1-2016 Part 2), Sprinklers located Elevator Lobby work space areas shall comply with A17.1-2016 2.8.3.3.2

Handwritten signature of Gus Guadamuz in cursive.

Deputy Chief Elevator Inspector

Handwritten signature of J. Tim Bean in cursive.

State Fire Marshal