

Professional Service Industries, Inc. 2828 South 44th Street Kansas City, KS 66106

Phone: (913) 310-1600 Fax: (913) 310-1601

report may not be reproduced, except in full, without written permission by Professional Service Industries, Inc. If a non-

compliance appears on this report, to the extent that the reported non-compliance impacts the project, the resolution is outside the PSI scope of engagement.

These test results apply only to the specific locations and materials

noted and may not represent any other locations or elevations. This

Report No: RSI:03533627-13

Issue No: 1

Reinforcing Steel Observation Report

CORE STATES GROUP Client:

3039 PREMIERE PARKWAY

SUITE 700

DULUTH, GA 30097

C FAIRBANKS, CHRIS DIAMOND, G HELLBUSCH, HEDI HEINZ, J SANCHAZ, JOSE SANCHEZ, L

Project:	CHASE BANK-LEE'S SUMMIT	MCKINZY, MIKE REBER			
	LEE'S SUMMIT, MO	S KESHETTY, SUNIL DUBEY	Approved Signatory: William Odell (Senior Project Manager) Date of Issue: 4/8/2022		
General I	Details	DODET	<u> </u>		
Date:					
	Sunny and Mild		,		
General I					
Location Location					
	☐ Slab-On-Grade	☐ Elevated Slab	☐ Piers ☐ Columns		
Footing Beam	Pilaster	Wall Panel	Foundation Wall		
Other:	Filastei	Wali Fallel	Foundation wall		
	Dataila (agus)				
General Details (cont.) Building/Unit No. Perimeter footings					
_	-				
Elevation	• •				
Specific	Specific Location (grid lines): Line E(1-6), Line 1(A-E), line A(1-6)				
Plans Used:					
Current L	Date and Revision/Submittal No	o. on Drawings: 12/21/2	020		
Drawing	(page) and Detail Nos.:	S1			
Drawing	(page) and Detail NOS	31			
Reinforci	ng Steel				
Reinforci Size & nu		Yes Bars	properly tied and positioned Yes		
Size & nu	mber of bars as specified				
Size & nu Lap leng	imber of bars as specified ths as specified	Yes Bars	properly supported on chairs, Yes		
Size & nu Lap lenge Spacing	Imber of bars as specified ths as specified of bars as specified	Yes Bars Yes Bars	properly supported on chairs, Yes clean (no foreign matter) Yes		
Size & nu Lap lenge Spacing of Dowels in	Imber of bars as specified ths as specified of bars as specified n place and tied	Yes Bars Yes Bars Yes Clear	properly supported on chairs,Yes clean (no foreign matter) Ance around rebar as specified Yes		
Size & nu Lap lengt Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied pating specified	Yes Bars Yes Bars Yes Clear	properly supported on chairs, Yes clean (no foreign matter) Yes		
Size & nu Lap length Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap lengt Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear	properly supported on chairs,Yes clean (no foreign matter) Ance around rebar as specified Yes		
Size & nu Lap length Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co Non-Con	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co Non-Con	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co Non-Con	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co Non-Con	Imber of bars as specified ths as specified of bars as specified n place and tied rating specified formance Items	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy con Non-Con Descripti	Imber of bars as specified ths as specified of bars as specified n place and tied eating specified formance Items on	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy co Non-Con	Imber of bars as specified ths as specified of bars as specified n place and tied eating specified formance Items on	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		
Size & nu Lap length Spacing of Dowels in Epoxy con Non-Con Descripti	Imber of bars as specified ths as specified of bars as specified n place and tied eating specified formance Items on	Yes Bars Yes Bars Yes Clear N/A Reba	properly supported on chairs,Yes clean (no foreign matter) Yes ance around rebar as specified Yes r epoxy coated N/A		