

FOUNDATION PLAN NOTES		CPG DBA
1.01 1.11 1.21 1.31 1.71	HOLD SILL PLATE BACK 4" CONTINUOUS CONCRETE FOOTING RECESS TOP OF FOUNDATION WALL 2X4 STUD WALL WITH TREATED SILL PLATE CONCRETE WINDOW WELL FOR EGRESS WITH LADDER. PROVED SLEEVE THROUGH WALL FOR FOUNDATION DRAIN. TOP OF WINDOW WELL TO BE 3" BELOW TOP	SUMMIT
2.32	OF FOUNDATION. INSULATE CANTILEVER AS REQUIRED PRIOR TO BLOCKING	HOMES 120 SE 30TH ST. LEE'S SUMMIT, MO 64082
2.34 2.42	PROVIDE ADDITIONAL BRACING FOR ISLAND ABOVE. FIRE RATED SHEETROCK UNDER STAIRS	816-246-6700
5.51	DRAIN LINE ONLY FOR FUTURE USE. LOCATION TO BE MARKED WITH REBAR AND CUT FLUSH TO FLOOR FINISH.	COPYRIGHT 2017 THIS DRAWING HAS BEEN PREPARED BY SUMMIT
6.11	DIRECT FURNACE. FUEL BURNING APPLIANCES SHALL BE DIRECT VENTED TO EXTERIOR FOR COMBUSTION AIR.	HOMES, OR UNDER THEIR DIRECT SUPERVISION AS AN INSTRUMENT OF SERVICE AND IS INTENDED FOR USE ONLY ON THIS PROJECT. ALL DRAWINGS, SPECIFICATIONS, AND DESIGNS, INCLUDING THE OVERALL LAYOUT, FORM, AND COMPOSITION OF SPACES ARE PROTECTED BY COPYRIGHT REGISTERED
6.21	HOT WATER HEATER WITH THERMAL EXPANSION CONTROL DEVICE	TO CPG, INC. ANY REPRODUCTION, USE, OR DISCLOSURE OF THE INFORMATION CONTAINED HEREIN WITHOUT THE WRITTEN CONSENT FROM CPG, INC.
6.31	SUMP PIT AND PUMP. PROVIDE ELECTRICAL GFCI	D/B/A SUMMIT HOMES EXCEPT AS REQUIRED FOR BIDDING AND CONSTRUCTION OF THIS PROJECT IS STRICTLY PROHIBITED.
6.41	PROTECTION. PROVIDE SLEEVE THROUGH FOOTING. HVAC CHASE ABOVE	
6.61	200 AMP ELECTRICAL PANEL. LOCATION TO BE DETERMINED ON SITE.	
6.62	UFER GROUND- VERIFY LOCATION WITH PROJECT	ADDRESS: 2750 SW 12TH ST
	MANAGER.	LEE'S SUMMIT, MO
		CHARLESTON MODERN PRAIRE MODERN PRAIRE HIGHLAND MEADOWS #154 5 BEDS, 4 BATHS
		PROFESSIONAL SEAL:
<u>GENERAL NOTES</u> BACK WATER VALVES REQUIRED ON ALL BASEMENT PLUMBING FIXTURES. PROVIDE MEANS OF CONTROLLING PRESSURE		VERSION: 2.0
CAUSED BY THERMAL EXPANSION. ALL SILLS & SLEEPERS SUPPORTED ON CONCRETE OR MASONRY		
DIMEN	BE OF DECAY-RESISTANT MATERIALS. SIONAL LUMBER IS LABELED PER INDUSTRY STANDARD NOLOGY. ACTUAL LUMBER SIZING IS EXPECTED TO VARY NDOR.	ISSUE DATE: 11.15.22
ALL IN	TERIOR NON-LOAD BEARING, NON-BRACED, NON-CABINET ARE ALLOWED AT 24" O.C.	SHEET NUMBER:
ARE TO PLACEN	E AND CARBON MONOXIDE DETECTORS SHOW ON PLANS D BE CONSIDERED RECOMMENDATIONS ONLY. FINAL MENT IS TO BE DETERMINED BY MUNICIPAL REMENTS.	A3.0
	W SIZES ARE WRITTEN IN FEET AND INCHES PER INDUSTRY ARDS. EX: 3050 SH = 3'-0" X 5'-0" SINGLE HUNG, 3066 FIX = 3'-0" FIXED.	