



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	COLDWELL BANKER - NESTWORK		
ADDRESS	657 SW 2ND ST, LEES SUMMIT, MO 64063		
OWNER/OPERATOR NAME	PACT CONSTRUCTION SERVICES:	TELEPHONE	(816) 287-3030
ADDRESS	1280 NE DELTA SCHOOL RD LEES SUMMIT, MO 64064 Primary: (816) 287-3030 Cell: (816) 645-6288		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: B	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Occupancy Inspection - Fire	Craig Hill	Failed	Tuesday, December 13, 2022
Corrective Action Required:			
1	Electrical panel was blocked. 36" clearance is required in front of the panel. No fire extinguisher. Rear exit light did not operate properly.		

DATE OF REPORT

December 13, 2022

INSPECTOR

Craig Hill

PREVENTION FOLLOW-UP
REQUIRED?

☐

Yes

☐

No

RESPONSIBLE SIGNATURE