



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	JOHN KNOX VILLAGE MEADOWS PHASE II - INDEPENDENT LIVING APARTMENTS		
ADDRESS	1801 NW OBRIEN RD, LEES SUMMIT, MO 64081520 NW HOPE LN, LEES SUMMIT, MO 64081		
OWNER/OPERATOR NAME	HAREN CONTRACTING:	TELEPHONE	(913) 495-9558
ADDRESS	8035 NIEMAN RD LENEXA, KS 66214 Primary: (913) 495-9558 Cell: (913) 271-8171		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: R-2	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Craig Hill	Failed	Tuesday, December 13, 2022
Corrective Action Required:			
1 6 rooms did not have notification working. Horn strobe for water flow did not operate properly. Fire doors did not operate.			

Sprinkler - Hydrostatic Test		Craig Hill	Passed	Monday, November 21, 2022
Sprinkler - Flow Test		Craig Hill	Passed	Tuesday, December 13, 2022
Alarm Test		Craig Hill	Failed	Wednesday, December 14, 2022
Corrective Action Required:				
1 Fire doors did not drop on alarm activation. Horn strobe for water flow did not operate properly.				
Alarm Test		Craig Hill	Passed	Thursday, December 15, 2022
Occupancy Inspection - Fire		Craig Hill	Failed	Monday, December 19, 2022
Corrective Action Required:				
1 2030 master, closet, escutcheon 3028 laundry room sprinkler head missing. 3024 Laundry room sprinkler head missing EXIT signs				
Occupancy Inspection - Fire		Ben Hicks	Passed	Tuesday, December 20, 2022
DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?		RESPONSIBLE SIGNATURE
December 20, 2022	Ben Hicks	<input type="checkbox"/> Yes <input type="checkbox"/> No		