

---

**DEVELOPMENT SERVICES**

<b>Building Permit - Commercial</b> <b>Project Title:</b> FIRE STATION #4 <b>Work Desc:</b> NEW COMMERCIAL	<b>Permit No:</b> PRCOM20225294 <b>Date Issued:</b> January 06, 2023
--	---

<b>Project Address:</b> 5031 NE LAKEWOOD WAY, LEES SUMMIT, MO 64064  <b>Legal Description:</b> EXECUTIVE LAKES CENTER LOTS 6A & 8A ---LOT 6-A  <b>Parcel No:</b> 43240014500000000  <b>County:</b> JACKSON	<b>Permit Holder:</b> MCCOWN GORDON CONSTRUCTION LLC 850 MAIN ST KANSAS CITY, MO 64105
--	---

<b>Activities Included for this Project:</b> zNew Commercial, License Tax, License Tax Credit, Alarm Permit, Water, Paved Surface, Storm Sewer, Site Grading, Sidewalk Permit, Sprinkler Permit, Sewer Service Permit Commercial, Water Service Permit Commercial, Fire Rated Assemblies Permit,
---

THIS PERMIT IS ISSUED IN RELIANCE UPON INFORMATION SUBMITTED BY THE APPLICANT. THE BUILDING OFFICIAL MAY SUSPEND OR REVOKE WHENEVER THE PERMIT IS ISSUED IN ERROR, OR ON THE BASIS OF INCORRECT INFORMATION SUPPLIED, OR IN VIOLATION OF ANY ADOPTED CODE, CITY ORDINANCE OR REGULATIONS. NOTICE: THE DISPOSAL OF DEMOLITION WASTE IS REGULATED BY THE DEPARTMENT OF NATURAL RESOURCES UNDER CHAPTER 260 RSMO. SUCH WASTE, IN TYPES AND QUANTITIES ESTABLISHED BY THE DEPARTMENT, SHALL BE TAKEN TO A DEMOLITION LANDFILL OR A SANITARY LANDFILL FOR DISPOSAL.
---

**CONDITIONS**

**One or more divisions have conditions that have not been addressed during the review period. The outstanding conditions provided below shall be met as indicated during the construction period.**

<b>Fire Plan Review</b>
-------------------------

1        2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

Action Required: Informational, acknowledged in letter. Provide shop drawings for review and approval.

2        2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Action Required: Informational, acknowledged in letter. Provide sprinkler and hood system shop drawings for review and approval.

3        2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Action Required: Informational, acknowledged in letter. Call 816-969-1300 to schedule testing.

Building Plan Review
----------------------

3        Prior to the installation or construction of any elevator equipment, an elevator equipment permit shall be obtained from the Missouri Department of Public Safety or its authorized representative.

Action required: Comment is informational.

12/5/22 - acknowledged in letter

4        Prior to the operation of any new elevator equipment or the issuance of the operating certificate, such elevator equipment shall be inspected by a licensed inspector. Testing must be performed in accordance with these rules and regulations. The testing must be witnessed by a licensed inspector.

Action required: Comment is informational.

12/5/22 - acknowledged in letter

5        Elevator Safety Act and Rules 701.361 - Each privately owned or operated installation and each installation owned or operated by the state of Missouri or any political subdivision of the state shall have a certificate of inspection and meet the safety code promulgated pursuant to sections 701.350 to 701.380.

Action required: Comment is informational.

12/5/22 - acknowledged in letter

Licensed Contractors
----------------------

Signature of	
Applicant: _____	Date: _____
Print name: _____	Company Name: _____