



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	THE LOCAL PIZZERIA		
ADDRESS	805 NE LAKEWOOD BLVD, LEES SUMMIT, MO 64064		
OWNER/OPERATOR NAME	H D Architecture:	TELEPHONE	
ADDRESS	15225 Broadmoor St Overland Park, KS 66223 Primary: Cell: <NO CELL PHONE>		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1. _____	
2. _____	
3. _____	
4. _____	

LOSS REDUCTION TYPE

☐ Occupancy	☐ Semi-Annual	☐ Annual	☐ Life Safety	☐ Sprinkler	☐ Hazardous Material Permit
☐ Complaint	☐ Explosive Storage	☐ UST	☐ Post-Incident	☐ Open Burning	☐ Other
CLASS: A-2	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alternate Protection Systems Inspection	Craig Hill	Passed	Friday, January 27, 2023
Occupancy Inspection - Fire	Ben Hicks	Failed	Thursday, February 02, 2023

Corrective Action Required:

1 Emergency Exit lights not operational, front and rear

Corrective Action Required:

2 Emergency lighting not operational front and rear. Cieling lights shown on plans not seen.

Corrective Action Required:

3 Breaker box front panel cover needs to be secured in place

Corrective Action Required:

4 Multiple open electrical boxes needs cover plate installed in ceiling and around ansul fire suppression system

Corrective Action Required:

5 Filters need to in place over cooking appliances where ansul system installed

Corrective Action Required:

6 PLace address on back door

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNA TURE
February 02, 2023	Ben Hicks	☐ Yes ☐ No	