



LEE'S SUMMIT MISSOURI



FIRE DEPARTMENT

NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	THE LOCAL PIZZERIA		
ADDRESS	805 NE LAKEWOOD BLVD, LEES SUMMIT, MO 64064		
OWNER/OPERATOR NAME	LAKEWOOD RANCH LLC:	TELEPHONE	
	605 W 47TH ST # 200		
ADDRESS	KANSAS CITY, MO 64112		
	Primary:		
	Cell: <NO CELL PHONE>		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1.	
2.	
3.	
4.	

LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: A-2	Map#:	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT #

LOSS REDUCTION NARRATIVE

☐ NO VIOLATIONS NOTED

☐ ALL VIOLATIONS RESOLVED

Last Inspection

1st Inspection

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alternate Protection Systems Inspection	Craig Hill	Passed	Friday, January 27, 2023
Occupancy Inspection - Fire	Ben Hicks	Failed	Thursday, February 02, 2023
Corrective Action Required:			
1 Emergency Exit lights not operational, front and rear			

Corrective Action Required:

2 Emergency lighting not operational front and rear. Ceiling lights shown on plans not seen.

Corrective Action Required:

3 Breaker box front panel cover needs to be secured in place

Corrective Action Required:

4 Multiple open electrical boxes needs cover plate installed in ceiling and around ansul fire suppression system

Corrective Action Required:

5 Filters need to in place over cooking appliances where ansul system installed

Corrective Action Required:

6 Place address on back door

DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE
February 02, 2023	Ben Hicks	<input type="checkbox"/> Yes <input type="checkbox"/> No	