

DOOR SCHEDULE - FIRST FLOOR

DOOR #	ROOM NAME	DOOR INFORMATION					FRAME INFORMATION			LABEL (MIN)	OVT Hardware Set	OPENING DETAIL		REMARKS	REV #
		WIDTH	HEIGHT	NO. OF LEAVES	UNEQUAL LEAF WIDTH	ELEV.	MATL.	ELEV.	GLAZING			HEAD	JAMB		
1E-100	VESTIBULE	14'-0"	7'-8"	4			P ALUM	--	ALUM	--	--	34	--	BI-PART SLIDING WITH CARD READER	
1E-100A1	CORRIDOR	3'-0"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	
1E-100A2	WAITING	3'-0"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	
1E-100B	SEMI-RESTRICTED CORRIDOR	3'-6"	7'-0"	2			F WD	2	HM	--	--	08	--	CARD READER	
1E-100E1	CORRIDOR	3'-6"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	3
1E-100E2	CORRIDOR	4'-0"	7'-0"	1			F WD	1	HM	--	90 mm	--	--	CARD READER	
1E-100F	CORRIDOR	3'-6"	7'-0"	2			F WD	2	HM	--	--	08	--	CARD READER	
1E-100G	SEMI-RESTRICTED CORRIDOR	4'-0"	7'-0"	1			FGN ALUM	--	ALUM	--	--	01	--	CARD READER	3
1E-100H1	SEMI-RESTRICTED CORRIDOR	3'-6"	7'-0"	1			F WD	1	HM	--	20 mm	14	--	CARD READER	
1E-100H2	CORRIDOR	3'-6"	7'-0"	1			FGN ALUM	--	ALUM	--	--	01	--	CARD READER	3
1E-100H3	AHU	4'-0"	7'-0"	1			F HM	1	HM	--	45 mm	03	--	CARD READER	
1E-100J	CORRIDOR	3'-6"	7'-0"	2			F WD	3	HM	--	--	08A	--	CARD READER	3
1E-100K1	CORRIDOR	3'-6"	7'-0"	1			F WD	1	HM	--	20 mm	11	--	CARD READER	3
1E-100K2	VENDOR ENTRANCE	4'-0"	7'-0"	1			N HM	1	HM	--	--	02	--	CARD READER, A PHONE WITH DOOR RELEASE CONNECTED TO MATERIALS MANAGER	
1E-100P	CORRIDOR	3'-10"	7'-0"	2			F WD	3	HM	--	20 mm	12	--	MAG HOLD OPEN	3
1E-101A	LOBBY	14'-0"	7'-8"	4			P ALUM	--	ALUM	--	--	34	--	BI-PART SLIDING WITH CARD READER	
1E-101B	LOBBY	4'-0"	7'-0"	1			F HM	1	HM	--	--	01	--	CARD READER, STOREFRONT	3
1E-101C	LOBBY	3'-6"	7'-0"	1			F WD	1	HM	--	--	10H	--	CARD READER, AUTO OPENER	
1E-102A	WAITING	4'-0"	7'-0"	1			F WD	1	HM	--	--	10H	--	CARD READER, AUTO OPENER	3
1E-102B	WAITING	4'-0"	7'-0"	1			F WD	1	HM	--	90 mm	10E	--	CARD READER, BOTH SIDES	3
1E-104	JAN	3'-0"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	3
1E-105A	ADMIT #4	3'-0"	7'-0"	1			B02 WD	1	HM	--	--	32	8/4A.1 SIM, 2.8 3/4A SIM	AUTO BARN DOOR SLIDER, WITH PRIVACY LOCK	
1E-105B	ADMIT #4	3'-0"	7'-0"	1			mm WD			--	--	35	8/4A.1 SIM, 2.8 3/4A SIM	CASED OPENING - NO DOOR	
1E-106A	ADMIT #3	3'-0"	7'-0"	1			B02 WD	1	HM	--	--	32	8/4A.1 SIM, 2.8 3/4A SIM	AUTO BARN DOOR SLIDER, WITH PRIVACY LOCK	
1E-106B	ADMIT #3	3'-0"	7'-0"	1			mm WD			--	--	35	8/4A.1 SIM, 2.8 3/4A SIM	CASED OPENING - NO DOOR	
1E-108A	ADMIT #1	3'-0"	7'-0"	1			B02 WD	1	HM	--	--	32	8/4A.1 SIM, 2.8 3/4A SIM	AUTO BARN DOOR SLIDER, WITH PRIVACY LOCK	
1E-108B	ADMIT #2	3'-0"	7'-0"	1			mm WD			--	--	35	8/4A.1 SIM, 2.8 3/4A SIM	CASED OPENING - NO DOOR	
1E-109A	ADMIT #1	3'-0"	7'-0"	1			B02 WD	1	HM	--	--	32	8/4A.1 SIM, 2.8 3/4A SIM	AUTO BARN DOOR SLIDER, WITH PRIVACY LOCK	
1E-109B	ADMIT #1	3'-0"	7'-0"	1			mm WD			--	--	35	8/4A.1 SIM, 2.8 3/4A SIM	CASED OPENING - NO DOOR	
1E-110	CREDENTIAL MANAGER OFFICE	3'-0"	7'-0"	1			F WD	1	HM	--	--	22	--	HOSPITAL PRIVACY LOCK	
1E-111	STAFF TOILET	3'-6"	7'-0"	1			F WD	1	HM	--	--	24	--	HOSPITAL PRIVACY LOCK	3
1E-112	ADMIN	3'-0"	7'-0"	1			F WD	1	HM	--	--	22	--	HOSPITAL PRIVACY LOCK	
1E-113	BUS. OFFICE MGR.	3'-0"	7'-0"	1			F WD	1	HM	--	--	22	--	HOSPITAL PRIVACY LOCK	
1E-114	CORRIDOR	3'-0"	7'-0"	1			mm WD			--	--	22	--	CASED OPENING - NO DOOR	
1E-115	CONFERENCE	3'-0"	7'-0"	1			F WD	1	HM	--	--	20	--	CASED OPENING - NO DOOR	
1E-116	PAT TLT	3'-6"	7'-0"	1			F ALUM	1	HM	--	--	25	--	HOSPITAL PRIVACY LOCK	3
1E-117	PAT TLT	3'-6"	7'-0"	1			F WD	1	HM	--	--	24	--	HOSPITAL PRIVACY LOCK	
1E-118	GI STORAGE/SMALL BREAK	3'-0"	7'-0"	1			F WD	1	HM	--	--	20	--	HOSPITAL PRIVACY LOCK	3
1E-119	PAT TLT	3'-6"	7'-0"	1			F WD	1	HM	--	--	24	--	HOSPITAL PRIVACY LOCK	
1E-121	PAT TLT	3'-6"	7'-0"	1			F WD	1	HM	--	--	24	--	HOSPITAL PRIVACY LOCK	3
1E-142	PAT TLT	3'-6"	7'-0"	1			F WD	1	HM	--	--	24	--	HOSPITAL PRIVACY LOCK	
1E-143	MED ROOM	3'-0"	7'-0"	1			F WD	1	HM	--	--	13	--	CARD READER	3
1E-144	GI CLINICAL COORDINATOR OFFICE	3'-0"	7'-0"	1			F WD	1	HM	--	--	22	--	HOSPITAL PRIVACY LOCK	
1E-145A	GI PROCEDURE	3'-0"	7'-0"	1			HM			--	20 mm	29A	--	AUTO OPENER	3
1E-145B	GI PROCEDURE	3'-0"	7'-0"	1			N HM	1	HM	--	--	28A	--	AUTO OPENER	
1E-146A	GI PROCEDURE	3'-0"	7'-0"	1			F WD	1	HM	--	--	20 mm	29A	AUTO OPENER	3
1E-146B	GI PROCEDURE	3'-0"	7'-0"	1			N HM	1	HM	--	--	28A	--	AUTO OPENER	
1E-147A	GI PROCEDURE	3'-0"	7'-0"	1			F WD	1	HM	--	--	20 mm	29A	AUTO OPENER	3
1E-147B	GI PROCEDURE	3'-0"	7'-0"	1			N HM	1	HM	--	--	28A	--	AUTO OPENER	
1E-148A	GI PROCEDURE - BRONCHOSCOPY	3'-0"	7'-0"	1			F WD	1	HM	--	--	20 mm	29A	AUTO OPENER	3
1E-148B	GI PROCEDURE - BRONCHOSCOPY	3'-0"	7'-0"	1			N HM	1	HM	--	--	28A	--	AUTO OPENER	
1E-149	PROCEDURE	3'-0"	7'-0"	1			N WD	1	HM	--	--	14	--	AUTO OPENER	3
1E-150	BUSINESS OFFICE (FUTURE PROCEDURE)	3'-0"	7'-0"	1			F WD	1	HM	--	--	19	--	CARD READER	
1E-151	PROCEDURE	4'-0"	7'-0"	1			N WD	1	HM	--	--	29	--	AUTO OPENER	3
1E-152	MATERIALS MANAGER	3'-0"	7'-0"	1			F WD	1	HM	--	45 mm	22A	--	HOSPITAL PRIVACY LOCK	3
1E-153A	VENDOR ENTRANCE	4'-0"	7'-0"	1			F WD	1	HM	--	45 mm	13	--	CARD READER	
1E-153B	BULK STORAGE	4'-0"	7'-0"	1			F WD	1	HM	--	45 mm	13	--	CARD READER	
1E-154A	INSTRUMENT PROCESSING	4'-0"	7'-0"	1			F WD	1	HM	--	45 mm	17	--	CARD READER	
1E-154B	SCOPE STORAGE	3'-6"	7'-0"	1			F WD	1	HM	--	45 mm	28A	--	CARD READER	3
1E-155	SCOPE STORAGE	4'-0"	7'-0"	1			F WD	1	HM	--	45 mm	13	--	CARD READER	
1E-156	RESOURCE ROOM	4'-0"	7'-0"	1			F WD	1	HM	--	45 mm	13	--	CARD READER	
1E-162	ELEC	3'-0"	7'-0"	2			F WD	2	HM	--	--	19	--	CARD READER	3
1E-163	PREPOST CLINICAL COORDINATOR OFFICE	3'-0"	7'-0"	1			F WD	1	ETR	--	--	22	--	HOSPITAL PRIVACY LOCK, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-164	PAT TLT	3'-0"	7'-0"	1			F WD	1	ETR	--	--	23	--	HOSPITAL PRIVACY LOCK, PAINT FRAME TO MATCH EXISTING STANDARD	3
1E-167	PAT TLT	3'-0"	7'-0"	1			F WD	1	ETR	--	--	23	--	HOSPITAL PRIVACY LOCK, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-168	NURSE NAVIGATOR OFFICE	3'-0"	7'-0"	1			F WD	1	ETR	--	--	22	--	HOSPITAL PRIVACY LOCK, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-169	OR CLEAN	3'-6"	7'-0"	1			F WD	1	ETR	--	45 mm	13	--	CARD READER, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-170	JAN	3'-0"	7'-0"	1			F WD	1	ETR	--	--	14A	--	CARD READER, PAINT FRAME TO MATCH EXISTING STANDARD	3
1E-171	DATA	3'-0"	7'-0"	1			F WD	1	ETR	--	--	14	--	CARD READER, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-172A	MEDICAL DIRECTOR OFFICE	3'-0"	7'-0"	1			F WD	1	ETR	--	20 mm	22A	--	HOSPITAL PRIVACY LOCK, PAINT FRAME TO MATCH EXISTING STANDARD	3
1E-172B	MEDICAL DIRECTOR OFFICE	3'-0"	7'-0"	1			F WD	1	HM	--	--	22	--	MANUAL TELESCOPING SLIDER	3
1E-173	PREPOST OR (PDS)	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-174	PREPOST OR (PDS)	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-176	MEDS	3'-0"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	
1E-182	SOILED ROOM	3'-0"	7'-0"	1			F WD	1	HM	--	45 mm	13	--	CARD READER	3
1E-183A	IT OFFICE	3'-0"	7'-0"	1			F WD	1	HM	--	--	14	--	CARD READER	
1E-183B	IT OFFICE	4'-0"	7'-0"	2			F WD	2	HM	--	--	19	--	CARD READER	3
1E-200A	DATA	3'-0"	7'-0"	1			F WD	1	HM	--	--	14A	--	CARD READER	3
1E-200A1	CORRIDOR	3'-10"	7'-0"	2			F WD	2	ETR	--	90 mm	05	--	CARD READER, PAINT FRAME TO MATCH EXISTING STANDARD	
1E-200A2	STERILE CORRIDOR	3'-10"	7'-0"	2			F WD	3	HM	--	20 mm	08B	--	CARD READER	
1E-200C1	CORRIDOR	2'-10"	7'-0"	2			F WD	3	HM	--	20 mm	08A	--	CARD READER	
1E-200F	CORRIDOR	3'-0"	7'-0"	1			F WD	1	ETR	--	90 mm	10B	--	CARD READER, PAINT FRAME TO MATCH EXISTING STANDARD	3
1E-200J1	STERILE CORRIDOR	4'-0"	7'-0"	1			F WD	1	HM	--	20 mm	10C	--	CARD READER ON PULL, WAVE TO OPEN ON WITH AUTO OPENER	3
1E-204	24HR	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-204A	TLT	3'-6"	7'-0"	1			B02 WD	1	HM	--	32	8/4A.1 SIM, 2.8 3/4A SIM	--	AD BARN DOOR SLIDER, HOSPITAL PRIVACY LOCK	
1E-205	24HR	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-205A	TLT	3'-6"	7'-0"	1			B02 WD	1	HM	--	32	8/4A.1 SIM, 2.8 3/4A SIM	--	AD BARN DOOR SLIDER, HOSPITAL PRIVACY LOCK	
1E-206	24HR	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-206A	TLT	3'-6"	7'-0"	1			B02 WD	1	HM	--	32	8/4A.1 SIM, 2.8 3/4A SIM	--	AD BARN DOOR SLIDER, HOSPITAL PRIVACY LOCK	
1E-207	24HR	8'-0"	7'-5.3/4"	3			R ALUM	--	HM	--	--	33	--	MANUAL TELESCOPING SLIDER	
1E-207A	TLT	3'-6"	7'-0"	1			B02 WD	1	HM	--	32	8/4A.1 SIM, 2.8 3/4A SIM	--	AD BARN DOOR SLIDER, HOSPITAL PRIVACY LOCK	
1E-208	24HR	8'-0"	7'-5.3/												