

**DEVELOPMENT SERVICES**

<b>Building Permit - Commercial</b> <b>Project Title:</b> JOHN KNOX VILLAGE - RESTAURANT <b>Work Desc:</b> ALTERATION COMMERCIAL	<b>Permit No:</b> PRCOM20231099 <b>Date Issued:</b> July 21, 2023
--	--

<b>Project Address:</b> 1001 NW CHIPMAN RD, LEES SUMMIT, MO 64081  <b>Legal Description:</b> JOHN KNOX RETIREMENT VILLAGE 4TH PLAT TRACT-1 & E 1/2 VAC ST LY W OF & ADJ  <b>Parcel No:</b> 62120014200000000  <b>County:</b> JACKSON	<b>Permit Holder:</b> Russell Construction CO. KC, LLC 10901 Lowell Ave Suite 100 Overland Park, KS 66210
---	--

<b>Activities Included for this Project:</b> zAlteration Commercial, License Tax, License Tax Credit, Alarm Permit, Sprinkler Permit,
--

THIS PERMIT IS ISSUED IN RELIANCE UPON INFORMATION SUBMITTED BY THE APPLICANT. THE BUILDING OFFICIAL MAY SUSPEND OR REVOKE WHENEVER THE PERMIT IS ISSUED IN ERROR, OR ON THE BASIS OF INCORRECT INFORMATION SUPPLIED, OR IN VIOLATION OF ANY ADOPTED CODE, CITY ORDINANCE OR REGULATIONS. NOTICE: THE DISPOSAL OF DEMOLITION WASTE IS REGULATED BY THE DEPARTMENT OF NATURAL RESOURCES UNDER CHAPTER 260 RSMO. SUCH WASTE, IN TYPES AND QUANTITIES ESTABLISHED BY THE DEPARTMENT, SHALL BE TAKEN TO A DEMOLITION LANDFILL OR A SANITARY LANDFILL FOR DISPOSAL.

**CONDITIONS**

**One or more divisions have conditions that have not been addressed during the review period. The outstanding conditions provided below shall be met as indicated during the construction period.**

Fire Plan Review
------------------

1 2018 IFC 907.1.1- Construction documents. Construction documents for fire alarm systems shall be submitted for review and approval prior to system installation. Construction documents shall include, but not be limited to, all of the following: 1. A floor plan which indicates the use of all rooms. 2. Locations of alarm-initiating and notification appliances. 3. Alarm control and trouble signaling equipment. 4. Annunciation. 5. Power connection. 6. Battery calculations. 7. Conductor type and sizes. 8. Voltage drop calculations. 9. Manufacturers, model numbers and listing information for equipment, devices and materials. 10. Details of ceiling height and construction. 11. The interface of fire safety control functions.

Action required- Provide alarm shop drawings for review and approval to devservices.cityofls.net.

2 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Action required- Provide sprinkler shop drawings for review and approval to devservices.cityofls.net.

Building Plan Review

2 For the Health Department inspection contact Deb Sees with the Jackson County Public Works Department, Environmental Health Division at (816) 797-7162. Health Department approval is required prior to receiving any type of Occupancy from the City of Lee's Summit.

Action required: Comment is informational.

Licensed Contractors

Signature of Applicant: \_\_\_\_\_ Date: \_\_\_\_\_  
Print name: \_\_\_\_\_ Company Name: \_\_\_\_\_