

FIRE DEPARTMENT

Prevention Division (816)969-1300

PLANS REVIEW CONDITIONS

Permit No: PRCOM20231513 Date: August 10, 2023

Project Title: SAINT LUKE'S EAST - NUC-MED Applicant:

RENOVATION

Location: American Fire Sprinkler Corporation

100 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086 6750 W 47th Terrace
Kansas, MO 66203

Type of Work:

Occupancy Group: B
Description: Renovation of the existing

nuc-med space to make room for larger equipment and 12851 MANCHESTER RD

two new read rooms ST LOUIS, MO 63131-1802

Construction Type: Type IA

Map Page: Primary: (913) 722-6900 Ext: 125

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review Reviewed By: Jim Eden Released for Construction

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received 7/28/2023.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Visual inspection at occupancy inspection.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.