

FIRE DEPARTMENT

Prevention Division (816)969-1300

PLANS REVIEW CONDITIONS

Permit No: PRCOM20232038 Date: September 12, 2023

Project Title: Pura Vida KC Applicant:

Location:

910 NW BLUE PKWY, Unit:R, LEES SUMMIT, MO 64086 ABSOLUTE FIRE INC

Type of Work:

Occupancy Group: A-2

Description: Tenant finish for cafe style

restaurant

Construction Type: Type IIB (Unprotected)

Map Page:

Primary: (816) 737-9991

GRANDVIEW, MO 64030

13906 CENTURY LN

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review Reviewed By: Jim Eden Released for Construction

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Modification plans received 8/29/2023.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

A viual inspection will be completed at the occupancy inspection.

3. 2018 IFC 901.6- Inspection, testing and maintenance. Fire detection, alarm and extinguishing systems shall be maintained in an operative condition at all times, and shall be replaced or repaired where defective. Not required fire protection systems and equipment shall be inspected, tested and maintained or removed.

THe existing system shall have a current annual inspection. Verified at inspection.

The applicant understands that the requirements listed above must be corrected to conform to applicable Cit Codes and Ordinances.