



LEE'S SUMMIT, MISSOURI FIRE DEPARTMENT LOSS REDUCTION PROGRAM



NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

☐ CHANGES

BUSINESS NAME	SUMMIT FAIR		
ADDRESS	910 NW BLUE PKWY, LEES SUMMIT, MO 64086 (CORRIDOR)		
OWNER/OPERATOR NAME	CAMM CONSTRUCTION INC:	TELEPHONE	(816) 356-6900
ADDRESS	7216 MAPLE KANSAS CITY, MO 64131 Primary: (816) 356-6900 Cell: (816) 564-3918 Todd @ 365-8894		

EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1.	
2.	
3.	
4.	

LOSS REDUCTION TYPE

<input checked="" type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input type="checkbox"/> Other
CLASS: M	Map#: 195A	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20112117

LOSS REDUCTION NARRATIVE

☐ NO CORRECTIONS NOTED

☐ ALL CORRECTIONS COMPLETED

Last Inspection

1st Inspection 7/13/11

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
Alarm Test	Joe Dir	Passed	Wednesday, July 13, 2011
Sprinkler - Hydrostatic Test	Joe Dir	Not Required	Wednesday, July 13, 2011
Sprinkler - Flow Test	Joe Dir	Passed	Wednesday, July 13, 2011
Occupancy Inspection - Fire	Joe Dir	Passed	Wednesday, July 13, 2011
alarm wire penetration in fire wall needs to be sealed, located above pull station. : violation corrected address exterior of entry door to corridor: violation corrected.			
DATE OF REPORT	INSPECTOR	PREVENTION FOLLOW-UP REQUIRED?	RESPONSIBLE SIGNATURE

July 13, 2011

Joe Dir

☐ Yes

☒ No