



## FIRE DEPARTMENT

Prevention Division  
(816)969-1300

### PLANS REVIEW CONDITIONS

Permit No:	PRCOM20234931	Date:	December 12, 2023
Project Title:	LAVISH NAILS AND LASHES	Applicant:	
Location:			
1155 NE RICE RD, LEES SUMMIT, MO 64086		ALLIANCE FIRE PROTECTION LLC	
Type of Work:		130 W 9TH AVE STE 101	
Occupancy Group:	B	KANSAS CITY, MO 64116	
Description:	REMODEL OF EXISTING SPACE FOR	Primary: (913) 888-0647	
SALON			
Construction Type:	Type VB (Unprotected)		
Map Page:			

**Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.**

#### **Sprinkler Plan Review**

**Reviewed By: Jim Eden**

**Released for Construction**

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Sprinkler plans received November 30, 2023.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

A visual inspection will be made at the occupancy inspection.

**The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.**