



FIRE DEPARTMENT

Prevention Division
(816)969-1300

PLANS REVIEW CONDITIONS

Permit No: PRCOM20231814 Date: December 12, 2023
Project Title: TOWN CENTRE LOGISTICS Applicant:
Location: 2201 NE TOWN CENTRE BLVD, LEES SUMMIT, MO 64064 ALLIANCE FIRE PROTECTION LLC
Type of Work: 130 W 9TH AVE STE 101
Occupancy Group: S-1 KANSAS CITY, MO 64116
Description: NEW SHELL FOR FUTURE Primary: (913) 888-0647
WAREHOUSING, DISTRIBUTION, AND/OR SERVICE
INDUSTRIES
Construction Type: Type VB (Unprotected)
Map Page:

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Rejected

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Stamped plans received 9/25/2023. The plans do not include Class 1 hose connections at all warehouse exterior or man doors. Revise the plans and calculations.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.