








P1 (TYP EXT. WALL)
2x6 WOOD STUD @ 16" O.C.
UL DESIGN #U356
SEE SHEET A10.5



P2 (TYP CORRIDOR WALL)
UL DESIGN #U327
SEE SHEET A10.3


P2A GYPSUM BOARD ON CORRIDOR
SIDE ONLY




P3 (TYP INTERIOR PARTITION WALL)
OMIT RESILIENT CHANNEL AND INSULATION
SEE SECTION DETAIL - B
UL DESIGN #U305
STC 53 MIN : TEST BASED ON NGC-2009045

P3A (TYP SUITE PARTITION WALL)
SEE SECTION DETAIL - C
UL DESIGN #U327
STC 50 MIN : TEST BASED ON BBN-760903


NOTE:
AT ELEVATOR SHAFT WALL,
OMIT GYP ON SHAFT SIDE
OF STUD




P4 (TYP PARTITION @ STAIRWELL/
CORRIDOR WALL)
TYP SUITE SIDE WALL - 2x4 WD STUD
UL DESIGN #U301
STC 55 MIN : TEST BASED ON KAISER GYPSUM
KG 199 AND GEIGER AND HAMME OC-6FC
SEE SHEETS A10.1-A10.2




P5 (TYP PARTITION AT STAIRWELL/
CORRIDOR WALL)
UL DESIGN #U301
2 HR RATING
STC 40 MIN : TEST BASED ON NGC-2363
SEE SHEETS A10.1-A10.2



P6 (TYP ELEVATOR /CORRIDOR OR ROOM WALL)
UL DESIGN #U905
2 HR RATING
SEE SHEET A10.6




P7 (ELEVATOR/CORRIDOR WALL)
UL DESIGN #U905
2 HR RATING
SEE SHEET A10.6




P8 (TYP BATHROOM DEMISING WALL)
UL DESIGN #U305
SEE DETAIL A10.3


P8A (TYP BATHTUB WALL)
2x4 STUD DOUBLE GYP ON TUB
SIDE, NO GYP ON OTHER




P9 (TYP BATHROOM WALL @ CORRIDOR)
UL DESIGN #U327
SEE SHEET A10.3



P10 (LAUNDRY /SUITES PARTITION WALL)
UL DESIGN #U341
*STAFF LAUNDRY ROOM: 3 1/2" WD STUD WALL
*GUEST LAUNDRY ROOM: 5 1/2" WD STUD WALL
(COORDINATE FRAMING WITH PLUMBING)
SEE SHEET A10.4



P12 TYP NON BEARING INTERIOR PARTITION
WALL AT TUB/SHOWER "BUMP OUT"
NON-RATED



P13 TYP NON BEARING INTERIOR
PARTITION WALL NON-RATED

ROOM FINISH SCHEDULE

RM #	ROOM NAME	FLOOR	BASE	WALLS		CEILING			NOTES
				MAT	FINISH	MAT	FINISH	HEIGHT	
ALL GUEST SUITES									
	LIVING/SLEEPING	LVT-2	WB-1	GB	GWT	GB	GWT	7'-10 5/8"	7'-11 3/8" @ 1st FLOOR
	KITCHEN	LVT-2	WB-1	GB	GWT	GB	GWT	7'-10 5/8"	NOTE 1, FRP-1 BACKSPLASH, 7'-11 3/8" @ 1st FLR
	BATH	LVT-2	WB-1	GB	GWT	GB	GWT	7'-10 5/8"	NOTE 1, 7'-11 3/8" @ 1st FLOOR
STAIRS									
150	STAIRS	LVT-1	WB-1	GB	GWT	GB	GWT	-	
152	STAIRS	LVT-1	WB-1	GB	GWT	GB	GWT	-	
250	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
252	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
350	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
352	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
450	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
452	STAIRS	RR	WB-1	GB	GWT	GB	GWT	-	
ELEVATOR									
	ELEVATORS	LVT-1	-	SPECS	SPECS	SPECS	-	7'-4 1/2"	
GROUND FLOOR									
100	CORRIDOR	CARPET	WB-1	GB	FRP/GWT	ACT/GB	-	VARIES	REF CEILING TILE PATTERN 1/A1.4
135	VESTIBULE	LVT-1	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
137	TRAINING	LVT-1	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
137B	AHU	SC	-	GB	PNT	GB	PNT	7'-11 3/8"	
138	VENDING	LVT-1	WB-1	GB	FRP/GWT	GB	GWT	7'-11 3/8"	
139	RESTROOM	LVT-1	WB-1	GB	FRP/GWT	GB	GWT	7'-11 3/8"	NOTE 1
140	MECHANICAL ROOM	SC	-	GB	PNT	GB	PNT	7'-11 3/8"	
141	DRYER	SC	-	GB	GWT	GB	GWT	7'-11 3/8"	
142	GUEST LAUNDRY	LVT-1	WB-1	GB	FRP/GWT	GB	GWT	7'-11 3/8"	
142B	AHU	SC	-	GB	PNT	GB	PNT	7'-11 3/8"	
143	STAFF LAUNDRY	LVT-3	WB-1	GB	FRP/GWT	GB	GWT	7'-11 3/8"	NOTE 2
143B	AHU	SC	-	GB	PNT	GB	PNT	7'-11 3/8"	
144	STORAGE	LVT-1	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
146	LOBBY	LVT-1	WB-1	GB	FRP/GWT	GB	GWT	7'-11 3/8"	
147	FITNESS	RUBBER	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
148	REGISTRATION	LVT-1	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
154	STORAGE	LVT-1	WB-1	GB	GWT	GB	GWT	7'-11 3/8"	
SECOND FLOOR									
200	CORRIDOR	CARPET	WB-1	GB	GWT	ACT/GB	-	VARIES	REF CEILING TILE PATTERN 2/A1.4
240	UTILITY ROOM	LVT-3	WB-1	GB	PNT	GB	PNT	7'-10 5/8"	
THIRD FLOOR									
300	CORRIDOR	CARPET	WB-1	GB	GWT	ACT/GB	-	VARIES	REF CEILING TILE PATTERN 2/A1.4
340	UTILITY ROOM	LVT-3	WB-1	GB	PNT	GB	PNT	7'-10 5/8"	
FOURTH FLOOR									
400	CORRIDOR	CARPET	WB-1	GB	GWT	ACT/GB	-	VARIES	REF CEILING TILE PATTERN 2/A1.4
440	UTILITY ROOM	LVT-3	WB-1	GB	PNT	GB	PNT	7'-10 5/8"	

ROOM FINISH NOTES:

- MOISTURE RESISTANT GYPSUM BOARD AT WET WALLS.
- WASHING MACHINE PAD PAINTED SW7650 "ELLIE GRAY". LINT COVER PAINTED SHERWIN WILLIAMS PRO INDUSTRIAL ZERO VOC. COLOR - SW7650 "ELLIE GRAY"


FINISH SCHEDULE ABBREVIATIONS LEGEND:

ACT	ACOUSTICAL CEILING TILE - 2'x2' LAY-IN	PNT	PAINT
FRP	FIBERGLASS REINFORCED PANEL	RR	RAISED ROUND FLOORING
GB	GYPSUM BOARD	SC	SEALED CONCRETE
GWT	GYPSUM WALL TEXTURE FINISH - KNOCKDOWN	WB	WALL BASE
LVT	LAMINATE VINYL TILE		


PARTITION TYPE NOTES:

- SEE INTERIOR ELEVATIONS AND FINISH SCHEDULE FOR FINISHES, TRIM, AND PANELING.
- SEE FLOOR PLANS AND ENLARGED PLANS FOR LOCATIONS OF VARIOUS PARTITION TYPES.
- IN SOME INSTANCES SOME PARTITION TYPES SHOWN HERE WILL BE SHEARWALLS WITH SHEATHING EVEN THOUGH THEY ARE NOT CALLED OUT AS SHEARWALLS IN THE SCHEDULE - SEE STRUCTURAL PLANS FOR LOCATIONS AND NAILING INFORMATION.
- IF ANY DISCREPANCY IS FOUND BETWEEN PARTITION TYPES SHOWN ON THE ARCHITECTURAL PLANS AND SHEARWALL LOCATIONS INDICATED ON STRUCTURAL PLANS, THE STRUCTURAL PLANS SHALL GOVERN.
- REF STRUCTURAL PLANS FOR STUD SPACING REQUIREMENTS.
- REF STRUCTURAL PLANS FOR SHEAR WALL LOCATIONS. WHERE SHEAR WALL OCCURS, SHEATHING SHALL BE ON THE ROOM SIDE.
- ALL PARTITIONS TO BE FULL HEIGHT U.O.
- STC RATING BASED ON 15TH. ED. GYPSUM ASSOC. FIRE RESISTANCE DESIGN MANUAL AND SOUND, NOISE AND VIBRATION CONTROL BY LYLE F. YERGES.
- ALL PENETRATIONS TO BE CAULKED WITH ACOUSTICAL SEALANT ON ALL CORRIDORS AND PARTY WALLS.
- MOISTURE RESISTANT FR GYP BD IN ALL WET AREAS.
- MINIMUM STC OF 50 AT GUESTROOMS (DEMISING WALLS AND CORRIDOR WALLS).


SECTION DETAILS:




SEE DETAIL 1/A8.3



SEE DETAIL 2/A8.3



SEE DETAIL 1/A8.3



SEE DETAIL 1/A8.3

Copyright Notice

This drawing was prepared for use on a specific site contemporaneously with its issue date and it is not suitable for use on a different project site or at a later time. Use of this drawing for reference or example on another project requires the services of properly licensed architects and engineers. Reproduction of this drawing for reuse on another project is not authorized and may be contrary to the law.

Issues & Revisions

NO.	DATE	DESCRIPTION
3	12/08/23	REV #3

Project Name

WoodSpring Suites

Project Address

**1010 NW WARD ROAD LEE'S
SUMMIT, MO**



Drawn By:

JP

Checked By:

DL

Document Date:

08/16/23

Protocol:

WSS_v5_2023.1 (05/05/23)

Bulletins Through:

WSS_v2_B08

Project No.

31000541

Professional Seal



12/07/2023

TREVOR TYSON HOLCOMB
ARCHITECT
LICENSE NO. 2022000409
BRR ARCHITECTURE, INC.
ARCHITECTURAL CORPORATION
MISSOURI LICENSE NO. ARC 000160

Sheet Title

**PARTITIONS, FINISH
SCHEDULE & DETAILS**

Sheet No.

A7.1