



FIRE DEPARTMENT

**Prevention Division
(816)969-1300**

PLANS REVIEW CONDITIONS

Permit No: PRCOMs
Description: 3 STORY ADDITION WITH
MULTIPLE CLINICS - AMBULATORY CARE FACILITY
*** - 3/9/23 - releasing permit for foundation only
Construction Type: Type IA
Map Page:

Date: March 22, 2024

Applicant:

JAYHAWK FIRE SPRINKLER CO INC
12030 S HEDGE LANE TERRACE
OLATHE, KS 66061

Primary: (913) 422-3770

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Released for Construction

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Stamped plans recieved 3/7/2024.

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule hydrostatic and flow tests.

3. Confirm the FDC is marked "Pump at 170 psi". Verified at inspection

4. Plans released for construction with the upgrade of the 4 inch supply line to a 6 inch line.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.