



FIRE DEPARTMENT

Prevention Division
(816)969-1300

PLANS REVIEW CONDITIONS

Permit No: PRCOM20240499 Date: April 08, 2024
Project Title: SPIRITUS TENANT FINISH Applicant:
Location: 2237 NE TOWN CENTRE BLVD, LEES SUMMIT, MO 64064 ADVANTAGE FIRE PROTECTION SYSTEMS INC
404 B NW 11TH ST
BLUE SPRINGS, MO 64015
Type of Work:
Occupancy Group: F-1
Description: SPIRITUS - NEW TENANT FINISH Primary: (816) 224-3400
FOR A RESEARCH AND MANUFACTURING COMPANY
**Invite Planner to final to verify screening
Construction Type: Type VB (Unprotected)
Map Page:

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Sprinkler Plan Review

Reviewed By: Jim Eden

Released for Construction

1. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Stamped plans received 3/25/2024

2. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule hydrostatic and flow tests.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.