

## FIRE DEPARTMENT

## **Prevention Division** (816)969-1300

## **PLANS REVIEW CONDITIONS**

Permit No: PRCOM20234376 Date: May 03, 2024

Project Title: LAKEWOOD BUSINESS CENTER LOT 1 Applicant:

questions, please contact our department for further clarification.

Location:

600 NE MAGUIRE BLVD, LEES SUMMIT, MO 64064

404 B NW 11TH ST Type of Work: BLUE SPRINGS, MO 64015

Occupancy Group: S-1

Description: SHELL FOR FUTURE WAREHOUSE

USE WITH SUITES FOR SMALL CONTRACTOR TENANTS

Construction Type: Type IIB (Unprotected)

Map Page:

Primary: (816) 224-3400

ADVANTAGE FIRE PROTECTION SYSTEMS INC

Listed below are requirements from our department for the project noted above. If you have any additional

**Released for Construction** Sprinkler Plan Review Reviewed By: Jim Eden

5. 2018 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Revised plans and calculations receved 4/26/2024.

9. 2018 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule hydrostatic and flow tests.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.