

LEE'S SUMMIT FIRE DEPARTMENT

FIRE HEADQUARTERS
207 SE DOUGLAS STREET
LEE'S SUMMIT, MISSOURI 64063-2372
(816) 969-1300
FAX (816) 969-1313
TDD (816) 969-7407

PLANS REVIEW CONDITIONS

Permit No:	PRCOM20114000	Date:	October 05, 2011
Project Title:	SUMMIT FAIR, BLDG C WHITE BOX FINISH	Applicant:	KCFS
Location:	910 NW BLUE PKWY, Unit:R LEES SUMMIT, MO 64086		901 E. Loula Olathe, KS 66061 (913) 720-5237
Type of Work:	Alarm Alteration		
Occupancy Group:	B/M		
Description:	WHITE BOX INCLUDING SINGLE RESTROOM AND SUSPENDED CEILING		
Construction Type:	Type IIB (Unprotected)		
Map Page:	195A		

Listed below are requirements from our department for the project noted above. If you have any additional questions, please contact our department for further clarification.

Alarm Plan Review

Reviewed By: Jim Eden

Released for Construction

1. 2006 IFC 901.2- Construction documents. The fire code official shall have the authority to require construction documents and calculations for all fire protection systems and to require permits be issued for the installation, rehabilitation or modification of any fire protection system. Construction documents for fire protection systems shall be submitted for review and approval prior to system installation.

Plans received October 3, 2011.

2. 2006 IFC 901.5- Installation acceptance testing. Fire detection and alarm systems, fire-extinguishing systems, fire hydrant systems, fire standpipe systems, fire pump systems, private fire service mains and all other fire protection systems and appurtenances thereto shall be subject to acceptance tests as contained in the installation standards and as approved by the fire code official. The fire code official shall be notified before any required acceptance testing. The fire code official shall be notified 48 hours before any required acceptance test.

Call (816) 969-1300 to schedule a test. Tests are to be completed before or after regular business hours.

3. Duct detectors shall send be supervisory alarms only and shall NOT activate the interior horn/strobes.

Verified at inspection.

The applicant understands that the requirements listed above must be corrected to conform to applicable City Codes and Ordinances.