



# LEE'S SUMMIT, MISSOURI FIRE DEPARTMENT LOSS REDUCTION PROGRAM



## NOTIFICATIONS/CONTACT INFORMATION SECTION

PAGE 1

### ☐ CHANGES

<b>BUSINESS NAME</b>	SAINT LUKES EAST		
<b>ADDRESS</b>	100 NE SAINT LUKES BLVD, LEES SUMMIT, MO 64086		
<b>OWNER/OPERATOR NAME</b>	TURNER CONSTRUCTION CO:	<b>TELEPHONE</b>	(816) 283-0555
<b>ADDRESS</b>	2345 GRAND BOULEVARD SUITE 1000 KANSAS CITY, MO 64108 Primary: (816) 283-0555 Cell: (816) 918-6040		

## EMERGENCY CONTACT INFORMATION

NAME	TELEPHONE
1.	
2.	
3.	
4.	

## LOSS REDUCTION TYPE

<input type="checkbox"/> Occupancy	<input type="checkbox"/> Semi-Annual	<input type="checkbox"/> Annual	<input type="checkbox"/> Life Safety	<input type="checkbox"/> Sprinkler	<input type="checkbox"/> Hazardous Material Permit
<input type="checkbox"/> Complaint	<input type="checkbox"/> Explosive Storage	<input type="checkbox"/> UST	<input type="checkbox"/> Post-Incident	<input type="checkbox"/> Open Burning	<input checked="" type="checkbox"/> Other alarm system
CLASS: I-2	Map#: 175X	PFA#:	KNOX BOX:	KNOX LOCATION:	PERMIT # PRCOM20110759

## LOSS REDUCTION NARRATIVE

### ☐ NO CORRECTIONS NOTED

### ☐ ALL CORRECTIONS COMPLETED

Last Inspection

1st Inspection 10/11/11

2nd Inspection

3rd Inspection

4th Inspection

INSPECTION	INSPECTOR	OUTCOME	DATE
<b>Alarm Test</b>	Joe Dir	Passed	Tuesday, October 11, 2011
delayed egress doors, mag doors, card reader doors the doors unlock upon actuation of sprinkler system, automatic fire detection, power loss controlling the lock or lock mechanism, and shall the capability of being unlocked by a signal from the fire command center. on the silence command from the FACP both horn and strobe will terminate. duct detection will be supervisory with HVAC shut-down with damper activation.			
<b>Sprinkler - Hydrostatic Test</b>	Joe Dir	Passed	Friday, October 07, 2011
<b>Sprinkler - Flow Test</b>	Joe Dir	Passed	Friday, October 07, 2011
<b>DATE OF REPORT</b>	<b>INSPECTOR</b>	<b>PREVENTION FOLLOW-UP</b>	<b>RESPONSIBLE SIGNATURE</b>

October 11, 2011	Joe Dir	REQUIRED? <input type="checkbox"/> Yes <input type="checkbox"/> No	
------------------	---------	---	--