

Table of Contents

Page 1- Cover Sheet

Page 2- Fire Protection 1b- safety decals on Fuel Dispensers

Page 3- Fire Protection 1f- Manufacturer spec drawing Unleaded tank
15,000 Gallon Double Wall FG Tank

Page 4- Fire Protection 1f- Manufacturer spec drawing Premium 4,000
gallon Non- Ethanol Premium 4,000 gallons Diesel 6,000 gallon
Double Wall FG Tank (Compartment Tank)

Page 5- Fire Protection 1ii.- Wayne Ovation2 Dispensers quantity 4

Page 6- Fire Protection 1ii- Wayne Ovation2 Dispensers quantity 4

Page 7- Fire Protection 1iii- Fuel Piping (Underground piping from
tanks to dispensers)

Page 8- Fire Protection 1v- Nozzle assembly for Dispensers.

Page 9- Fire Protection 1g- Secondary Containment. Tank Sumps

Page 10- Fire Protection 1g- Secondary containment. Dispenser sumps

Page 11- Fire Protection J- Locations of Vehicle impact protection
(Dispensers)

DESCRIPTION OF CHANGE

ADDED MEDIA SVG OPTION FOR AX12 DISPLAY (SHT 1), WARNING DECAL KIT HAS BEEN REMOVED AND IS NOW MATRIX DRIVEN (SHT 1)

Standard Parts

BRAND

AMOCO

SUB-BRAND

BRAND CODE

AM18

COUNTRY/REGION

US

SPECIFICATION CONTENTS

Cover Page/Standard Parts

1

Anthem Parts

2

B23/4, R24/4 (UNBRANDED DIESEL)

3

B23/4, R24/4 (BRANDED)

4

B12/3, R13/3

5

R11/1

6

R22/2 (BRANDED DIESEL)

7

EB23/4, ER24/4

8

B23/3, EB23/3

9

R22/2 (UNBRANDED DIESEL)

10

APPROVED PRODUCTS

GASOLINE PRODUCTS CODE

REGULAR

SILVER

ULTIMATE

ULTIMATE ETH FREE

RE

SL

UT

UTEF

STATE

All

All

All

All

DIESEL PRODUCTS

AM DIESEL

AM DYED DIESEL

AM BIO DIESEL

DIESEL

BIODIESEL

AMDI

AMDYDI

AMBIDI

DI

BIODI

All

All

All

All

SPECIAL PRODUCTS

E85

E15

E85

E15

All

All

1 SALES VOLUME GLASS

\$

Gallons

WU010197-0002

\$

Gallons

W2894460-0002

Note: Optional with AX12 display only

2 PRESET INSTRUCTION DECAL

N/A

3 INSTRUCTION DECAL

N/A

4 SCANNER DECAL

N/A

5 CONTACTLESS DECAL

N/A

6 WAYNE TRAC DECAL

N/A

7 CALL BUTTON DECAL

WU009849-0014

PUSH TO

SPEAK WITH

ATTENDANT

8 EMERGENCY STOP DECAL

WU010343-0002

EMERGENCY

STOP

9 LX DOME DECAL (IF OPTION SELECTED)

893204-118

AMOCO

BRAND NOTES

10 FRONT PANEL (DOOR)

SEE MODEL PAGES

NOTE: Use these standard doors unless otherwise indicated on model pages.

11 VALANCE ASSEMBLY

VALANCE NOT SUPPLIED BY WAYNE

STANDARD BEZEL DECALS - SHIP LOOSE (1 per side)

WU009879-0029

(Credit Card palette)

WU009879-0052

(Pre-pay Decal)

WU009879-0028

(ADA Decal)

MISCELLANEOUS DECALS - USE FOR STD & ANTHEM BEZELS

SHIP LOOSE (1 per side)

WARNING

No Smoking

Stop Engines

Turn Off Cell Phone

Health Warnings

Excessive fumes, vapors may irritate.

Handle or load if overhead.

Use proper technique to operate this equipment to minimize risk of injury.

Read and understand all safety instructions.

Keep hands, eyes and face away from moving parts.

Never touch the nozzle.

Do not use as a hand tool.

Self Serve

Do not touch or "top off" tank.

Excessive fuel dispensing and fuel vapor release may irritate or be harmful to health.

Excessive fuel vapor release may irritate or be harmful to health.

Excessive fuel vapor release may irritate or be harmful to health.

In Case of Fire

DO NOT REMOVE NOZZLE FROM THE NOZZLE.

Excessive fuel dispensing and fuel vapor release may irritate or be harmful to health.

Excessive fuel vapor release may irritate or be harmful to health.

WU009879-0079

(Warning Decal)

May contain up to 10% ethanol

WU009879-0053

(10% Ethanol Decal)

PAINTED PARTS

Main Bezel

W007 WHITE

Inner Bezel

W007 WHITE

PTS Panel

W007 WHITE

Elec. Enclosure - Top Panel

W007 WHITE

Elec. Enclosure - Side Panel, Left

W007 WHITE

Elec. Enclosure - Side Panel, Right

W007 WHITE

LX Dome & Bracket

W007 WHITE

PCAP Display Glass

J021 Black

U-Frame Bezel

W007 WHITE

Upper Left Panel

W007 WHITE

Lower Left Panel

W007 WHITE

Lower Panel

W007 WHITE

Printer Door

W007 WHITE

Upper Right Panel

W007 WHITE

Columns

W007 WHITE

Column Covers

W007 WHITE

Column Back Cover

W007 WHITE

Upper Trim

NOT USED

Lower Skin

W007 WHITE

Nozzle Boot Adapters

See Model Pgs

Left Nozzle Adapter

See Model Pgs

Right Nozzle Adapter

See Model Pgs

Blank Nozzle Adapter

W007 WHITE

Pedestal

J021 Black

1

2

3

4

5

6

7

8

9

10

11

AMOCO

stop engine - no smoking

1

2

3

4

5

6

7

8

9

10

11

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO


stop engine - no smoking

AMOCO

stop engine - no smoking

AMOCO

SHELL CODES: 2-E8D0928, 1-08D1028




NOTES:

- ☒ HOLD DOWN STRAP CLIP
- ▶◀ HOLD DOWN STRAP LOCATION
- TYPE "13" LIFT LUG - SD
- TYPE "13" LIFT LUG - HD

Product Code: # 8D15SD133	Active Date: 12/18/20
Order #: _____	Qty: _____
City: _____	State: _____
Delivery Date: _____	Rep: _____























CSI DWT6 (8')-15000		DATE:	12/07/20
PEI OF KC		DRAWN BY:	R.OXNER
Fiber Glass Systems 	CAPACITY:	14,545	REVISED:
	WEIGHT: DRY/WET	7450/9350	DWG NUMBER:
			24970-003




NOTES:

- ☒ HOLD DOWN STRAP CLIP
- ▶◀ HOLD DOWN STRAP LOCATION
- TYPE "13" LIFT LUG - SD
- TYPE "13" LIFT LUG - HD

CSI DWT6 DWB2 (8')-4M/6M/4M		DATE:	02/17/21
PEI OF KC		DRAWN BY:	A.FLORES
Fiber Glass Systems		CAPACITY:	4,021/5,897/4,021
NOV Completion & Production Solutions		WEIGHT: DRY/WET	7700/9650
		DWG NUMBER:	25131-000

<div>MODEL B23/4, R24/4</div> <div> <div>BRAND</div> <div>AMOCO</div> </div> <div> <div>SUB-BRAND</div> </div>		<div>12</div> <div>PTS DECAL</div> <div>  <div>AMDI/RE/SL/UT SPP: WU010213-0364 DPP: WU010219-0152</div> </div>	<div>13</div> <div>ACTUATOR DECAL(S)</div> <div> <div>Actuator Decal 888460-001-538</div>  <div>Actuator Decal Kit: 888717-001</div> </div>	<div>14</div> <div>NOZZLE BOOT DECAL(S)</div> <div> <div>L Noz Adapter: J021 R Noz Adapter: W007</div> </div>	<div>MISCELLANEOUS DECAL(S) USE FOR STD & ANTHEM BEZELS</div>	<div>10</div> <div>FRONT PANEL (DOOR)</div> <div> <div> <div>Side A</div>  <div>Std: WU010150-0441 LX: WU010151-0196</div> </div> <div> <div>Side B</div>  <div>Std: WU010150-0442 LX: WU010151-0197</div> </div> <div>NOT SUPPLIED BY WAYNE</div> </div>	<div>11</div> <div>VALANCE ASSY</div>
		<div>  <div>AMBIDI/RE/SL/UT SPP: WU010213-0365 DPP: WU010219-0153</div> </div>	<div> <div>Actuator Decal 888460-001-539</div>  <div>Actuator Decal Kit: 888717-001</div> </div>	<div> <div>Biodiesel Blend</div> <div>contains biomethane diesel or biodiesel in quantities between 5 percent and 20 percent</div> <div>888892-001-329</div> </div>	<div> <div>WU009879-0054 COLUMN DECALS (QTY 1 PER DISPENSER) see below for placement</div>  <div>WU009879-0066 COLUMN DECAL</div> </div>	<div> <div>Side A</div>  <div>Std: WU010150-0441 LX: WU010151-0196</div> </div> <div> <div>Side B</div>  <div>Std: WU010150-0442 LX: WU010151-0197</div> </div> <div>NOT SUPPLIED BY WAYNE</div>	
		<div>  <div>AMDYDI/RE/SL/UT SPP: WU010213-0366 DPP: WU010219-0154</div> </div>	<div> <div>Actuator Decal 888460-001-540</div>  <div>Actuator Decal Kit: 888717-001</div> </div>	<div> <div>L Noz Adapter: J021 R Noz Adapter: W007</div> </div>	<div> <div>WU009879-0054 COLUMN DECALS (QTY 1 PER DISPENSER) see below for placement</div>  <div>WU009879-0065 COLUMN DECAL</div> </div>	<div> <div>Side A</div>  <div>Std: WU010150-0441 LX: WU010151-0196</div> </div> <div> <div>Side B</div>  <div>Std: WU010150-0442 LX: WU010151-0197</div> </div> <div>NOT SUPPLIED BY WAYNE</div>	
		<div>  <div>UTEF/RE/SL/UT SPP: WU010213-0475 DPP: WU010219-0196</div> </div>	<div> <div>Actuator Decal 888460-001-007</div>  <div>Actuator Decal Kit: 888717-001</div> </div>	<div> <div>L Noz Adapter: W007 R Noz Adapter: W007</div> </div>	<div> <div>DOES NOT CONTAIN ETHANOL</div> <div>366-129999-Ship Loose</div> <div>WU009879-0054 COLUMN DECALS (QTY 1 PER DISPENSER) see below for placement</div> </div>	<div> <div>Side A</div>  <div>Std: WU010150-0441 LX: WU010151-0196</div> </div> <div> <div>Side B</div>  <div>Std: WU010150-0442 LX: WU010151-0197</div> </div> <div>NOT SUPPLIED BY WAYNE</div>	
							

PROPRIETARY INFORMATION - THIS DOCUMENT CONTAINS PROPRIETARY AND CONFIDENTIAL INFORMATION. IT IS LOANED FOR LIMITED PURPOSES ONLY AND REMAINS THE PROPERTY OF WAYNE FUELING SYSTEMS LLC. IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF WAYNE FUELING SYSTEMS LLC AND MUST NOT BE DISCLOSED TO PERSONS NOT HAVING NEED OF SUCH DISCLOSURE CONSISTENT WITH THE PURPOSE OF THE LOAN. IT MUST NOT BE USED FOR ANY PURPOSE OTHER THAN FOR THE BENEFIT OF WAYNE FUELING SYSTEMS LLC. THIS DOCUMENT IS TO BE RETURNED TO WAYNE FUELING SYSTEMS LLC UPON REQUEST, AND/OR UPON COMPLETION OF THE USE FOR WHICH IT WAS LOANED.

APPROVED BY	REV. 22	2022-05-13	ECN NO.	<div>  <div>Related Drawing</div> </div>	<div> <div>TITLE</div> <div>GRAPHICS SPECIFICATION</div> <div>OVATION 2, AMOCO, US</div> </div>	<div>DRAWING NO.</div> <div>WU010233-0255</div> <div>SHEET 4</div>	A3
DRAWN BY Hailey Ivy	REV	DATE					

MODEL B12/3, R13/3

BRAND
AMOCO

SUB-BRAND

12 PTS DECAL


13 ACTUATOR DECAL(S)

14 NOZZLE BOOT
DECAL(S)

MISCELLANEOUS DECAL(S)
USE FOR STD & ANTHEM BEZELS

10 FRONT PANEL (DOOR)

11 VALANCE ASSY



RE/SL/UT
SPP: WU010212-0281
DPP: WU010218-0088

Actuator Decal Kit:
888717-001

R Noz Adapter: W007

WU009879-0054
COLUMN DECALS
(QTY 1 PER DISPENSER)
see below for placement

Side A





Std: WU010150-0441
LX: WU010151-0196

Side B




Std: WU010150-0442
LX: WU010151-0197

NOT
SUPPLIED
BY
WAYNE



PROPRIETARY INFORMATION - THIS DOCUMENT CONTAINS PROPRIETARY AND CONFIDENTIAL INFORMATION. IT IS LOANED FOR LIMITED PURPOSES ONLY AND REMAINS THE PROPERTY OF WAYNE FUELING SYSTEMS LLC. IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF WAYNE FUELING SYSTEMS LLC AND MUST NOT BE DISCLOSED TO PERSONS NOT HAVING NEED OF SUCH DISCLOSURE CONSISTENT WITH THE PURPOSE OF THE LOAN. IT MUST NOT BE USED FOR ANY PURPOSE OTHER THAN FOR THE BENEFIT OF WAYNE FUELING SYSTEMS LLC. THIS DOCUMENT IS TO BE RETURNED TO WAYNE FUELING SYSTEMS LLC UPON REQUEST, AND/OR UPON COMPLETION OF THE USE FOR WHICH IT WAS LOANED.

APPROVED BY	REV.22	2022-05-13	
DRAWN BY Hailey Ivy	REV	DATE	ECN NO.


Related Drawing

TITLE
GRAPHICS SPECIFICATION
OVATION 2, AMOCO, US

DRAWING NO.
WU010233-0255
SHEET 5

A3

FlexWorks Supply Piping

Why flex pipe?

OPW developed FlexWorks Pipe in response to customer feedback. You asked and we delivered! The pipe is more flexible, lighter and has reduced memory. Pipe can also be replaced without breaking concrete.

Elimination of potential underground leak points

- ◆ No underground fittings or joints
- ◆ No hand-built field joints
- ◆ All termination points are contained safely inside sumps
- ◆ Termination joints precision coupled to simulate factory made assemblies

Light, Flexible, & Easy to Install. ULC Approved for All Fuels




ULC APPROVAL

- ✓ Motor Vehicle Fuels
- ✓ High Blend Fuels
- ✓ Concentrated Fuels
- ✓ Aviation and Marine

FlexWORKS

Celebrating Over 20 Years of Success Through Piping Excellence





What Makes This Pipe Different? Lower installation costs

- ◆ **Eliminates the hassles** – installation time and potential leak points of rigid pipe installations
- ◆ **No adhesives** – heat assists, curing problems or electrofusion welding of joints
- ◆ **Fast and easy installation** – results in less installation labor, time and cost
- ◆ **Easy to bend** – no special fittings to install in order to make bends
- ◆ Eliminates burdensome cutting, fitting, and cleaning

OPW 11A® and 11B® Automatic Nozzles

The OPW 11® Series automatic nozzles are OPW's premium conventional nozzles for safe retail and commercial petroleum filling. The OPW 11® Series is the most trusted conventional nozzle in the world for full service use. The OPW 11B® Series is designed for use in retail and commercial filling applications including prepaid, self- and full-service, credit/debit card readers or card-lock systems to help prevent gasoline spills. The OPW 11B® will not open until the pumping system is pressurized, and closes automatically when the pressure is removed.




Accessories

Name	Product #	Description	Used For:
3/4" to 1" Bushing	28S-0350	3/4" MNPT to 1" FNPT Bushing	Converting 11 Series Nozzle for use on 1" Hose
1" to 3/4" Bushing	28R-2404	1" MNPT x 3/4" FNPT Bushing	Converting 7 Series Nozzle for use on 3/4" Hose

Materials

Body: Aluminum
Lever & Lever Guard: Duratuff®
Packing: Graphite with Teflon®
Disc: Viton®
Spout: Aluminum
Inlet Size: 3/4" NPT
Weight: 2.73 lbs. each, 43.1 lbs./case of 15
 1.25 kg each, 19.9 kg/case of 15



Features

Safe for Use

- ◆ UL- and ULC-Listed for use in gasoline, diesel, and up to 10% ethanol blends. Specific listings available at www.opwglobal.com.
- ◆ Prevents gasoline spills in prepaid or card-lock systems utilizing OPW's unique No Pressure – No Flow Device. The nozzle cannot be opened until the pumping system is pressurized, and closes automatically when the pressure is removed (11B Series only).
- ◆ Prevents consumer from jamming the nozzle in an open position – blocker on lever guard.
- ◆ FlowLock™ allows nozzle to shut-off when falling out of a vehicle, and is tipped up, limiting spillage and unsafe conditions.

Durable and Long-Lasting Design

- ◆ Cycle-tested and proven to last longer than 1 million cycles – better than any other nozzle available on the market today*.

- ◆ Durable lever guard that won't scratch your customers' vehicles – made from Duratuff®.
- ◆ New hold-open clip spring lasts longer than previous designs.

Appealing to Customers

- ◆ Easy to use – utilizing Accu-Stop® to-the-penny Flow Control Technology.
- ◆ Attractive 2-Piece NEWGARD™ Hand Insulator is the most comfortable nozzle in the industry to use.
- ◆ Convenient – one-finger hold-open clip that is easy to set the flow rate (not on all models).

Design working pressure

- ◆ 50 psi (3.45 bar) maximum pressure.

* OPW internal lab testing results as of August 2010.

Replacement Parts

Name	Product #	Description	Used For:
11A Leaded Spout Kit	5BS-2110	11A, 15/16" O.D. Leaded Spout	11A Spout Replacement
11AP Unleaded Spout Kit	5BPS-2117	11AP, 13/16" O.D. Unleaded Spout	11AP Spout Replacement
11B Leaded Spout Kit	5BBS-2135	11B, 15/16" O.D. Leaded Spout	11B Spout Replacement
11BP Unleaded Spout Kit	5BBPS-2137	11BP, 13/16" O.D. Unleaded Spout	11BP Spout Replacement
NEWGARD Kits	See pg. 166	Replacement Hand Insulators	11A, 11AP, 11B, 11BP NEWGARD Replacements
Instruction Sheet	H15985M	Installation and Instruction Sheet	11A, 11AP, 11B, 11BP Instruction Sheet

Listings and Certifications




NOTE: 11A and 11B nozzle models are available with 1- or 2-piece Hand Insulators.

See pages 283-291 for certification number

SINGLE-WALL POLYGON TANK SUMP

MODEL SW PTS (WT34) 42/8

(Turbine Sump)



Approval Signature: _____
Approval Date: _____
Project Name: _____
P.O Number: _____
Qty Req'd: _____
Body Ext Length: _____



CONTAINMENT
SOLUTIONS®

SW PTS (WT34) 42_8S.DWG
6/2010-12/2015

NEW

DISCOVER SUMP'THN EXTRAORDINARY



**Premium
Quality**



**Fastest
Lead Times**











**Extraordinary
Value**



LEARN MORE. VISIT US AT opwglobal.com/DSE

Fuel Dispenser Layout



= Fuel Island with secondary
containment Sump.

OPW Part Number-DSE-1543



= Fire impact Valve

OPW Part Number- 10P-0150