

The architectural floor plan shows a building with a total width of 48'-0" and a total depth of 55'-0". The plan is divided into several sections and rooms, with dimensions and labels indicating the layout.

Dimensions:

- Overall Width: 48'-0"
- Overall Depth: 55'-0"
- Top Section Width: 38'-0" (left) and 10'-0" (right)
- Left Section Depth: 7'-0" (top), 2'-0" (middle), 2'-0" (bottom)
- Right Section Depth: 32'-0" (top), 20'-0" (middle), 2'-0" (bottom)
- Bottom Section Width: 12'-0" (left), 4'-0" (middle), 20'-0" (right), 10'-0" (far right)

Rooms and Labels:

- Top Section:** J7, J6, J5, J5, J5, J5, J5, J5, J5, J5, J4, J4, J4, J4, J3, J2, J1, J2, J3
- Central Hall:** A1, A2, A3, A4, A5, A6, B1, B2, B3, B3, B4, B4, B4, B5A, B5A, B5A, B5A, B6A, B7A, B7A, B7A, B7A, B8A
- Right Section:** V3, V2, V1, D4, D3, D2, D1, J10, J11, J11, J11, J11, J11, J11, J10
- Bottom Section:** C1

Structural Elements:

- Walls:** Indicated by thick black lines.
- Columns:** Indicated by red dots.
- Doors:** Indicated by blue squares.
- Windows:** Indicated by green triangles.
- Partitions:** Indicated by thin black lines.

Notes:

- Labels like "LAY1" and "LAY2" indicate specific layout areas.
- Labels like "V1", "V2", "V3" indicate vertical circulation elements.
- Labels like "D1", "D2", "D3", "D4" indicate door locations.

EVERSTEAD
SHOP DRAWINGS/SUBMITTAL REVIEW

SUBMITTAL WAS REVIEWED FOR DESIGN CONFORMITY
AND GENERAL CONFORMANCE TO CONTRACT
DOCUMENTS ONLY. THE CONTRACTOR IS RESPONSIBLE
FOR CONFIRMING ANY CORRELATING DIMENSIONS AT
JOBSITE FOR TOLERANCE, CLEARANCE, QUANTITIES,
FABRICATION, COORDINATION OF HIS OR HER WORK
WITH OTHER TRADES, AND FULL COMPLIANCE WITH
CONTRACT DOCUMENTS.

STATUS:
APPROVED AS
NOTED
01/30/2025
REVIEWED BY:
HCJ

ENGINEER, EVERSTEAD ENGINEERING & DESIGN LLC.

	HANGER SCHEDULE	Quantity
●	LUS24	11
●	LUS26	0
●	HUS26	10
▲	HHUS26-2	0
▲	HGUS26-2	0
▲	HGUS28-3	0
■	LTHJA26	2
■	TJC37	2
■	TJC57	0
▲	HTS20	0

For Reactions greater than 1245#, refer to EOR.

THIS IS A TRUSS PLACEMENT DIAGRAM ONLY. These trusses are designed as individual building components to be incorporated into the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult "Bracing of wood trusses" available from the Truss Plate Institute, 583 Donofrio Drive, Madison, WI 53719.

Shop Drawing Approval

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS, REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

*Wheeler Lumber
1959 Old Hwy 50 NE
Waverly, KS 66871*

