

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

DIRECTIONAL EXIT

- · PRODUCE AND INSTALL (2) NEW ALUMINUM FACES FOR EXISTING NON-ILLUMINATED DIRECTIONAL
- REPLACEMENT FACES PAINTED WHITE WITH APPUED VINYL GRAPHICS IN 7125-120 SATIN ALLWINNUM, 7125-197 LIGHT NAVY, 680-10 WHITE REFLECTIVE, 7125-41 DARK GRAY, DIGITALLY PRINTED PMS 540C REFLECTIVE AND 7125-47 INTENSE BLUE

CUSTOMER: SAINT LUKE'S EAST HOSPITAL DATE: NAME: ANDY AMOR LOCATION: 100 NE ST LUKES BLVD ARTIST: LEE'S SUMMIT, MO 64086 SCALE:

APPROVED:

12/13/24 DESIGN NO: QT-J28595 JH P = P


DATE



© 2024 LIMBHOUS RECRY, LC. The design is the property of LIMBHOUS RECRY, LLC. Rights are increased to the outstander upon completion of order. This design is not to be used in whole or in part without the witten permission of the company, the PANTONE (RAID) analysis why colons shown on printed document are a fixer color process inhulation and may have not only have not for social analysis of colons.








PROPOSED



SIDE FACING ENTRANCE NON ILLUMINATED ALUMINUM PANEL PAINTED RED



NOTE BEYEL. 3-11 1/2" SURVEY TO DETERMINE WHERE WRAP WILL STOP 3'-10" PMS 485C RED

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (2) FOUR-SIDED, INTERNALLY-ILLUMINATED COLUMN WRAPS WITH
 EMERGENCY ON THREE (3) SIDES, ILLUMINATES (3) SIDES WITH WHITE LEDS
 (2) 3* DEEP SINGLE-FACED WRAP AROUND CABINETS WITH BLEED EXTRUSION FRAMEWORK ON
- (3) FACES, (1) NON ILLUMINATED ALUMINUM PANEL. FLEX FACES OVERLAID WITH 3630-33 RED VINYL OR DIGITALLY PRINTED TO MATCH PMS 485C RED BACKGROUND, COPY REVERSES TO WHITE. IF REQUIRED, RETAINERS TOP AND BOTTOM PAINTED PMS 485C. ILLUMINATES WITH KWIK MOD 1.
- ATTACHES TO EXISTING BRICK/MASONRY COLUMNS.
- CUSTOMER RESPONSIBLE FOR BRINGING POWER TO SIGN LOCATION
- SURVEY REQUIRED TO CONFIRM SIZE OF EACH COLUMN AND DETERMINE ATTACHMENT METHODS

NAME:

CUSTOMER: SAINT LUKE'S EAST HOSPITAL

ANDY AMOR LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: 8/9/24 DESIGN NO: QT-J26158

ARTIST: JH

SCALE: 3/8" = 1"

APPROVED:

Employee Parking



Employee Parking Only Lot Monitored by Security

680-10 WHITE REFLECTIVE



7125-120 SATIN ALUMINUM BRUSHED ALUMINUM



7125-197 LIGHT NAVY

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

DIRECTIONAL

- . PRODUCE AND INSTALL (2) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED PMS 540C
- 2" SQUARE TUBE POSTS AND CAPS PAINTED BRUSHED ALUMINUM

APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, AND 680-10 WHITE REFLECTIVE COPY

CUSTOMER: SAINT LUKE'S EAST HOSPITAL
NAME: ANDY AMOR
LOCATION: 100 NE ST LUKES BLVD
LEE'S SUMMIT, MO 64086

DATE: 9/16/24
DESIGN NO: CT-J26906
ARTIST: JH

SCALE: 1*=1"

APPROVED: DATE:

LIMMOUS REON IN-

© 2024 LIMBINOUS RECIN, LTC. The design is the property of LIMBINOUS RECIN LTC. Rights are invalenced to the customer upon completion of order. This design is not to be used in whole or in port without the written permission of the company. The PANTONE (PAS) and/or viryl colors shown on partied document are a four color process simulation and may not major, the region PANTONE and viryl operation. Use a PANTONE Calls Release as Microsid as viryl worker book for accounts assignly of colors.


DIRECTIONAL 3 ENTRANCE H



PROPOSED



EXISTING



APPROVED:

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

DIRECTIONAL 3, ENTRANCE H

- REMOVE AND DISPOSE OF EXISTING SIGN PANEL FROM FACE OF DISTING NON-ILLUMINATED DIRECTIONAL SIGN
- PRODUCE AND INSTALL (1) ALUMINUM PANEL PAINTED WHITE WITH APPLIED 7 125-120 SATIN ALUMINUM, REFLECTIVE WHITE, 7 125-197 LIGHT NAVY, 7 125-41 DARK GREY, REFLECTIVE LIGHT BLUE AND DIGITALLY PRINTED PMS 540 REFLECTIVE BLUE VINYL GRAPHICS

CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR LOCATION: ICO NE ST LUKES BLVD LEE'S SUMMIT, MO 64086

CALE: 1"= 1"

SCALE: 1"=1"



7125-120 SATIN ALUMINUM


DIGITALLY PRINTED PMS 540C REFLECTIVE

7125-197 LIGHT NAVY

680-10 WHITE REFLECTIVE 680-76 LIGHT BLUE REFLECTIVE 7125-41 DARK GRAY

Directional





7125-41 DARK GRAY



7125-120 SADN ALUMINUM BRUSHED ALUMINUM



7125-197 LIGHT NAVY DIGITALLY PRINTED PMS 540C REFLECTIVE

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

DIRECTIONAL

- · PRODUCE AND INSTALL (1) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED WHITE
- 2" SQUARE TUBE POSTS AND CAPS PAINTED BRUSHED ALUMINUM

APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALLIMINUM, 7125-197 LIGHT NAVY LOGO, DIGITALLY PRINTED PMS 540C REFLECTIVE NAVY COPY AND ARROWS

CUSTOMER: SAINT LUKE'S EAST HOSPITAL ANDY AMOR LOCATION: 100 NE ST LUICES BLVD LEE'S SUMMIT, IMO 64086

APPROVED:


DATE: 12/13/24 DESIGN NO: QT-J28596 ARTIST: JH.

DATE

SCALE: 1"-1"


ART & SIGN SYSTEMS

6 20X LIABNOUS NEON, LIC. This design is the properly of LIABNOUS NEON, LIC. Rights are transferred to the qualative value completion of order, this design is not to be used in whole or in port without the within permission of the company. The PANTONE (NNS) cristian shows on printed document are a floar color process smuldeton and may not match PANTONE and vinyl identified spot caster standards, Use a PANTONE Celar Relevance Manual or white switch book for accounted deplay of cabors.





EXISTING



7125-197 LIGHT NAVY

7125-120 SATIN ALUMINUM

PROPOSED



CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086 DATE: 1/14/25 DESIGN NO: QT-J29006

ARTIST: JH SCALE: 1/2" = 1' **SPECIFICATIONS**

- PRODUCE AND INSTALL (2) PANELS FOR EXISTING NON-ILLUMINATED, DOUBLE-SIDED FLAG MOUNTED SIGN
- WHITE ALUMINUM PANELS OVERLAID WITH 7125-120 SATIN ALUMINUM AND 7125-197 LIGHT NAVY FACES SCREW TO EXISTING FRAMEWORK

APPROVED:

DATE:


ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE,

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company, The PANTONE (PMS) and/or viryl colors shown on printed document are a four-color process simulation and may not match PANTONE and viryl identified spot color standards. Use a PANTONE Color Reference Manual or viryl swatch book for accurate display of colors.

NEW DIRECTIONAL - ENTRANCE H



PROPOSED - DIRECTIONAL 1



7125-197 LIGHT NAVY PMS 540C DIGITALLY PRINTED REFLECTIVE

680-10 WHITE REFLECTIVE 7125-41 DARK GRAY



CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR LOCATION: 100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086

DATE: 1/14/25 DESIGN NO: QT-J29011 ARTEST: JH 1" = 1'-0" SCALE:

SPECIFICATIONS NEW DIRECTIONAL - ENTRANCE H

PRODUCE AND INSTALL (1) DOUBLE SIDED, NON-ILLUMINATED DIRECTIONAL SIGN

PRE-PAINTED WHITE ALUMINUM SIGN PANELS WITH APPLIED CUT VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO.

DIGITALLY PRINTED PMS 54OC NAVY DIRECTIONAL COPY, 7125-41 DARK GRAY, AND 68O-10 WHITE REFLECTIVE

- 4" SQUARE TUBE STRUCTURE PAINTED BRUSHED ALUMINUM

• MOW PAD 1/4" = 1'-0"

APPROVED:


ALL NOTED SEMENSIONS ARE APPROXIMATE AND HAR BE MODIFFED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

TALL MODIFIED SEASON AS COMPANY OF SECONDARY OF SECONDARY

A Entrance New Destination Sign







680-10 WHITE REFLECTIVE 7125-41 DARK GRAY



CUSTOMER: SAINT LUKE'S EAST HOSPITAL ANDY AMOR NAME: LOCATION: 100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086

DATE: 1/16/25 DESIGN NO: QT-J29012 ARTIST: THE SCALE: 1" = 1-0"

1/4" = 1-0"

SPECIFICATIONS DIRECTIONAL - ENTRANCE A

PRODUCE AND INSTALL (I) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED WHITE 2' SQUARE TUBE POSTS AND CAP PAINTED BRUSHED ALUMINUM

APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, DIGITALLY PRINTED PMS 540C REFLECTIVE NAVY COPY AND ARROWS, 680-10 WHITE REFLECTIVE LETTERS/BORDER AND 7125-41 DARK GRAY

APPROVED:

DATE:

ALL NOTED INMENSIONS ARE APPROXIMATE AND MAY BE INDOSPEED SLIGHTLY DURING MAINLY ACTURING TO ALLOW PROPER COM-

© 2025 LUNEINOUS NEON, LLC. This design is the property of LUNEINOUS NEON, LLC. Rights are trans



PROPOSED - NTS




7125-197 LIGHT NAVY PMS 540C DIGITALLY PRINTED REFLECTIVE

680-10 WHITE REFLECTIVE

7125-41 DARK GRAY

7125-13 TOMATO RED





CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: **ANDY AMOR**

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: 1/16/25 **DESIGN NO: QT-J29015** JН

ARTIST: SCALE: 1/2" = 1'

SPECIFICATIONS

- PRODUCE AND INSTALL (1) DOUBLE-SIDED, NON-ILLUMINATED DIRECTIONAL
- ALUMINUM PAN FACES PAINTED WHITE

2" SQUARE TUBE POSTS AND CAP PAINTED BRUSHED ALUMINUM


FACES OVERLAID WITH 7125-197 LIGHT NAVY

7125-13 TOMATO RED BAND WITH REFLECTIVE WHITE VINYL DIGITALLY PRINTED PMS 540C REFLECTIVE VINYL ARROWS/COPY 7125-41 DARK GRAY AND 680-10 WHITE REFLECTIVE BORDER/LETTERS


APPROVED:

2025 LUMINOUS NEON, LLC, This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order, This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or viril colors shown on printed document are a four-color process simulation and may not match PANTONE and viril identified spot color standards. Use a PANTONE Color Reference Manual or virily swatch book for accurate display of colors.


DIRECTIONAL 1 ENTRANCE H



PROPOSED



EXISTING



All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

REMOVE AND DISPOSE OF EXISTING METAL SIGN PANEL FROM FACE OF EXISTING NON-ILLUMINATED DIRECTIONAL SIGN

- PRODUCE AND INSTALL (1) PRE-PAINTED WHITE ALLUMINUM SIGN PANEL WITH APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALLUMINUM, 7125-197 LIGHT NAVY AND 7125-41 DARK GRAY

. SURVEY REQUESTED TO CONFIRM EXISTING BASE/NEW PANEL SIZE

APPROVED:

LOCATION:

ANDY AMOR

100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

ART & SIGN SYSTEMS

DESIGN NO: QT-J28599

JH


P = P

ARTIST:

SCALE:

DATE





7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY/WIREWAY MOUNTED INTERNALLY
 ILLEIMINATED "A"
- "A" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH.

CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086


DATE: 10/29/24 **DESIGN NO:** QT-J29006

ARTIST: JH

\$CALE: 1/2" = 1'

WMNUS NEON IN-ART & SIGN SYSTEMS

APPROVED:



PROPOSED NTS



7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY/WIREWAY MOUNTED INTERNALLY
- *B" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH AND DETERMINE DEPTH

NAME:


CUSTOMER: SAINT LUKE'S EAST HOSPITAL

ANDY AMOR


LOCATION: 100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086 DATE: 10/29/24 DESIGN NO: QT-J29006 **ARTIST:** JH

SCALE: $1/2^n = 1^n$

APPROVED:



PROPOSED





All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY MOUNTED INTERNALLY ILLUMINATED
- "C" WHITE ACRYLIC FACE OVERLAID WITH 3630-43 TOMATO RED, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH

CUSTOMER: SAINT LUKE'S EAST HOSPITAL

NAME: **ANDY AMOR**

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MQ 64086

DATE: 10/29/24 DESIGN NO: QT-J29006

ARTIST: JH


SCALE: 1/2" = 1'

APPROVED:





PROPOSED



7125-197 LIGHT NAVY MP 18076 BRUSHED ALUMINUM

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY MOUNTED INTERNALLY ILLUMINATED CHANNEL
- "D" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH.

CUSTOMER: SAINT LUKE'S EAST HOSPITAL DATE: 10/29/24 DESIGN NO: QT-J29006 NAME: **ANDY AMOR** LOCATION: 100 NE ST LUKES BLVD **ARTIST:** JH


> LEE'S SUMMIT, MO 64086 SCALE: 1/2" = 1" 1/16" = 1

APPROVED: DATE:





PROPOSED



7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY/WIREWAY MOUNTED INTERNALLY

 ILLI MAINLATED "E"
- "E" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH AND CANOPY OAH/BUMPOUT

CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: 10/29/24 DESIGN NO: QT-J29006

ARTIST: JH

SCALE: 1/2" = 1'

LUMINDUSNEON ME ART & SIGN SYSTEMS

APPROVED:



PROPOSED - INDEPENDENT PHYSICIAN PRACTICE ENTRANCE





All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (1) RACEWAY/WIREWAY MOUNTED INTERNALLY

 ILLI MINATED "E"
- *F" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH AND CANOPY OAH/BUMPOUT

CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: 10/29/24 **DESIGN NO:** QT-J29006

ARTIST: JH


SCALE: 1/2" = 1'



APPROVED:



PROPOSED





SPECIFICATIONS

*NOTE: INCREASE SIZE FROM 24 TO 30 WITH CANOPY COMPLETION

- PRODUCE AND INSTALL (1) FLUSH MOUNTED INTERNALLY ILLUMINATED "G"
- "G" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS

7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM

- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION



CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME:

ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

ARTIST: JH SCALE: 1/2" = 1'

DESIGN NO: QT-J29006

1/14/25

APPROVED:

DATE:


DATE:

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or viryl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or viryl swatch book for accurate display of colors.







7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM



CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

APPROVED:

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: 1/14/25 **DESIGN NO: QT-J29006 ARTIST:**

)H SCALE: 1/2" = 1"

DATE:

SPECIFICATIONS

*NOTE REPLACES PROPOSED 5 O" WALL SIGN


- PRODUCE AND INSTALL (1) INTERNALLY-ILLUMINATED, DOUBLE-FACED FLAG MOUNTED "H" SIGN
- "H" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS
- SQUARE TUBE ARM AND MOUNTING PLATED PAINTED BRUSHED ALUMINUM
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or Viryl colors shown on printed document are a four-color process simulation and may not match PANTONE and viryl identified spot color standards. Use a PANTONE Color Reference Manual or viryl swatch book for accurate display of colors.



PROPOSED





CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

LOCATION: 100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086

DATE: DESIGN NO: QT-J29006 **ARTIST:**

ЭН 1/2" = 1' 1/16" - 1'-0"

1/14/25

SPECIFICATIONS

*NOTE: INCREASE SIZE FROM 24" TO 30" WITH CANOPY COMPLETION

- PRODUCE AND INSTALL (1) FLUSH MOUNTED INTERNALLY ILLUMINATED "I" CABINET
- "I" WHITE ACRYLIC FACE OVERLAID WITH 7125-197 LIGHT NAVY, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS

7125-197 LIGHT NAVY

MP 18076 BRUSHED ALUMINUM

- ILLUMINATES WITH WHITE LEDS
- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION

APPROVED:

DATE:

SCALE:

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or viryl colors shown on printed document are a four-color process simulation and may not match PANTONE and viryl identified spot color standards. Use a PANTONE Color Reference Manual or viryl swatch book for accurate display of colors.





PROPOSED PROPOSED



All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

SPECIFICATIONS:

- PRODUCE AND INSTALL (2) RACEWAY MOUNTED INTERNALLY ILLUMINATED "EMERGENCY" CABINETS
- "EMERGENCY" WHITE ACRYLIC FACE OVERLAID WITH 3630-43 TOMATO RED, WITH BRUSHED ALUMINUM TRIM CAP AND MP 18076 BRUSHED ALUMINUM RETURNS
- ILLUMINATES WITH WHITE LEDS

3630-43 TOMATO RED

MP 18076 BRUSHED ALUMINUM

- CUSTOMER TO PROVIDE POWER TO SIGN LOCATION
- SURVEY REQUESTED FOR RACEWAY COLOR MATCH

CUSTOMER: SAINT LUKE'S EAST HOSPITAL

NAME: **ANDY AMOR** LOCATION:

100 NE ST LUKES BLVD

LEE'S SUMMIT, MO 64086


DATE: 10/29/24 DESIGN NO: QT-J29006 **ARTIST:** JH


SCALE: 1/2" = 1"SCALE: 1/8" = 1'

APPROVED:

ENTRANCE MONUMENT H









CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR 100 NE ST LUKES BLVD LOCATION: LEE'S SUMMIT, MO 64086

DATE: 1/14/25 DESIGN NO: QT-J29009 ARTIST: ЭН SCALE: 1/2" = 1-0" 1/4" = T-O"

SPECIFICATIONS **ENTRANCE MONUMENT H**

REMOVE AND DISPOSE OF ALL EXISTING GRAPHICS FROM BOTH SIDES OF EXISTING INTERNALLY ILLUMINATED, DOUBLE SIDED MONUMENT AND REPLACE WITH NEW VINYL GRAPHICS REMOVE PANELS AND BRING TO LUMINOUS SHOP TO SAND DOWN AND CLEAN APPLY DIFFUSER SECOND SURFACE

APPLY NEW CUT VINYL FIRST SURFACE IN 3630-121 SILVER, 7:25-197 LIGHT NAVY, 3630-43 TOMATO RED, 3630-20 WHITE AND 7:25-41 DARK GRAY

SURVEY REQUIRED FOR SPACING BETWEEN POSTS

EXISTING

APPROVED:

DATE:

ALL NOTED COMERCIONS ARE APPROXIMATE AND MAY BE INCOMPLED SUBSHITLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE


© 2025 LUMINOUS NEDN, LIE. This disagn is this property of LUMINOUS NEON, LIE. Rights are transferred to the our viryll solon shown on printed document are a four-color process simulation and may not match ANTONE and viryl store.



PROPOSED









CUSTOMER: SAINT LUKE'S EAST HOSPITAL NAME: ANDY AMOR

100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086 DATE: 1/16/25
DESIGN NO: QT-J29013
ARTIST: JH

SCALE: 1/2" = 1'-0" 1/4" = 1'-0"

SPECIFICATIONS

- REMOVE AND DISPOSE OF EXISTING (2) SIGN FACES
- PRODUCE AND INSTALL (2) WHITE ACRYLIC REPLACEMENT FACES OVERLAID WITH 3630-121 SILVER 3630-36 BLUE VINYL AND 7125-41 DARK GRAY
- PRODUCE AND INSTALL (2) NON ILLUMINATED ALUMINUM PANELS PAINTED WHITE WITH 7125-13 TOMATO RED VINYL TO LOWER POLE COVER
- *CONFIRM EXISTING MONUMENT FACES/VO.

APPROVED:


LOCATION:

DATE:

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.

TWIN MONUMENTS, Option 2



LUMINEO SIGNS

CUSTOMER: NAME: LOCATION:

APPROVED:

SAINT LUKE'S EAST HOSPITAL ANDY AMOR 100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086 DATE: 2/20/25
DESIGN NO: QT-J29656
ARTIST: JH
SCALE: 1/2" = 1'-0"
DATE:

SPECIFICATIONS
TWIN MONUMENTS

REMOVE AND DISPOSE OF ALL DISTING GRAPHICS FROM FRONT SIDES OF DISTING INTERNALLY ILLUMINATED TWIN MONUMENTS AND REPLACE WITH NEW YIMYL GRAPHICS

- REMOVE PANELS AND BRING TO LUMINOUS SHOP TO SAND DOWN AND CLEAN, APPLY DIFFUSER SECOND SURFACE

APPLY NEW CUT VINYL FIRST SURFACE IN 3630-121 SILVER, 7125-197 LIGHT NAVY, 3630-43 TOMATO RED, 3630-20 WHITE AND 7125-41 DARK GRAY

- SURVEY REQUIRED FOR SPACING BETWEEN POSTS

ALL NOTED DINENSIONS ARE APPROXIMATE AND MAY BE INCOMFED SUCHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE

ALL NOTICE DIMENDENCES ARE APPROXIMENT. AND MANY BE INCIDENCE SERVING OURSES, SERVING PROXIMENT OF ALLOW PROPER COMPONENT LEAKE.

2025 SLIMBROUTS RECOR, LEC. This design is not to be used in whole or in port without the written permission of the company. The PRINTINE PINCS and we used to be used to be used in whole or in port without the written permission of the company. The PRINTINE PINCS and we used to be used.

If you have no provided document are a four-circle process structures and many not match PARTICES and way identified upor core structures.

If you have no provided document are a four-circle process structures and may not match. PARTICES and way identified upor core structures.