



PROPOSED



SIDE FACING ENTRANCE  
NON ILLUMINATED ALUMINUM  
PANEL PAINTED RED



All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

#### SPECIFICATIONS:

- PRODUCE AND INSTALL (2) FOUR-SIDED, INTERNALLY-ILLUMINATED COLUMN WRAPS WITH "EMERGENCY" ON THREE (3) SIDES. ILLUMINATES (3) SIDES WITH WHITE LEDS
- (2) 3" DEEP SINGLE-FACED WRAP AROUND CABINETS WITH BLEED EXTRUSION FRAMEWORK ON (3) FACES. (1) NON ILLUMINATED ALUMINUM PANEL. FLEX FACES OVERLAID WITH 3630-33 RED VINYL OR DIGITALLY PRINTED TO MATCH PMS 485C RED BACKGROUND. COPY REVERSES TO WHITE. IF REQUIRED, RETAINERS TOP AND BOTTOM PAINTED PMS 485C. ILLUMINATES WITH Kwik MOD 1.
- ATTACHES TO EXISTING BRICK/MASONRY COLUMNS.
- CUSTOMER RESPONSIBLE FOR BRINGING POWER TO SIGN LOCATION
- SURVEY REQUIRED TO CONFIRM SIZE OF EACH COLUMN AND DETERMINE ATTACHMENT METHODS

**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
LEE'S SUMMIT, MO 64086

**DATE:** 8/9/24  
**DESIGN NO:** QT-J26158  
**ARTIST:** JH  
**SCALE:** 3/8" = 1'

**APPROVED:**

**DATE:**



**LUMINOUS Neon Inc**  
ART & SIGN SYSTEMS

## Employee Parking



PROPOSED



	680-10 WHITE REFLECTIVE
	7125-120 SATIN ALUMINUM BRUSHED ALUMINUM
	7125-197 LIGHT NAVY PMS 540C

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

### SPECIFICATIONS:

#### DIRECTIONAL

- PRODUCE AND INSTALL (2) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED PMS 540C
- 2" SQUARE TUBE POSTS AND CAPS PAINTED BRUSHED ALUMINUM
- APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, AND 680-10 WHITE REFLECTIVE COPY

CUSTOMER:	SAINT LUKE'S EAST HOSPITAL	DATE:	9/16/24
NAME:	ANDY AMOR	DESIGN NO:	QT-J26906
LOCATION:	100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086	ARTIST:	JH
		SCALE:	1" = 1'

APPROVED:

DATE:



**LUMINOUS Neon Inc**  
ART & SIGN SYSTEMS

© 2024 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.




## DIRECTIONAL 3 ENTRANCE H



PROPOSED



EXISTING



	7125-120 SATIN ALUMINUM
	7125-197 LIGHT NAVY DIGITALLY PRINTED PMS 540C REFLECTIVE
	680-10 WHITE REFLECTIVE
	680-76 LIGHT BLUE REFLECTIVE
	7125-41 DARK GRAY

All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

### SPECIFICATIONS:

#### DIRECTIONAL 3, ENTRANCE H

- REMOVE AND DISPOSE OF EXISTING SIGN PANEL FROM FACE OF EXISTING NON-ILLUMINATED DIRECTIONAL SIGN
- PRODUCE AND INSTALL (1) ALUMINUM PANEL PAINTED WHITE WITH APPLIED 7125-120 SATIN ALUMINUM, REFLECTIVE WHITE, 7125-197 LIGHT NAVY, 7125-41 DARK GREY, REFLECTIVE LIGHT BLUE AND DIGITALLY PRINTED PMS 540 REFLECTIVE BLUE VINYL GRAPHICS

<b>CUSTOMER:</b>	SAINT LUKE'S EAST HOSPITAL	<b>DATE:</b>	12/13/24
<b>NAME:</b>	ANDY AMOR	<b>DESIGN NO:</b>	QT-J28594
<b>LOCATION:</b>	100 NE ST LUKES BLVD LEE'S SUMMIT, MO 64086	<b>ARTIST:</b>	JH
		<b>SCALE:</b>	1" = 1'

APPROVED:



DATE:



**LUMINOUS Neon Inc**  
ART & SIGN SYSTEMS

© 2024 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual and vinyl swatch book for accurate display of colors.

## Directional



All noted dimensions are approximate and may be modified slightly during manufacturing to allow proper component usage.

**SPECIFICATIONS:**

## DIRECTIONAL

- \* PRODUCE AND INSTALL (1) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED WHITE  
2" SQUARE TUBE POSTS AND CAPS PAINTED BRUSHED ALUMINUM  
APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, DIGITALLY PRINTED PMS 540C REFLECTIVE NAVY COPY AND ARROWS

**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
LEE'S SUMMIT, MO 64086

DATE: 12/13/24  
DESIGN NO: QT-J28596  
ARTIST: JH

**SCALE:** 1" = 1'

**APPROVED:**

DATE: \_\_\_\_\_




**Luminous Neon**  
ART & SIGN SYSTEMS



PROPOSED



EXISTING



**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
 LEE'S SUMMIT, MO 64086

**DATE:** 1/14/25  
**DESIGN NO:** QT-J29006  
**ARTIST:** JH  
**SCALE:** 1/2" = 1'

#### SPECIFICATIONS

- PRODUCE AND INSTALL (2) PANELS FOR EXISTING NON-ILLUMINATED, DOUBLE-SIDED FLAG MOUNTED SIGN
- WHITE ALUMINUM PANELS OVERLAID WITH 7125-120 SATIN ALUMINUM AND 7125-197 LIGHT NAVY FACES SCREW TO EXISTING FRAMEWORK

7125-197 LIGHT NAVY

7125-120 SATIN ALUMINUM

**APPROVED:**

**DATE:**

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.


© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.



NEW DIRECTIONAL - ENTRANCE H



PROPOSED - DIRECTIONAL 1



- 7125-120 SATIN ALUMINUM
- 7125-197 LIGHT NAVY  
PMS 540C DIGITALLY PRINTED REFLECTIVE
- 680-10 WHITE REFLECTIVE
- 7125-41 DARK GRAY



**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
LEE'S SUMMIT, MO 64086

**DATE:** 1/14/25  
**DESIGN NO:** QT-J29011  
**ARTIST:** JH  
**SCALE:** 1" = 1'-0"  
1/4" = 1'-0"

**SPECIFICATIONS**  
NEW DIRECTIONAL - ENTRANCE H  
• PRODUCE AND INSTALL (1) DOUBLE SIDED, NON-ILLUMINATED DIRECTIONAL SIGN  
• PRE-PAINTED WHITE ALUMINUM SIGN PANELS WITH APPLIED CUT VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, DIGITALLY PRINTED PMS 540C NAVY DIRECTIONAL COPY, 7125-41 DARK GRAY, AND 680-10 WHITE REFLECTIVE  
• 4" SQUARE TUBE STRUCTURE PAINTED BRUSHED ALUMINUM  
• MOW PAD


**APPROVED:** **DATE:**

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.  
© 2025 LUMINEO NEON, LLC. This design is the property of LUMINEO NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.

## A Entrance New Destination Sign



PROPOSED



- 7125-120 SATIN ALUMINUM
- 7125-197 LIGHT NAVY  
PMS 540C DIGITALLY PRINTED REFLECTIVE
- 680-10 WHITE REFLECTIVE
- 7125-41 DARK GRAY



**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
 LEE'S SUMMIT, MO 64086

**DATE:** 1/16/25  
**DESIGN NO:** QT-329012  
**ARTIST:** JH  
**SCALE:** 1" = 1'-0"  
 1/4" = 1'-0"

### SPECIFICATIONS

#### DIRECTIONAL - ENTRANCE A

- PRODUCE AND INSTALL (1) DOUBLE FACED, NON ILLUMINATED ALUMINUM SIGN PAN PAINTED WHITE
- 2" SQUARE TUBE POSTS AND CAP PAINTED BRUSHED ALUMINUM
- APPLIED VINYL GRAPHICS IN 7125-120 SATIN ALUMINUM, 7125-197 LIGHT NAVY LOGO, DIGITALLY PRINTED PMS 540C REFLECTIVE NAVY COPY AND ARROWS, 680-10 WHITE REFLECTIVE LETTERS/BORDER AND 7125-41 DARK GRAY

**APPROVED:**

**DATE:**

ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.



PROPOSED - NTS

	BRUSHED ALUMINUM 7125-120 SATIN ALUMINUM
	7125-197 LIGHT NAVY PMS 540C DIGITALLY PRINTED REFLECTIVE
	680-10 WHITE REFLECTIVE
	7125-41 DARK GRAY
	7125-13 TOMATO RED



**CUSTOMER:** SAINT LUKE'S EAST HOSPITAL  
**NAME:** ANDY AMOR  
**LOCATION:** 100 NE ST LUKES BLVD  
 LEE'S SUMMIT, MO 64086


**DATE:** 1/16/25  
**DESIGN NO:** QT-J29015  
**ARTIST:** JH  
**SCALE:** 1/2" = 1'

**APPROVED:**

**DATE:**

#### SPECIFICATIONS

- PRODUCE AND INSTALL (1) DOUBLE-SIDED, NON-ILLUMINATED DIRECTIONAL
- ALUMINUM PAN FACES PAINTED WHITE
- 2" SQUARE TUBE POSTS AND CAP PAINTED BRUSHED ALUMINUM
- FACES OVERLAID WITH 7125-197 LIGHT NAVY
- 7125-13 TOMATO RED BAND WITH REFLECTIVE WHITE VINYL
- DIGITALLY PRINTED PMS 540C REFLECTIVE VINYL ARROWS/COPY
- 7125-41 DARK GRAY AND 680-10 WHITE REFLECTIVE BORDER/LETTERS



ALL NOTED DIMENSIONS ARE APPROXIMATE AND MAY BE MODIFIED SLIGHTLY DURING MANUFACTURING TO ALLOW PROPER COMPONENT USAGE.

© 2025 LUMINOUS NEON, LLC. This design is the property of LUMINOUS NEON, LLC. Rights are transferred to the customer upon completion of order. This design is not to be used in whole or in part without the written permission of the company. The PANTONE (PMS) and/or vinyl colors shown on printed document are a four-color process simulation and may not match PANTONE and vinyl identified spot color standards. Use a PANTONE Color Reference Manual or vinyl swatch book for accurate display of colors.