



- GENERAL NOTES - ARCHITECTURAL SITE:**
1. RE. SHEET G-011 FOR ADDITIONAL GENERAL NOTES THAT ARE APPLICABLE.
  2. ARCHITECTURAL ELEVATION 100'-0" = CIVIL ELEVATION 1024.67'.
  3. ALL SIDEWALKS SHALL SLOPE 1/4 INCH PER FOOT AWAY FROM THE BUILDING, UNLESS NOTED OTHERWISE.
  4. ALL GRADES SHALL SLOPE AWAY FROM THE BUILDING AT 5 PERCENT FOR THE FIRST 10 FT.
  5. LOCATIONS AND SIZES OF ALL CONCRETE MECHANICAL AND ELECTRICAL PADS SHALL BE COORDINATED BY THE MECHANICAL AND ELECTRICAL CONTRACTORS, WITH THE SELECTED EQUIPMENT MANUFACTURER / SUPPLIER, AND ARE TO BE APPROVED BY THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.

**SITE LEGEND**

AREA NOT IN SCOPE

PROPERTY LINE

**MATERIAL KEYNOTES**

33.46B FOUNDATION DRAINAGE - 4" HDPE PERFORATED PIPE WRAPPED IN FILTER FABRIC



**A1** ARCHITECTURAL SITE PLAN  
1" = 40'-0"

**HOEFER WELKER**  
4622 PENNSYLVANIA AVENUE  
SUITE 1400  
KANSAS CITY, MO 64112  
P: 913.307.3700  
www.hoeferwelker.com  
COPYRIGHT © BY HOEFER WELKER, LLC

**LEE'S SUMMIT JOINT OPERATIONS FACILITY**

2 NE TUDOR RD  
LEE'S SUMMIT, MISSOURI 64086

9	CCD 001	1/29/2025
10	CCD 002	1/24/2025
15	ASI 008	3/10/2025



PROFESSIONAL SEAL

**AS101**

ISSUE DATE: DECEMBER 20, 2024  
HOEFER WELKER #: 138191

**SITE PLAN**

PACKAGE 2: CONSTRUCTION SET