FRONT ELEVATION TAKE 5 **OIL CHANGE NE 291 Hwy** Lee's Summit, MO 64086

October 8, 2024

ADDITIONAL ELEMENTS PVC ADDRESS NUMBERS

-36.00"----

0000 ½

--16"-

As in drawing

Face Color Black Edge Color:

Studs w/ Silicone

ALUMINUM PANS

Thickness:

1/2

Black Mounting:

Quantity:

As in drawing

Black and White Returns:

Size:

Color

Mounting: Angle into facade

INITIAL LAYOUT:

4/14/25

REVISIONS:

Underwriters Laboratories Inc. UL File #E225670 Copyright Notice ©

44.50"

58.75"

18.16 Sq. Ft.

QTY: 1

10.50 Degree 52.00" Angle on Can Oil Can Calculation 60.00

Signage Allowance: 85.11 Sq. Ft. (10% of Facade) 3 Wall Signs Max Zoned CP-2

City of Lee's Summit

INCLUDE INTERIOR TRACK, 6" TALL. TO CONCEAL WIRING INSIDE BUILDING. ELECTRICAL BOXES WILL STILL BE SEEN. 32' SUPPLIED. CUT ON-SITE AS NEEDED.

> COLOR TO BE WHITE FOR PAINTERS/GC TO PAINT TO MATCH

SPECIFICATIONS

ILLUMINATED

As in drawing

Trim Color:

Return Depth:

Face Color:

Letter Interior:

Gloss White

Illumination: LED Mounting:

Studded Letters

See above Face: 1/8" Acrylic

Trim:

Black **Return Color:**

Black

1"



OIL CHANGE • STAY IN YOUR CAR

47.59 Sq. Ft. QTY: 1

•GENERAL LOCATION OF J-BOXES (BY ELECTRICIAN). TO BE LOCATED INSIDE BUILDING & ACCESSIBLE FOR HOOKUP TO POWER SUPPLIES. NOTE: IF THE PERMANENT POWER IS NOT RUN BEFORE THE SIGNS ARE INSTALLED. IT IS THE ELECTRICIAN'S RESPONSIBILITY TO MAKE THE FINAL CONNECTIONS WHEN THEY RUN THE LINES

CHANNEL LETTERS

OIL CHANGE • STAY IN YOUR CAR 0000 628.50

DETAIL

CENTERED UNDER LIGHTS

OF SCONCE VERTICALLY

INSTALL PAN 8' FROM GRADE TO TOP OF PAN

& 6" DOWN FROM BOTTOM

MECHANICAL FASTENER 1/4" x 6" MINIMUM OF 3 PER LETTER NORMAL 4 PER LETTER .080" ALUMINUM BACK , (() LOW VOLTAGE WIRE

NOTE:

• IF ELECTRICIAL LINE/J-BOX IS WITHIN 6' OF ELECTRICAL, CONNECTION TO BE HANDLED BY INSTALLER. IF NOT **ELECTRICAL HANDLED BY GC/OWNER**

IF ROOF PENETRATIONS ARE NECESSARY, THEY ARE TO BE SEALED BY A ROOFER, HANDLED BY THE GC/OWNER

Owner/Landlord Approval

SIGNS:UNLIMITED

6801 Mount Hermon Church Rd, Ste C, Durham, NC 27705 • (P) 919-552-8689 • (F) 919-557-1322

REAR & SIDE ELEVATIONS

TAKE 5

OIL CHANGE
NE 291 Hwy
Lee's Summit, MO 64086


INITIAL LAYOUT:
October 8, 2024

REVISIONS:
1 4/14/25





SIGNS UNLIMITED



6801 Mount Hermon Church Rd, Ste C, Durham, NC 27705 • (P) 919-552-8689 • (F) 919-557-1322

MOUNUMENT GROUND SIGN

October 8, 2024

OIL CAN

CALCULATION 44.50"

18.16 Sq. Ft.

QTY: 1

TAKE 5 **OIL CHANGE NE 291 Hwy** Lee's Summit, MO 64086

5/1/25

INITIAL LAYOUT:

REVISIONS:



DO NOT PRODUCE

BELTON MO GROUND SIGN TO BE RE-PURPOSED

INSTALLER TO PICK-UP GROUND SIGN CABINETS FROM BELTON, MO LOCATION


Signage Allowance: 72.00 Sq. Ft. 12 Ft. Max Height Zoned CP-2

City of Lee's Summit

QX\$¢0123456789 2 Each



• FOOTER, POLE, & MASONRY BASE HANDLED BY CLIENT/GC • ELECTRICAL ACCESS MADE AVAILABLE FOR CABINET INSTALLATION OR HANDLED ENTIRELY BY GC/ELECTRICIAN



SPECIFICATIONS

CHANGEABLE COPY CHARACTER COUNT

EXTRAS TO BE DETERMINED AND ORDERED WITH STANDARD SET

EGHMBCD

JKVWYZ

(CANNOT ORDER INDIVIDUAL LETTERS LATER)

200 Piece Set of 6" ADM Letters

10 Each

LNRSTP 8 Each

OIL

DOUBLE-SIDED ILLUMINATED ALUMINUM CABINET

6 Each

4 Each

As In Drawina

Face Color:

As In Drawing

Vinyl Colors:

As In Drawing

Face: Flat

Cabinet Interior:

Gloss White

Cabinet Color:

Black

Retainer:

2.0" & 1.5"

Illumination:

LED

Mounting:

Bolted to Skirt & Into Ground W/ Concrete Footer



- HOLE AND FOOTER DIMENSIONS/SPECIFICATIONS TO BE DETERMINED BASED ON ENGINEERING.
- ENGINEERING REQUIREMENTS MAY ALTER FOOTER, POLE AND PRICE
- •INSTALLER TO MAKE FINAL CONNECTION IF POWER IS RUN AT TIME OF INSTALLATION. IF THE PERMANENT POWER IS NOT RUN BEFORE THE SIGNS ARE INSTALLED. IT IS THE ELECTRICIAN'S RESPONSIBILITY TO MAKE THE FINAL CONNECTIONS WHEN THEY RUN THE LINE. INSTALLER TO DROP ELECTRICAL LINE TO THE BASE OF THE POLE, DRILL HOLE AND LEAVE ACCESS TO THE LINE(S)

SIGNSUNLIMITED

6801 Mount Hermon Church Rd, Ste C, Durham, NC 27705 • (P) 919-552-8689 • (F) 919-557-1322

