

October 22, 2025

Grant White City of Lee's Summit 120 SE Green St Lee's Summit, MO 64063

RE: P2025266 WOODLAND GLEN LOTS 46A, 46B, 47A, 47B, 48A AND 48B RESPONSE TO COMMENTS DATED OCTOBER 14, 2025

Dear Grant:

This letter is regarding staff comments for the above-mentioned project to which we have the following response:

## Electronic Plans for Resubmittal

Plat – All plats shall be provided in multi-page Portable Document format (PDF)
 Response: Acknowledged.

### Excise Tax

On April 1, 1998, an excise tax on new development for road construction went into effect. This tax is levied based on the type of development and trips generated. If you require additional information about this development cost, as well as other permit costs and related fees, please contact the Development Services Department at 816-969-1200.

Response: Acknowledged.

# Jackson County Plat approval

Plats for property located WITHIN Jackson County, MO shall be reviewed and approved by the County. Please send a copy of all plats to <u>ASMTMAPPING@JACKSONGOV.ORG</u> prior to the signature process.

Response: Understood.

# **Review Status**

#### Planning:

1. Lot Numbering. To maintain consistency with the existing lot number order of re-platted lots on the west side of SW Winthrop Terrae, switch the lot labels for both building sites so that Lots 46A and 47A and 47A are for the south townhome units, on their respective lots, and 46B, 47B and 48B for the north townhomes units on their respective lots. Please ensure that the lot size (sq. ft.) table at the bottom of the drawing is updated accordingly so that the correct lot size corresponds with the revised lot number assignment.

Response: Revised

Engineering, Traffic, fire and GIS Plat Review No comments.

\\dataserver\Cad\\PROJECTS\2024\24-178\1.0 Admin-Clerical\8.0 Comments\\Response to PL2025264 Comments dated 10-14-2025 docx

We appreciate your review of this plat. Please contact us if you have any further comments or questions.

Sincerely,

SCHLAGEL & ASSOCIATES, P.A.

Jerry W. Tropf

Jerry W. Tropf

Survey Technician

Direct 913-322-7156

jwt@schlagelassociates.com

JWT/mdr Attachment