



THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.


NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY



918/492-2987







at Lees Summit

REVISIONS

SEAL:

NOTICE OF COPYRIGHT

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.

Architects
Collective
4200 EAST SKELLY DRIVE SUITE 750

4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987

PROJECT NUMBER: DATE: 05/03/18

SHEET TITLE:

SHEET NUMBER:

P3

| 9'-0" | 9'-0" | 9'-0" | 9'-0" | YP.

PARKING SHOWN FOR

REFLECTIVE

PAINT

YELLOW TRAFFIC

MUNICIPALITIES 8'-6" X 18'-6".

REFER LOCAL ZONING CODE FOR PARKING SPACE SIZE.

TYPICAL PAVING SECTION

- PARKING STRIPING-4" WIDE, TYP.

HANDICAP SYMBOL


TYP. 90 DEGREE PARKING

M HC PARKING SPACES


_LANDSCAPED ISLAND

POLE MOUNTED SIGN REFER M-PS HANDICAP RAMP AT MAXIMUM 8% SLOPE PAINTED HANDICAP SYMBOL - REFER J-P4 WHITE PAINTED PARKING STRIPING, 4" WIDE, TYP.

REFER LOCAL ZONING CODE FOR PARKING SPACE SIZE. HC PARKING SPACES




FOR PARKING SPACE SIZE. 6 HC PARKING SPACES




HORIZONTAL PROJECTION

SLOPE	MAXIMUM RISE		MAXIMUM HORIZONTAL PROJECTION		
	IN	MM	FT	М	
: 2 TO : 5 : 6 TO : 9 :20	30 30 30	760 760 760	30 40 50	9 12 15	


RAMP SLOPES



BUILT UP CURB RAMP NOTE: SLOPE = Y:X (X IS A LEVEL SURFACE) COUNTER SLOPE MUST BE 1:20_



DETECTABLE WARNINGS AT RAMPS



REVISIONS

NOTICE OF COPYRIGHT

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO

4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987

H.C. SITE DTLS.

PROJECT NUMBER: DATE: 05/03/18

SUB-CONTRACTORS UNDER ANY

CIRCUMSTANCES.


RETURNED CURB RAMP


FLARED SIDE

FLARED SIDED RAMPS NOTE: IF X 48" SLOPE MUST BE 1:12 _

SURFACE OF RAMP

	MAXIMUM RISE		MAXIMUM HORIZONTAL PROJECTION		
SLOPE	IN	MM	FT	М	
: 2 TO : 5 : 6 TO : 9 :20	30 30 30	760 760 760	30 40 50	9 12 15	






UN POIM Summit

REVISIONS

LOCATION: Le



NOTICE OF COPYRIGHT

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN, UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74I35 918/492-2987


PROJECT NUMBER: DATE: *05/03/18*

SHEET TITLE:

TRASH ENCLOSURE

SHEET NUMBER:

P5



REVISIONS

NOTICE OF COPYRIGHT THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



918/492-2987

PROJECT NUMBER: DATE: 05/03/18

SIGNAGE DTLS.

SHEET NUMBER: P6.3

BREEZEWAY/BALCONY FLOOR/CEILING ASSEMBLY: 1 1/2" MIN. LIGHT WEIGHT CONCRETE ON SHEET MEMBRANE WATER PROOFING ON 3/4" PLYWOOD ON 2X10 JOISTS AS SHOWN ON FRAMING PLANS W/ 5/8" TYPE X GYP. BD. ON 3/4" RESILIENT FURRING CHANNELS AT 24" O.C. ONE HOUR RATED ASSEMBLY - UL # L533

ROOF CEILING ASSEMBLY:

ASPHALT SHINGLES (MIN. CLASS B) ON 15# FELT ON 1/2" OSB DECKING ON WOOD TRUSSED/ STICK FRAMED RAFTERS AT 24" O/C U.O.N. AND ONE LAYER OF 5/8" TYPE X GYP. BD. ON 3/4" RESILIENT FURRING CHANNELS ON BOTTOM CHORD OF ASSEMBLY ABOVE ONE HOUR RATED ASSEMBLY - UL # P522

BREEZEWAY WALLS & EXTER. WALLS 10' EACH SIDE OF

SIDING ON ONE LAYER OF 5/8" FIREGUARD GYP BOARD AND WITH ONE LAYER OF 5/8" FIREGUARD GYP BOARD ON INSIDE FACE,. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C ONE HOUR RATED ASSEMBLY - UL # U309, GA # WP 8105

TENANT SEPARATION WALL ASSEMBLY:

ONE LAYER 5/8" TYPE X GYP. BD. ON OUTSIDE FACE EACH OF DOUBLE 2X4 STUDS WITH 3-1/2" BATT INSULATION IN ONE SIDE ONLY.6" PLUMBING CHASE FOR PLUMBING WALLS (LONGITUDINAL TO BUILDING), 1" SPACE BETWEEN WALLS FOR ALL OTHER TENANT SEPARATION WALLS (TRANSVERSE TO BUILDING). STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C ONE HOUR RATED ASSEMBLY - UL # U341 (STC 56)

NON-RATED EXTERIOR WALL ASSEMBLY:

SIDING (OR MASONRY VENEER) ON ONE LAYER OF FIBERBRACE OR 1/2" OSB SHEATHING ON 2X4 STUDS AT 16" C/C WITH R-13 BATT INSULATION AND WITH 1/2" GYP BOARD ON INSIDE FACE OF WALL, STUDS. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C

EXTERIOR RATED WALL ASSEMBLY:

SIDING (OR MASONRY VENEER) ON ONE LAYER OF STRUCTURAL GRADE, FIBERBRACE OR 1/2" OSB SHEATHING ON 2X4 STUDS AT 16" C/C WITH R-13 BATT INSULATION AND WITH 5/8" TYPE 'X' GYP. BD. ON INSIDE FACE OF WALL. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C. ONE HOUR RATED ASSEMBLY - BRL/OSU REPORT 7187 (ASTM TEST E 119-81) - UL # U356

INTERIOR NON-LOAD BEARING WALL ASSEMBLY:

1/2" GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16' C/C.5/8" FIRE GUARD GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16' C/C. - NON-RATED

INTERIOR LOAD BEARING WALL ASSEMBLY:


5/8" FIRE GUARD GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16' C/C. STUDS IN GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C, ONE HOUR RATED ASSEMBLY - UL # U305


TWO HOUR RATED WALL ASSEMBLY

TWO LAYERS OF 5/8" F.G. GYP BOARD ON EACH FACE OF 2X4 METAL STUDS JOINTS OF LAYERS STAGGERED AND OCCURING OVER STUDS, TWO HOUR RATED ASSEMBLY - UL # U301

ALL BREEZEWAY WALLS SHALL BE A ONE-HOUR RATED ENCLOSURE AND HAVE SELF-CLOSING DOORS

WITH A 60 MIN. RATED ASSEMBLY





KEYED NOTES:

2 SITE WORK

2.2 CONCRETE SIDEWALK, WIDTH AS NOTED ON PLAN

5 CONCRETE 3.I FOUNDATION SYSTEM, REFER TO STRUCTURAL

DRAMINGS
3.2 4" CONCRETE SLAB WITH 6X6, IO/IO WELDED
MIRE MESH OVER WATERPROOF MEMBRANE ON
MINIMUM 4"CRUSHED ROCK.
3.3 4" CONCRETE PATIO SLAB WITH 6X6 IO/IO WWM
ON 4" SAND CUSHION
3.4 FLOOR/CEILING ASSEMBLY - REFER ASSEMBLY LEGEND

4.1 8" CONCRETE RETAINING/STEM WALL WITH
WATERPROOFING MEMBRANE & WICK PROTECTIVE BOARD
ON EXTERIOR FACE AND WITH 5/8" GYP. BOARD ON IX4 FURRING AT 24" O.C. MITH 3/4" RIGID INSULATION ON EXTERIOR FACE (SEE FOUNDATION DETAIL FOR REINFORCING).

4.2 8" CONCRETE STEM WALL. PAINT ALL EXPOSED SURFACES. ALL PORTIONS OF CONCRETE BLOCK STEM WALLS TO BE COVERED WITH SIDING ON FURRING STRIPS FOR ANY AREA TALLER THAN 8" ABOVE GRADE. IG" SQUARE BRICK COLUMN ON 24" SQUARE FOOTING. BRICK VENEER, REFER BUILDING PLANS.

45 BRICK SOLDIER COURSE, (COLOR MAY DIFFER FROM FIELD BRICK COLOR) ALT: 2XIO BRICK ROWLOCK COURSE.

5.I STEEL FRAMED STAIR, WITH PRECAST CONCRETE TREAD.

6 WOOD AND PLASTICS 6.I TREATED 2X4 SOLE PLATE W 1/2" ROUND X 12" LONG AB. AT 48° O.C. OR APPLICABLE CODE
APPROVED TIE DOWN CLIP, INSTALL ANCHOR BOLT AT
EACH END OF ALL SHORT WALLS WITH A MINIMUM OF
TWO AB.'S PER SECTION OF WALL
6.2 STRUCTURAL GRADE THERMAL PLY SHEATHING

(TYPICAL ALL LOCATIONS).
6.3 TRUSSED RAFTERS AT 24"OC.
6.4 IX4 TRUSS BRIDGING AT TOP AND BOTTOM

CHORDS AND X-BRIDGING AT LAST 8 SPANS
6.5 X-BRIDGING BETWEEN FLOOR JOISTS AT MAXIMUM
8' SPACINGS AT CONTRACTOR'S OPTION USE SOLID 2X 2XIO BALCONY JOISTS (MOISTURE RESISTANT).

6.6 2XIO BALCONY JOIST9 (MOISTURE RESISTANT).
6.7 JOIST HANGER.
6.8 2X4 DECKING (MOISTURE RESISTANT). 2X6
DECKING MAY BE USED AT CONTRACTOR'S OPTION
6.9 3/4" PLYWOOD ON FLOOR JOISTS OR FLOOR
TRUSSES WITH 3-1/2" BATT INSULATION. DOUBLE FLOOR
TRUSSES WIDTER WALLS PARALLEL TO TRUSS.
6.10 INSTALL HEADER TO FULL WIDTH OF OPENING AT
OPENING ADJACENT TO EACH OTHER.
6.11 CONTINUOUS WOOD BLOCKING
6.12 2X6 RAFTER EXTENSIONS.
6.13 EXTERIOR WALL ASSEMBLY - REFER ASSEMBLY
LEGEND, WSI

6.14 SEALANT JOINT AT ALL INTERSECTIONS OF SIDING TO TRIM
6.15 1/2" PLYWOOD. 6.16 6X6 WOOD POST

2 X 6 STUDS AT 16" O.C. 3/8" ROUGH SAWN PLYWOOD SOFFIT WITH IX2 TRIM 6.19 3/4" PLYWOOD FIRE STOP OR 2X BLOCKING

6.20 2 X I2 RIM JOIST OR EQUIVALENT
6.21 WOOD CHAIRRAIL AT DINING ONLY.
6.22 PREFAB WOOD FIREPLACE MANTLE AND SURROUND.
6.23 CEMENT FIBERBOARD TRIM OVER 2X6#3 SUP BACKER, SOFFIT: CEMENT FIBERBOARD

6.24 WOOD TRIM
6.25 NOT USED
6.26 2X6 WD. DECKING, ALT.I: PRESSURE TREATED
WOOD DECK, ALT.2: KEYNOTE 3.5
6.34 PAINTED WOOD SILL X IO" DEEP AT WINDOW SILL HEIGHT.
6.35 CEILING ASSEMBLY -REFER ASSEMBLY LEGEND, WSI

6.35 CEILING ASSEMBLY LEGEND, WSI
6.36 NOT USED.
6.37 2X12 STRINGER.
6.38 FURR DOWN SHADED AREA TO T'-O" ABOVE
FINISHED FLOOR, U.O.N.
6.39 SLOPE CEILING WITH 3:12 PITCH, TYPICAL AT ALL
TOP FLOOR LIVING ROOM CEILINGS AND BEDROOM
CEILINGS AS SHOWN ON UNIT FLAN
6.40 LINE OF CEILING CHANGE.
6.41 STAIR RAII

6.40 LINE OF CEILING CHANGE.
6.41 STAIR RAIL
6.42 WALL CABINET AND SHELVES ABOVE
6.43 BASE CABINET AND SHELVES
6.44 DRANER(S) TYPICAL
6.45 5 WOOD SHELVES, 12" DEEP TYPICAL
6.46 AND TISEP

6.48 BREEZEWAY WALL ASSEMBLY - REFER ASSEMBLY LEGEND WSI

THERMAL AND MOISTURE PROTECTION ROOF ASSEMBLY - REFER ASSEMBLY LEGEND, WGI BATT OR BLOWN INSULATION (R-36) TYPICAL ALL ROOF AREAS.

SEALANT BATT INSULATION (R-IS) TYPICAL ALL EXTERIOR

WALLS.
PREFINISHED GUTTER AND DOWNSPOUT WITH
SPLASH BLOCK.
DIVERTER, PREFINISHED TO MATCH SHINGLES.

7.8 24 GAGE PAINTED, GALV METAL CAP WITH

7.8 24 GAGE PAINTED, GALV METAL CAP WITH HEMMED EDGES.
7.9 26 GAGE PAINTED, GALV METAL STEP FLASHING TIO INSULATION TO BE CONTINUOUS AT ALL BUILDING ENDS AT CHASE WALL TYPICAL.
7.11 POLY VAPOR BARRIER WRAPPED AT PERIMETERING OF ALL WINDOWS AND DOORS
7.12 WALL TO RECEIVE BATT INSULATION.
7.13 SADDLE, TYPICAL ALL PSEUDO CHIMNEYS.
7.14 FLASHING LET UNDER THRESHOLD

8 DOORS AND WINDOWS 8.1 I'-IO" X 2'-6" ATTIC ACCESS. REFER BLDG. PLAN

8.2 DIVIDED LITE, THERMAL GLAZED ALUMINUM
MINDOW W WHITE ALUMINUM FINISH.

8.3 PAINTED, INSULATED, METAL CLAD, PANELIZED
DOOR, W SPRING LOADED BUTTS. ALL DOORS TO
HAVE DOOR VIEWER AND HAVE FOAM CORE.

8.4 PAINTED, FULL GLASS W DIVIDED LITE, METAL CLAD
INSULATED, PATIO, DOOR INSTALL STORM DOOR OR

INSULATED PATIO DOOR. INSTALL STORM DOOR OR TRIPLE GLAZING WHERE REQUIRED. USE SAFETY GLASS.

5.5 DOOR BUCK AND TRIM.

6.6 PAINTED WOOD SILL AT WINDOW SILL HEIGHT METAL THRESHOLD SET IN SEALANT.

9 FINISHES 9.1 ONE LAYER OF 1/2" GYP BD ATTIC DRAFT STOPPING ABOVE AND IN LINE WITH ALL TENANT SEPARATION

WALLS.

9.2 ONE LAYER 5/8" GYP BOARD

9.3 TENANT SEPARATION WALL ASSEMBLY - REFER

ASSEMBLY LEGEND, WSI
9.5 EXTENT OF WALLPAPER BORDER IN KITCHEN AND

BATH ONLY.

9.6 5/8" GYP BOARD ON 2X4 STUDS.

9.7 5/6" FIREGUARD GYP BOARD. 9.6 1/2" SYPSIM BOARD.
9.9 CHAIRRAIL AT DINING.
9.10 CERAMIC TILE AT TUB ENCLOSURE.
9.11 EXB CERAMIC TILE. ALT: 12X12

9.12 CANVAS AWNING.
9.18 PLASTIC LAMINATE NOSE, TOP, AND 4" HIGH
BACK AND END SPLASHES AT WALLS
9.14 I HOUR RATED WALL ASSEMBLY AT LOAD

BEARING WALLS AND ALL EXTERIOR WALLS.

9.15 CERAMIC TILE AT HEARTH.

9.16 LINE OF FLOOR MATERIAL CHANGE.

9.17 CARPETING FLOORING 9.19 NOT USED.
9.19 VINYL FLOORING W NO VINYL FLOORING UNDER DISHWASHER AT KITCHEN, TYP.

IO SPECIALTIES IO.I EXHAUST GRILLE, W HARDWARE CLOTH COVER.

IO.2 PAINTED WOOD OR GALV MTL ROOF
VENTILATION LOUVER W BACKING SCREEN, SIZE TO BE
IN ACCORDANCE WITH CODE REQUIREMENTS.

IO.3 MAIL BOXES

IO.4 TONEL BAR AT 4'-6" A.F.F., PROVIDE 2XB

10.4 TOWEL DAR AT 4-6 AFF., FROVIDE 2A0
BLOCKING FLAT IN WALL.
10.5 GRAB BAR AND 50AP HOLDER, TYPICAL ALL TUB
ENCLOSURES, PROVIDE 2X6 BLOCKING FLAT IN WALL.
10.6 1/4" POLISHED PLATE MIRROR WITH MAXIMUM GAP OF I" AT PERIMETER OF MIRROR

II EQUIPMENT

II.I MICROWAYE OVEN / RANGE HOOD COMBINATION.
II.2 REFRIGERATOR W ICEMAKER.
II.3 DISHWASHER.
II.4 30" RANGE
II.5 WASHER (N.I.C.)
II.6 DRYER (N.I.C.)

IS.I PLUMBING ACCESS PANEL, TYPICAL ALL TUB / SHOWER LOCATIONS. IS.2 HOT WATER HEATER ACCESS PANEL,

TYPICAL AT WATER HEATER LOCATIONS.

15.3 EXHAUST FAN, VENT THROUGH ROOF AT TOP FLOOR; THROUGH WALL VIA FLOOR FRAMING SPACE AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HAPPWARE CLOTHER.

AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HARDINARE CLOTH COYER.

15.4 CONDENSING UNITS ON CONC. PAD, PRECAST OR PREFORMED PAD. ALL REFRIG. LINES TO BE COMPLETELY CONCEALED FROM VIEW.

15.5 DRYER VENT, VENT THRU ROOF AT TOP FLOOR, THRU WALL VIA FLOOR JOIST SPACE AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HARDWARE CLOTH COVER.

15.6 POP-OFF AND CONDENSATE DRAIN FOR WATER HEATER

15.7 ROOF MOUNTED ATTIC VENTS PER APPLICABLE

15.7 ROOF MOUNTED ATTIC VENTS PER APPLICABLE CODE REQUIREMENTS.

15.8 WATER METERS

15.9 PREFABRICATED WASHER HOOK-UP BOX, PROVIDE HOT AND COLD WATER SUPPLY AND DRAIN WLEVER TYPE STOP VALVE.

15.10 RANGE HOOD VENT, VENT THRU ROOF AT TOP FLOOR, THRU WALL VIA FLOOR JOIST SPACE AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HARDWARE CLOTH COVER.

15.11 ENCASE SPRINKLER PIPES W RIGID INSULATION AT ALL BREEZEWAY LOCATIONS, REFER FIRE SPRINKLER PLANS.

16 ELECTRICAL 16.1 ELECTRICAL METERS, TYPICAL LOCATION 16.1 ELECTRICAL METERS, TYPICAL LOCATION
16.2 J-BOX FOR RANGE HOOD ON SEPARATE CIRCUIT-120V
16.3 JUNCTION BOX FOR DISHMASHER - 120V
16.4 JUNCTION BOX FOR DISPOSAL - 120V
16.5 JUNCTION BOX FOR FURNACE - 240V
16.7 LIGHT FIXTURE, TYPICAL DESIGNATION
16.8 ELECTRIC FURNACE

16.9 ELECTRIC WATER HEATER

REVISIONS

SEAL:

NOTICE OF COPYRIGHT THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.


NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987

PROJECT NUMBER: DATE: 05/03/18

SHEET TITLE: BUILDING PLAN



PROVIDE ADDITIONAL ROOF MOUNTED VENTILATORS AS REQUIRED TO MEET CODE, ALL ATTIC SPACES SEPARATED BY DRAFT STOPS MUST HAVE AT LEAST (2) SOURCES OF VENTILLATION. c 4 4 4 6 v 4 7 FRM'G. 129'-3" FRM'G. 120'-2" FRM'G. IIO'-I" BLDG. ADDRESS SIGN W CONTRASTING BACKGROUND & MIN.
4" HIGH, ARABIC #'S/
LETTERS W/ 1/2" MIN.
STROKE WIDTH TYP. FRONT ELEVATION - BLDG. A2 1/8" =1'-0"

KEYED NOTES:

2 SITE WORK

2.2 CONCRETE SIDEWALK, WIDTH AS NOTED ON PLAN

3 CONCRETE 3.1 FOUNDATION SYSTEM, REFER TO STRUCTURAL DRAWINGS
3.2 4" CONCRETE SLAB WITH 6X6, IO/IO WELDED WIRE MESH OVER WATERPROOF MEMBRANE ON MINIMUM 4"CRUSHED ROCK.
3.3 4" CONCRETE PATIO SLAB WITH 6X6 IO/IO WWM ON 4" SAND CUSHION
3.4 FLOOR/CEILING ASSEMBLY - REFER ASSEMBLY LEGEND

3.5 BREEZEWAY FLOOR/CEILING ASSEMBLY -REFER ASSEMBLY LEGEND

4.1 8" CONCRETE RETAINING/STEM WALL WITH
WATERPROOFING MEMBRANE & WICK PROTECTIVE BOARD
ON EXTERIOR FACE AND WITH 5/8" GYP. BOARD ON IX4 FURRING AT 24" O.C. WITH 3/4" RIGID INSULATION ON EXTERIOR FACE (SEE FOUNDATION DETAIL FOR

REINFORCING).
4.2 8" CONCRETE STEM WALL. PAINT ALL EXPOSED SURFACES, ALL PORTIONS OF CONCRETE BLOCK STEM WALLS TO BE COVERED WITH SIDING ON FURRING STRIPS FOR ANY AREA TALLER THAN 8" ABOVE GRADE. 16" SQUARE BRICK COLUMN ON 24" SQUARE FOOTING. BRICK VENEER, REFER BUILDING PLANS. 4.5 BRICK SOLDIER COURSE, (COLOR MAY DIFFER FROM FIELD BRICK COLOR) ALT: 2XIO
4.6 BRICK ROWLOCK COURSE.

5 METALS 5.I STEEL FRAMED STAIR, WITH PRECAST CONCRETE TREAD.

6 WOOD AND PLASTICS

6 WOOD AND PLASTICS
6.1 TREATED 2X4 SOLE PLATE W 1/2" ROUND X 12"
LONG AB. AT 46" O.C. OR APPLICABLE CODE
APPROVED TIE DOWN CLIP. INSTALL ANCHOR BOLT AT
EACH END OF ALL SHORT WALLS WITH A MINIMUM OF
TWO A.B.'S PER SECTION OF WALL
6.2 STRUCTURAL GRADE THERMAL PLY SHEATHING
(TYPICAL ALL LOCATIONS).
6.3 TRUSSED RAFTERS AT 24"OC.
6.4 IX4 TRUSS BRIDGING AT TOP AND BOTTOM
CHORDS AND X-BRIDGING AT LAST & SPANS
6.5 X-BRIDGING BETNEEN FLOOR JOISTS AT MAXIMUM
& SPACINGS AT CONTRACTOR'S OPTION USE SOLID 2X
BRIDGING.

8 SPACINGS AT CONTRACTOR'S OPTION USE SOLID 2X BRIDGING.
6.6 2XIO BALCONY JOISTS (MOISTURE RESISTANT).
6.7 JOIST HANGER.
6.8 2X4 DECKING (MOISTURE RESISTANT). 2X6
DECKING MAY BE USED AT CONTRACTOR'S OPTION
6.9 3/4" PLYWOOD ON FLOOR JOISTS OR FLOOR
TRUSSES WITH 3-1/2" BATT INSULATION. DOUBLE FLOOR
TRUSSES WITH 3-1/2" BATT INSULATION. DOUBLE FLOOR
TRUSSES UNDER WALLS PARALLEL TO TRUSS.
6.10 INSTALL HEADER TO FULL WIDTH OF OPENING AT
OPENING AD JACENT TO EACH OTHER.
6.11 CONTINUOUS WOOD BLOCKING
6.12 2X6 RAFTER EXTENSIONS.
6.13 EXTERIOR WALL ASSEMBLY - REFER ASSEMBLY
LEGEND, WSI

6.13 EXTERIOR WALL ASSEMBLY - REFER ASSEMBLY LEGEND, WSI
6.14 SEALANT JOINT AT ALL INTERSECTIONS OF SIDING TO TRIM
6.15 1/2" PLYWOOD.
6.16 6X6 WOOD POST.
6.17 2 X 6 STUDS AT 16" O.C.
6.18 3/8" ROUGH SAWN PLYWOOD SOFFIT WITH IX2 TRIM
6.19 3/4" PLYWOOD FIRE STOP OR 2X BLOCKING

6.20 2 X I2 RIM JOIST OR EQUIVALENT
6.21 MOOD CHAIRRAIL AT DINING ONLY.
6.22 PREFAB WOOD FIREPLACE MANTILE AND SURROUND.
6.23 CEMENT FIBERBOARD TRIM OVER 2X6#3 SUP
BACKER. SOFFIT: CEMENT FIBERBOARD

6.24 WOOD TRIM
6.25 NOT USED
6.26 2X6 WD. DECKING, ALT.I: PRESSURE TREATED
WOOD DECK. ALT.2: KEYNOTE 3.5
6.34 PAINTED WOOD SILL X IO" DEEP AT WINDOW
SILL HEIGHT.
6.35 CEILING ASSEMBLY -REFER ASSEMBLY LEGEND, WSI

6.36 NOT USED. 6.37 2XI2 STRINGER. 6.38 FURR DOWN SHADED AREA TO T'-O" ABOVE 6.38 FURR DOWN SHADED AREA TO T'-O" ABOVE FINISHED FLOOR, U.O.N.
6.39 SLOPE CEILING WITH 3:12 PITCH, TYPICAL AT ALL TOP FLOOR LIVING ROOM CEILINGS AND BEDROOM CEILINGS AS SHOWN ON UNIT PLAN
6.40 LINE OF CEILING CHANGE.
6.41 STAIR RAIL
6.42 WALL CABINET AND SHELVES ABOVE
6.43 BASE CABINET AND SHELVES
6.44 DRAWER(S) TYPICAL

6.45 5 WOOD SHELVES, 12" DEEP TYPICAL. 6.46 NOT USED

6.46 BREEZEMAY WALL ASSEMBLY - REFER ASSEMBLY LEGEND WSI

7 THERMAL AND MOISTURE PROTECTION ROOF ASSEMBLY - REFER ASSEMBLY LEGEND, WSI 7.2 BATT OR BLOWN INSULATION (R-36) TYPICAL ALL ROOF AREAS.

1.3 BATT HEULATION (R-II):
1.4 SEALANT
1.5 BATT INSULATION (R-IS) TYPICAL ALL EXTERIOR

7.5 BATT INSULATION (R-IS) TYPICAL ALL EXTERIOR WALLS.
7.6 PREFINISHED GUTTER AND DOWNSPOUT WITH SPLASH BLOCK.
7.7 DIVERTER, PREFINISHED TO MATCH SHINGLES.
7.8 24 GAGE PAINTED, GALV METAL CAP WITH HEMMED EDGES.
7.9 26 GAGE PAINTED, GALV METAL STEP FLASHING.
7.10 INSULATION TO BE CONTINUOUS AT ALL BUILDING ENDS AT CHASE WALL TYPICAL.
7.11 POLY VAPOR BARRIER WRAPPED AT PERIMETERING OF ALL WINDOWS AND DOORS.

7.11 POLY VAPOR BARRIER WKAPPED AT PERITU OF ALL MINDOWS AND DOORS T.1.2 WALL TO RECEIVE BATT INSULATION. 7.1.3 SADDLE, TYPICAL ALL PSEUDO CHIMNEYS. 7.1.4 FLASHING LET UNDER THRESHOLD 8 DOORS AND WINDOWS

ALL ROOF JACK & PENETRATIONS SHALL BE PAINTED TO MATCH ADJACENT

ROOF COLOR

8.1 I'-IO" X 2'-6" ATTIC ACCESS. REFER BLDG. PLAN
8.2 DIVIDED LITE, THERMAL GLAZED ALUMINUM
MINDOW W WHITE ALUMINUM FINISH.
8.3 PAINTED, INSULATED, METAL CLAD, PANELIZED
DOOR, W SPRING LOADED BUTTS. ALL DOORS TO
HAVE DOOR VIEWER AND HAVE FOAM CORE.
8.4 PAINTED, FULL GLASS W DIVIDED LITE, METAL CLAD
INSULATED PATIO DOOR. INSTALL STORM DOOR OR
TRIPLE GLAZING WHERE REQUIRED. USE SAFETY GLASS.
8.5 DOOR BUCK AND TRIM.
8.6 PAINTED WOOD SILL AT MINDOW SILL HEIGHT
METAL THRESHOLD SET IN SEALANT.

9 FINISHES
9.1 ONE LAYER OF 1/2" GYP BD ATTIC DRAFT STOPPING
ABOVE AND IN LINE WITH ALL TENANT SEPARATION MALLS.

9.2 ONE LAYER 5/8" GYP BOARD

9.3 TENANT SEPARATION WALL ASSEMBLY - REFER ASSEMBLY LEGEND, WSI

9.5 EXTENT OF WALLPAPER BORDER IN KITCHEN AND

9.5 EXTENT OF WALLPAPER BORDER IN KITCHEN / BATH ONLY.
9.6 5/8" GYP BOARD ON 2X4 STUDS.
9.7 5/8" FIREGUARD GYP BOARD.
9.9 I/2" GYPSUM BOARD.
9.9 CHAIRRAIL AT DINING.
9.10 CERAMIC TILE AT TUB ENCLOSURE.
9.11 6X6 CERAMIC TILE. ALT: 12X12
9.12 CANVAS AVNING.
9.13 PLASTIC LAMINATE NOSE, TOP, AND 4" HIGH BACK AND END SPLASHES AT WALLS.
9.14 I HOUR RATED WALL ASSEMBLY AT LOAD BEARING WALLS AND ALL EXTERIOR WALLS.
9.15 CERAMIC TILE AT HEARTH.
9.16 LINE OF FLOOR MATERIAL CHANGE.
9.17 CARPETING FLOORING
9.18 NOT USED.
9.19 VINYL FLOORING W NO VINYL FLOORING UNDER DISHWASHER AT KITCHEN, TYP.

IO SPECIALTIES

IO. SPECIALTIES

IO.1 EXHAUST GRILLE, W HARDWARE CLOTH COVER.

IO.2 PAINTED WOOD OR GALV MTL ROOF

VENTILATION LOUVER W BACKING SCREEN. SIZE TO BE
IN ACCORDANCE WITH CODE REQUIREMENTS.

IO.3 MAIL BOXES

IO.4 TOWEL BAR AT 4'-6" A.F.F., PROVIDE 2X8

BLOCKING FLAT IN WALL.

IO.5 GRAB BAR AND SOAP HOLDER, TYPICAL ALL TUB
ENCLOSURES, PROVIDE 2X6 BLOCKING FLAT IN WALL.

IO.6 I/4" POLISHED PLATE MIRROR WITH MAXIMUM GAP

OF I" AT PERIMETER OF MIRROR

II EQUIPMENT MICROWAVE OVEN / RANGE HOOD COMBINATION. REFRIGERATOR W ICEMAKER.

15 MECHANICAL

| IS MECHANICAL |
15.1	PLIMBING ACCESS PANEL, TYPICAL ALL TUB / SHOWER LOCATIONS.
15.2	HOT WATER HEATER ACCESS PANEL, TYPICAL AT WATER HEATER LOCATIONS.
15.3	EXHAUST FAN, VENT THROUGH ROOF AT TOP FLOOR; THROUGH WALL VIA FLOOR FRAMING SPACE AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HARDWARE CLOTH COVER.
15.4	CONDENSING UNITS ON CONC. PAD, PRECAST OR PREFORMED PAD. ALL REFRIG. LINES TO BE COMPLETELY CONCEALED FROM VIEW.
15.5	DRYER VENT, VENT THRU ROOF AT TOP FLOOR, THRU WALL VIA FLOOR JOIST SPACE AT ALL OTHER FLOORS. TERMINATING DEVICE TO HAVE HARDWARE CLOTH COVER.
15.6	POP-OFF AND CONDENSATE DRAIN FOR WATER HEATER
15.7	DROUGH TO THE PROPERTY OF THE

15.7 ROOF MOUNTED ATTIC VENTS PER APPLICABLE 15.7 ROOF MOUNTED ATTIC VENTS PER APPLICABLE CODE REQUIREMENTS.

15.8 WATER METERS

15.9 PREFABRICATED WASHER HOOK-UP BOX, PROVIDE HOT AND COLD WATER SUPPLY AND DRAIN WLEVER TYPE STOP VALVE.

15.10 RANGE HOOD VENT, VENT THRU ROOF AT TOP FLOOR, THRU WALL VIA FLOOR JOIST SPACE AT ALL OTHER FLOORS, TERMINATING DEVICE TO HAVE HARDWARE CLOTH COVER.

15.11 ENCASE SPRINKLER PIPES W RIGID INSULATION AT ALL BREEZEWAY LOCATIONS, REFER FIRE SPRINKLER PLANS.

16 ELECTRICAL METERS, TYPICAL LOCATION
16.1 ELECTRICAL METERS, TYPICAL LOCATION
16.2 J-BOX FOR RANGE HOOD ON SEPARATE CIRCUIT-120V
16.3 JUNCTION BOX FOR DISHWASHER - 120V
16.4 JUNCTION BOX FOR PURPOSAL - 120V
16.5 JUNCTION BOX FOR FURNACE - 240V
16.6 JUNCTION BOX FOR WATER HEATER - 240V
16.1 LIGHT FIXTURE, TYPICAL DESIGNATION
16.8 ELECTRIC WATER HEATER

REVISIONS

NOTICE OF COPYRIGHT

CIRCUMSTANCES.

SEAL:

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE. ARCHITECTURAL WORKS COPYRIGHT PROTECTION AC

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY



918/492-2987 PROJECT NUMBER:

DATE: 05/03/18

SHEET TITLE: ELEVATIONS

BREEZEWAY/BALCONY FLOOR/CEILING ASSEMBLY:

1 1/2" MIN. LIGHT WEIGHT CONCRETE ON SHEET MEMBRANE WATER PROOFING ON 3/4" PLYWOOD ON 2X10 JOISTS AS SHOWN ON FRAMING PLANS W/ 5/8" TYPE X GYP. BD, ON 3/4" RESILIENT FURRING CHANNELS AT 24" O.C. ONE HOUR RATED ASSEMBLY - UL # L533

ROOF CEILING ASSEMBLY:

ASPHALT SHINGLES (MIN. CLASS B) ON 15# FELT ON 1/2" OSB DECKING ON WOOD TRUSSED/ STICK FRAMED RAFTERS AT 24" O/C U.O.N. AND ONE LAYER OF 5/8" TYPE X GYP. BD. ON 3/4" RESILIENT FURRING CHANNELS ON BOTTOM CHORD OF ASSEMBLY ABOVE ONE HOUR RATED ASSEMBLY - UL # P522

BREEZEWAY WALLS & EXTER. WALLS 10' EACH SIDE OF STAIR ASSEMBLY:

SIDING ON ONE LAYER OF 5/8" FIREGUARD GYP BOARD SHEATHING ON 2X4 STUDS WITH R-13 BATT INSULATION AND WITH ONE LAYER OF 5/8" FIREGUARD GYP BOARD ON INSIDE FACE,. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C ONE HOUR RATED ASSEMBLY - UL # U309, GA # WP 8105

TENANT SEPARATION WALL ASSEMBLY:

ONE LAYER 5/8" TYPE X GYP. BD. ON OUTSIDE FACE EACH OF DOUBLE 2X4 STUDS WITH 3-1/2" BATT INSULATION IN ONE SIDE ONLY.6" PLUMBING CHASE FOR PLUMBING WALLS (LONGITUDINAL TO BUILDING), 1" SPACE BETWEEN WALLS FOR ALL OTHER TENANT SEPARATION WALLS (TRANSVERSE TO BUILDING). STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C ONE HOUR RATED ASSEMBLY - UL # U341 (STC 56)

NON-RATED EXTERIOR WALL ASSEMBLY:

SIDING (OR MASONRY VENEER) ON ONE LAYER OF FIBERBRACE OR 1/2" OSB SHEATHING ON 2X4 STUDS AT 16" C/C WITH R-13 BATT INSULATION AND WITH 1/2" GYP BOARD ON INSIDE FACE OF WALL, STUDS. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO

EXTERIOR RATED WALL ASSEMBLY:

SIDING (OR MASONRY VENEER) ON ONE LAYER OF STRUCTURAL GRADE, FIBERBRACE OR 1/2" OSB SHEATHING ON 2X4 STUDS AT 16" C/C WITH R-13 BATT INSULATION AND WITH 5/8" TYPE 'X' GYP. BD. ON INSIDE FACE OF WALL. STUDS AT GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12" C/C. ONE HOUR RATED ASSEMBLY - BRL/OSU REPORT 7187 (ASTM TEST E 119-81) - UL # U356

INTERIOR NON-LOAD BEARING WALL ASSEMBLY: 1/2" GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16'

C/C.5/8" FIRE GUARD GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16' C/C. - NON-RATED


INTERIOR LOAD BEARING WALL ASSEMBLY:

5/8" FIRE GUARD GYP BOARD ON EACH FACE OF 2X4 STUDS AT 16' C/C. STUDS IN GRADE FLOOR WALLS IN ALL THREE STORY BUILDINGS TO BE AT 12° C/C. ONE HOUR RATED ASSEMBLY - UL # U305


TWO HOUR RATED WALL ASSEMBLY

TWO LAYERS OF 5/8" F.G. GYP BOARD ON EACH FACE OF 2X4 METAL STUDS JOINTS OF LAYERS STAGGERED AND OCCURING OVER STUDS. TWO HOUR RATED ASSEMBLY - UL # U301

ALL BREEZEWAY WALLS SHALL BE A ONE-HOUR RATED ENCLOSURE AND HAVE SELF-CLOSING DOORS WITH A 60 MIN. RATED ASSEMBLY







REVISIONS

NOTICE OF COPYRIGHT

SEAL:

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987

PROJECT NUMBER: DATE: 05/03/18

SHEET TITLE: Building Plan

SEAL:

NOTICE OF COPYRIGH

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.




4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987


PROJECT NUMBER: DATE: 05/03/18

SHEET TITLE:


ELEVATIONS
BLDG. A2-A9

SHEET NUMBER:





FRONT ELEVATION - BLDG TYPE A2-A9 - 12 UNIT



PLANNING DESIGN GROUP LANDSCAPE ARCHITECTURE ● RECREATIONAL DESIGN ● LAND PLANNING

CASE AND ASSOCIATES 4200 East Skelly Dr., Suite 800; Tulsa, OK 74135 OFFICE: (918) 492-1983 FAX: (918) 492-8423

JAMES C. CROSBY, ASLA

PROJECT I	NFORMATION		
PROJECT ADDRESS:			
LEE'S SUMMIT, MO			
PROJECT NO.			
PROJECT NO. DATE	8.8.18		
	8.8.18		
	8.8.18 CHECKED BY		



ISSUE/ REVISIONS

BASE INFORMATION

ALL BASE INFORMATION INCLUDING EXISTING DRAINAGE WAYS, EXISTING CONTOURS, EXISTING VEGETATION, EXISTING STRUCTURES AND STREETS WERE PROVIDED TO PLANNING DESIGN GROUP BASED FROM DATA COLLECTED BY ARCHITECTS COLLECTIVE; TULSA, OK

LANDSCAPE DATA TABLE

LANDSCAPED STREET FRONTAGE REQUIRED: I TREE PER 30 L.F. OF STREET FRONTAGE

BLUE PARKWAY 924 L.F. /30 = 31 TREES REQUIRED = 31 TREES PROVIDED + 19 ORNAMENTALS ROAD A 2,150 L.F. /30 = 72 TREES REQUIRED

I SHRUB PER 20 L.F. OF STREET FRONTAGE BLUE PARKWAY 924 /20 = 46 SHRUBS REQ. = 71 SHRUBS PROVIDED ROAD A 2,150/20 = 107.45 SHRUBS REQ.

= 213 SHRUBS PROVIDED STREET FRONTAGE GREEN STRIP 20FT PROVIDED

OPEN YARD SHRUBS REQUIRED:

2 SHRUBS PER 5,000 SQ.FT. OF TOTAL LOT AREA EXCLUDING BUILDING FOOTPRINT 1,495,458 SQ.FT. TOTAL LOT AREA MINUS 563,485 SQ.FT. OF BUILDING FOOTPRINT = 931,973 SQ.FT. /5000 X 2

= 373 SHRUBS REQUIRED

Loop B

2514.35′ S 02°19′35″ W

= 8,479 SHRUBS PROVIDED

= 72 TREES PROVIDED + 22 ORNAMENTALS

I TREE PER 5,000 SQ.FT. OF TOTAL LOT AREA EXCLUDING BUILDING FOOTPRINT 1,495,458 SQ.FT. TOTAL LOT AREA MINUS 563,485 SQ.FT. OF BUILDING FOOTPRINT

> = 931,973 SQ.FT. /5000 = 186 TREES REQUIRED (IN ADDITION TO STREET TREES) = 389 TREES PROVIDED + 92 ORNAMENTALS

PARKING LOT LANDSCAPE ISLANDS REQUIREMENTS:

5% OF ENTIRE PARKING AREA (SPACES, AISLES & DRIVES); I ISLAND AT END OF EVERY PARKING BAY, MIN. 9' WIDE

487,401 SQ.FT. PARKINGX .05 = 24,371 SQ. FT. OF LANDSCAPING PARKING LOT ISLANDS REQ. = 44,594 SQ.FT PARKING LANDSCAPE PROVIDED

** ALL ORDINANCE REQUIRED LANDSCAPE AREA TO BE IRRIGATED BY AN UNDERGROUND AUTOMATIC IRRIGATION SYSTEM.

NORTH BUFFER

MEDIUM BUFFER REQUESTED TO THE NORTH LINE OF THE PROPERTY IN PLACE OF A HIGH IMPACT BUFFER SCREEN DUE TO ADJACENT LAND NOT BEING USED AS RESIDENTIAL AND THERE IS A DETENTION POND ALSO CREATING SEPARATION.

NO TREES SHALL BE PLANTED WITHIN 10 FEET OF A FIRE HYDRANT. IN ADDITION NO MEDIUM TO LARGE TREES SHALL BE LOCATED WITHIN 20 FEET OF AN OVERHEAD UTILITY LINE OR WITHIN 5 FEET OF A PUBLIC UNDERGROUND UTILITY LINE.

> N 02°22′41″ E 1959,51′

LEGEND

SHADE TREE

ORNAMENTAL TREE

JUNIPER FOR SCREENING

SOLID SLAB FESCUE SOD

PLANTING BED

LANDSCAPE MATERIAL TREE LIST

9-

Nyssa sylvatica 'Wildfire' Wildfire Black Gum

MATERIAL NAME SIZE/REMARK 10-12' H. FULL TO GROUND Juniperus virginiana 'Canaerti' Canaerti Juniper Acer saccharum 12-14' H. B&B Sugar Maple 'Caddo' 2" CAL. B&B Cercis canadensis 1.5" CAL. Malus x 'Prairie Fire' В₽В 1.5" CAL. Crabapple 'Prairie Fire' 12-14' H. 15 GAL. Pinus taeda 2" CAL. Loblolly Pine 12-14' H. 2" CAL. B¢B Quercus bicolor Swamp White Oak 12-14' H. B≴B Quercus bicolor Swamp White Oak 2" CAL.

12-14' H.

45 GA

10

5314 S. YALE AVE., SUITE 710, TULSA, OK 74135 918.628.1255 918.628.1256 FAX WWW.PLANNINGDESIGNGROUP.COM OWNER:

4200 East Skelly Dr., Suite 800; Tulsa, OK 74135 OFFICE: (918) 492-1983 FAX: (918) 492-8423

PLANNING DESIGN GROUP

LANDSCAPE ARCHITECTURE ● RECREATIONAL DESIGN ● LAND PLANNING

JAMES C. CROSBY, ASLA

PROJECT INFORMATION						
PROJECT ADDR	PROJECT ADDRESS:					
LEE'S SUMM	LEE'S SUMMIT, MO					
PROJECT NO.						
DATE	8.8.18					
DRAWN BY	CHECKED BY					

ISSUE/ REVISIONS

DUTY OF COOPERATION

P.D.G., INC. 858 PLANNING DESIGN EROUP RESERVE THEIR COMMONLAW COPYRIGHT AND STHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MANNER WHATSOEVER WITHOUT FIRST OBTAINING THE EXPRESS WRITTEN PERMISSION AND CONCENT OF P.D.G., INC. NOR ARE THEY TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT OBTAINING SAID WRITTEN PERMISSION AND CONSENT.


ALL BASE INFORMATION INCLUDING EXISTING DRAINAGE WAYS, EXISTING CONTOURS, EXISTING VEGETATION, EXISTING STRUCTURES AND STREETS WERE PROVIDED TO PLANNING DESIGN GROUP BASED FROM DATA COLLECTED BY ARCHITECTS COLLECTIVE; TULSA, OK

P.D.G., INC. dba FLANNING DESIGN GROUP IN THIS STATEMENT SHALL BE KNOWN AS 'ARCHITECT'.
RELEASE OF THESE PLANS CONTEMPLATES FURTHER COOPERATION AMONG THE WHER, HIS
CONTRACTOR, AND THE ARCHITECT. DESIGN AND CONSTRUCTION ARE COMPLEX, MALTHOUGH THE
ARCHITECT AND HIS CONSULTANTS HAVE PERFORMED THEIR SERVICES WITH DUE LARE AND
DILIGENCE, THEY CANNOT BEARTICIPATED. ANY AMBIGUITY OR DISCREPANCY DISCOVERED BY THE
USE OF THESE PLANS SHALL BE REPORTED IMMEDIATELY TO THE ARCHITECT. FAILURE TO NOTIFY
THE ARCHITECT COMPOUNDS MISUNDERSTANDING AND INCREASES CONSTRUCTION COSTS. A FAILURE
TO COOPERATE BY SIMPLE NOTICE TO THE ARCHITECT SHALL RELIEVE THE ARCHITECT FROM
RESPONSIBILITY FOR ALL CONSEQUENCES. CHANGES MADE FROM THE PLANS WITHOUT CONSENT OF
THE ARCHITECT ARE UNAUTHORIZED, AND SHALL RELIEVE THE ARCHITECT OF RESPONSIBILITY FOR
ALL CONSEQUENCES ARRIVING OUT OF SUCH CHANGES. COPYRIGHT NOTICE
P.D.G., INC. dbg Planning design group reserve their commonlaw copyright and other

BASE INFORMATION

LIGHT FIXTURE SCHEDULE							
*	MANUFACTURER	CATALOG NO.	VOLTS WATTS	LAMPS QTY-WATTS-TYPE	MOUNTING	FIXTURE NOTES	
₩P>	MAXLITE	MLLWP40LED50		LED, 5000K, 2560 LUMENS	WALL	BUILDING MOUNTED WALL PACK	
NOTES:							

Statisifes							
Description	Symbol	AVO	Max	Min	Max/Kilin	Avg/Min	AV9/Max
Calc Zone A		0.2 fc	1.5 fc	0.0 fc	N/A	N/A	0.1:1
Calc Zone B		0.2 fc	2.0 fc	0.0 fc	N/A	N/A	0.1:1
Calc Zone C	The galaxy representation of the control of the con	0.1 fc	1.5 fc	0.0 fc	N/A	N/A	0.1:1
Calc Zone D	A CONTRACT OF THE PROPERTY OF	0.1 fc	1.4 fc	0.0 fc	N/A	N/A	0.1:1
Calc Zone E		0.2 fc	2.3 fc	0.0 fc	N/A	N/A	0.1:1
Calc Zone F		0.1 fc	2.5 fc	0.0 fc	N/A	N/A	0.0:1
Calc Zone G		0.2 fc	1.3 fc	0.0 fc	N/A	N/A	0.2:1
Calc Zone H		0.2 fc	2.5 fc	0.0 fc	N/A	N/A	0.1:1
East Property Line	The second of the second	0.0 fc	0.1 fc	0.0 fc	N/A	N/A	0.0:1
North Property Line		0.0 fc	0.0 fc	0.0 fc	N/A	N/A	N/A
Southwest Property Line		0.0 fc	0.1 fc	0.0 fc	N/A	N/A	0.0:1
West Property Line	AMERICAN ALEMANDA ALE	0.0 fc	0.5 fc	0.0 fc	N/A	N/A	0.0:1



Revision # Date Description

>MPW


MPW ENGINEERING, LLC

110 W. 7TH STREET • SUITE 600 • TULSA, OK 74119
(918) 582-4088 • (918) 582-4087 FAX
MO STATE CERTIFICATE OF AUTHORITY #2003014901

JOHNIE VEST III FEE
ENGINEER OF FEECOFT

-MO# 26210

at Lees Summit



NOTICE OF COPYRIGHT

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



918/492-2987

PROJECT NUMBER:
DATE: 08/03/2018

SHEET TITLE: ELECTRICAL: PHOTOMETRIC SITE PLAN - SOUTH

 $0.0^{\circ}\ 0.0^{\circ}\ 0$ 0.0° $0.0^$ 0.0 *0.0 *0.0 *0.0 *0.1 0.2 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.1-0.1 0.1 0.1 0.1 0.2 0.3 -0.5 0.3 0.2 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.1 0.1 0.1 0.1 0.2 0.4 0.5 0.9 0.5 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 0.2 0.1 0.1 0.2 0.3 0.7 1.0 **≦**2.2 0.9 0.2 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.4 0.3 0.2 0.2 0.3 1.0 3.3 0.2 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.8 0.4 0.3 0.2 0.2 0.1 0.1 0.1 0.2 0.2 0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0,0 0,0 0.0 0.9 0.5 0.3 0.2 0.1 0.1 0.1 0.2 0.3 0.4 0.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.8 0.5 0.4 0.2 0.1 *0.1 *0.1 *0.2 *0.3 *0.5 *1.1 *1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 (D) *0.8 *0.5 *0.3 *0.2 *0.1 0.0 0.0 0.0 0.0 *0.1 *0.1 *0.1 *0.2 *0.4 *0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.7 0.5 0.3 0.2 0.1 0.1 0.1 0.1 0.2 0.2 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 - 0.4 0.3 0.2 0.1 0.1 _ 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.2-0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 *0.2 0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.4 0.5 0.4 0.3 0.3 0.3 0.4 0.5 0.4 0.3 0.1 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 *0.4 0.1 0.1 0.1 0.1 0.3 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.2 0.6 1.4 0.0 0.0 0.1 0.2 0.5 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.2 *0.4 0.0 0.0 0.0 0.0 0.0 *0.1 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.1 0.1 *0.1 †0.0 *0.0 *0.0 *0.0 *0.0 *0.0 *0.0 *0.1 *0.1 *0.0 *0.0 *0.0 *0.0 0.0 TO.0 TO.0 TO.0 0.1 0.3 0.8 14 1.2 0.5 0.2 0.2 0.3 0.7 1.1 0.9 0.4 0.2 0.1 0.1 0.0 0.0 0.1 0.1 0.1 0.2 0.4 0.4 0.3 0.2 0.1 0.1 0.0 0.0 0.0 0.1 0.1 0.4 ¹0.1 ¹0.0 ¹0.0 ¹0.0 ¹0.1 *0.1 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.7 0.8 0.5 0.2 0.1 0011 0.0 0.0 0.0 0.0 0.0 ° 0.0 ° 0.0 ° 0.0 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 to.0 to.0 to.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.2 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 *0.1 *0.1 *0.2 *0.2 *0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 *0.2 *0.2 *0.3 *0.5 (0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 *0.1 *0.1 *0.1 *0.0 *0.0 1.8 0.7 0.3 0.2 0.2 0.3 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.3 0.1 0.1 0.1 0.1 0.0 1.2 0.7 0.4 0.2 0.2 0.3 0.3 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.1 *0.1 *0.2 0.3 0.2 0.1 0.1 0.1 1.4 0.9 0.4 0.2 0.2 0.3 0.3 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.1 *0.1 *0.2 0.5 0.3 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 0.5 0.4 0.2 0.1 0.1 0.3 0.2 0.2 0.2 0.4 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 / · 0.4 0.3 0.2 0.1 0.1 0.2 0.9♥ 0.1 0.1 0.1 0.2 0.3 0.5 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 0.2 0.2 0.1 0.2 0.3 0.8 0.1 0.1 0.1 0.2 0.2 0.3 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.2 0.3 0.5 0.1 0.1 0.1 0.1 0.1 0.1 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.2 0.2 0.2 0.2 0.2 0.3 0.4 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.2 0.2 0.2 0.3 0.4 0.4 *0.0 *0.0 *0.0 *0.0 *0.0 *0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.5 0.3 0.2 0.2 0.3 0.6 *0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 0.3 0.2 0.2 0.5 1.0 0.1 0.0 0.0 0.0 0.0 0.1 0.1 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.2 0.2 0.2 0.4 *0.0 *0.0 *0.0 *0.1 0.1 0.1 0.0 0.0 0.0 0.1 0.1 0.2 0.4 0.4 0.3 0.2 0.1 0.1 0.1 0.2 0.4 0.4 0.3 0.2 0.1 0.0 0.0 0.0 0.0 0.0 [†]0.0 [†]0.0 [†]0.0 [†]0.1 [†]0.2 0.1 0.1 0.1 0.1 0. 0.0 0.0 0.0 0.0 0.0 0.3 0.5 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.2 0.2 0.1 0.1 0.1 0.1 0.0 0.1 0.1 0.1 *0.0 *0.0 [†]0.0 *0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 --0.3 ·0.2 ·0.2 ·0.1 ·0.1 ·0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 *0.5 *0.3 *0.2 *0.2 *0.2 *0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 0.9 0.5 0.3 0.3 0.4 0.5 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.1 °0.1-°0.2 °0.4 °0.7 °0.6 °0.4 °0.2 °0.1 °0.1 °0.2 °0.2 °0.3 °0.2 °0.2 °0.1 °0.1 °0.1 °0.1 °0.1 °0.2 °0.4 °0.6 *0.0 *0.0 *0.1 *0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.3 0.5 0.8 (U *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 6 1.3 0.6 0.2 0.2 0.2 0.2 0.3 0.4 0.3 0.2 0.1 0.9 1 0.1 0.1 0.1 0.2 0.3 0.4 *0.0 *0.0 *0.0 *0.1 0,1 0,1 0,1 0,1 0,1 0,1 0,1 0,1 0.3 0.5 0.7 0.5 0.3 0.1 0.1 0.1 0.1 0.1 0.2 0.3 *0.0 *0.0 *0.0 *0.0 0.1 0.1 0.2 0.2 0.1 0.2 0.2 0.3 *0.2 *0.2 *0.3 *0.5 *0.8 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.4 0.0 0.0 0.0 0.0 ¹0.1 ¹0.2 ¹0.3 ¹0.5 ¹0.8 **(**□ 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.4 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.1 0.0 0.1 0.1 0.1 0.2 0.5 0.0 0.0 0.0 0.0 0.7 0.5 0.4 0.2 0.2 0.2 0.4 0.5 0.1 0.2 0.3 0.4 0.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.2 0.8 0.0 0.0 0.0 0.0 0.7 0.4 0.3 0.2 0.2 0.2 0.3 0.1 0.1 0.2 0.2 0.3 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.1 0.1 0.0 0.1 0.1 *0.7 *0.3 *0.2 *0.1 *0.1 *0.2 *0.2 *0.2 *0.1 *0.1 *0.1 *0.1 *0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0,0 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.2 0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 *0.1 *0.1 *0.1 *0.1 *0.1 *0.1 *0.2 *0.4 0.2 0.1 0.1 0.1 0.1 *0.1 *0.1 *0.1 *0.2 *0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 *0.1 0.4 *0.2 *0.2 *0.2 *0.2 *0.3 0.4 0.2 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.3 0.4 0,0 0,0 0,0 0,0 0,0 0,0 0,0 *0.0 *0.1 *0.1 *0.4 0.6 0.4 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.2 0.3 -1.8-0.9 0.4 0.3 0.3 0.4 0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.1 *0.2 *0.4 0.6 0.4 0.2 0.1 01 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 1.2-0.8 0.4 0.3 0.3 0.5 0.9 U 0,0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.1 *0.1 0.4 0.3 0.2 0.1 0.1 0.5 0.4 0.4 0.3 0.2 0.2 0.1 0.1 1.5 1.0 0.5 0.3 0.3 0.4 0.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.2 0.2 0.1 0.1 0.1 1.0 0.5 0.4 0.2 0.2 0.1 0.1 0.1 - 1.3 0.4 0.2 0 2 0.2 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0. 0.5 0.3 0.2 0.1 0.1 0.1 0.1 0.1 *0.2 *0.1 *0.1 *0.1 *0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 0.2 0.2 0.1 0.1 0.1 0.2 0.4 0.2 0.2 0.1 0.1 0.1 0.1 0.1 *0.1 *0.1 *0.1 *0.1 *0.2 *** 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 0.3 0.2 0.2 0.2 0.5 0.1 0.1 0.1 0.2 0.2 0.3 0.2 0.1 0.2 0.2 0.2 0.2 0.2 0.2 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.5 0.4 0.2 0.2 0.3 0.4 *0.1 *0.1 *0.2 *0.2 *0.3 *0.6 0.2 0.2 0.2 0.3 0.3 0.2 0.2 0.2 *0.1 *0.0 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.5 0.3 0.2 0.2 0.3 0.5 1.01 0.1 0.2 0.3 0.5 1.00 0.5 0.4 0.3 0.2 0.2 0.2 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.2 0.2 0.2 0.4 0.6 *0.1 *0.1 *0.2 *0.3 *0.4 *0.9 -1.0 0.5 0.3 0.2 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.2 0.2 0.5 1.0 *0.1 *0.1 *0.1 *0.2 *0.3 *0.5 | 0.5 0.2 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.2 0.7 🛍 *0.1 *0.1 *0.1 *0.1 *0.1 *0.2 *0.2 *0.1 *0.1 *0.1 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 *0.0 *0.0 *0.0 *0.1 U 0.4 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.1 0.1 1.4 0.6 0.2 0.1 0.1 0.1 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.0 0.0 0.0 0.0 0.0 -*0.7 *0.4 *0.2 *0.1 *0.1 *0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 *0.1 *0.0 *0.0 *0.0 *0.0 \ - 0.5 0.3 0.2 0.1 0.1 0.1 0.3 0.2 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 10.20.2 0.9 0.1 0.0 0.0 0.1 0.1 0.2 0.3 0.3 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 *0.6 *0.3 *0.2 *0.1 *0.1 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 0.2 0.2 0.1 0.1 0.1 0.0 0.0 0.1 0.1 0.1 0.2 0.2 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.7 0.4 0.2 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2 0.4 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.1 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.1 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 °0.0 °0.0 0.0 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 °0.0 °0.0 °0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.2 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.1 1.2 0.4 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.0 *0.1 *0.1 *0.1-*0.1-*0.0 [†]0.1 ^{*}0.1 -*0.5-*0.3 *0.1 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.0 *0.1 *0.1 *0.1 *0.2 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 †0.0 *0.1 -10.3 10.2 10.1 10.0 10.0 10.0 10.0 10.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.0 *0.1 *0.1 *0.2 *0.3 0,0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 *0.1 *0.2 *0.3 *0.5 0.1 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.2 0.6 1.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.1 0.2 0.6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 ⁺0.0 ⁺0.0 ⁺0.0 *0.1 *0.1 *0.1 *0.0 *0.0 *0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 0.1 0.1 0.1 0.0 0.0_ 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 °0.0 °0.0 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 *0.0 *0.0 *0.0 *0.0 *0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 °0.0 °0.0 RE: E1ØØP1 -0 0 00 00 *0.0 *0.0 *0.0 *0.0 *0.0 *0.0 RE: E1ØØP1 ¹0.0 ¹0.0 ¹0.0 ¹0.0 ¹0.1 ¹0.2 ¹0.7 ♥ 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.4 0.5



MPW ENGINEERING, LLC 110 W. 7TH STREET • SUITE 600 • TULSA, OK 74119 (918) 582-4088 • (918) 582-4087 FAX JOHN E. VEST III F E

ENGINEER OF RECORD MO# 26210

SEAL:



NOTICE OF COPYRIGHT

THESE PLANS ARE COPYRIGHTED AND ARE SUBJECT TO COPYRIGHT PROTECTION AS AN ARCHITECTURAL WORK UNDER SEC. 102 OF THE COPYRIGHT ACT, 17 U.S.O. AS AMENDED DECEMBER 1990 AND KNOWN AS ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT OF 1990. THE PROTECTION INCLUDES BUT IS NOT LIMITED TO THE OVERALL FORM AS WELL AS THE ARRANGEMENT AND COMPOSITION OF SPACES AND ELEMENTS OF DESIGN. UNDER SUCH PROTECTION, UNAUTHORIZED USE OF THESE PLANS, WORK OR BUILDINGS REPRESENTED CAN LEGALLY RESULT IN THE CESSATION OF CONSTRUCTION OR BUILDINGS BEING SEIZED AND/OR MONETARY COMPENSATION TO ARCHITECTS COLLECTIVE.

NO CAD FILES SHALL BE PROVIDED TO SUB-CONTRACTORS UNDER ANY CIRCUMSTANCES.



4200 EAST SKELLY DRIVE SUITE 750 TULSA, OKLAHOMA 74135 918/492-2987

PROJECT NUMBER: DATE: 08/03/2018

SHEET TITLE: ELECTRICAL: PHOTOMETRIC SITE PLAN - NORTH

SHEET NUMBER:

E100P2