

Project: Lots 1 - 6, Main Orchard

This memorandum is to serve as a guideline for the home construction on Lots 1, 2 & 4– 6, Main Orchard. Lot 3 is an existing 1,100 sf home constructed around the early 1900's.

Existing Area Description

The proposed development is located within an area of Downtown Lee's Summit that is one block west of Douglas Street and two blocks south of Chipman Road and the adjacent area is all zoned RP-2, Planned Two Family Residential District. The area to the north and west is single family and duplex family homes that were constructed in the 1950's with an average home size around 1,050 sf and a lots size of approximately 15,000 sf. Many of the existing homes that were constructed in the 1950's can be described as a mid-century ranch style home. These homes are typically rectangular in shape and have a long linear presentation toward the street with a single stall parking garage on one end of the home. Within the development area there are a few homes there were constructed in the early 1900's and have a typical "American Foursquare" and "Bungalow" style designs, with home sizes being 1,500 sf and 1,000 sf respectively and the lots sizes are approximately 0.50 acres in size.



Existing Ranch Style Home





Existing Bungalow Style Home



Existing Bungalow with Front Porch



N G I N E E R I N G

OLUTIONS

ENGINEERING & SURVEYING

New Home, Hearne's Addition Lot 18 A



Existing Duplex



Development Plan Description

Lots 1, 2, 4, 5 and 6

-These lots are going to be available for purchase by individual buyers to construct a new home. The home will be required to comply with the required items listed in the "House Characteristics' section of this memorandum.

Lot 3

-This lot has an existing "Bungalow" style home that is approximately 1,100 sf with a full stone foundation. The home has a dormer and a full house width front porch. There is not an existing garage and the driveway is gravel. The purposed development plan illustrates future construction of a two-story garage / apartment with a footprint of 1,200 sf. The intent is to build a lower level two stall garage for the existing home and a one stall garage for the second-floor apartment. This lot will be maintained as one owner and the house and garage unit will remain as a rental.



<u>Requested Modification</u> to the height of the garage structure on Lot 3 not to exceed the height of the principal structure. The principal structure is shown below in the Table 1 and the request is to construct the garage to a maximum height of 26 feet. With the setback from the right of way and location on the lot the structure will not appear imposing on the existing structures, but the height will allow for the construction of home elements to keep the architectural style consistent.

Table 1. Existing House Height Measurements

Top of Hip Roof	22' – 10"
Top of Lower Hip Roof	19' – 10"
Average Building Height	21' - 4"
*Modification is to allow an increase of $4' - 8''$ higher Loft /	Garage

50 SE 30th Street Lee's Summit, MO 64082

P: (816) 623-9888 F: (816) 623-9849

www.engineeringsolutionskc.com





House Characteristics

Minimum Floor Area Garage Garage Location Front Porch House Style

Driveway Width at ROW

House Style

1,000 sf

Minimum Single Stall (Detached or Attached to Residence) No street facing overhead garage doors (Detached or Attached) Minimum width of 50% of Total House Width with a 6-foot depth Two-Story or Single Story with Dormer (American Foursquare, Bungalow, Craftsman 16 Feet

The style of the home should include front porches that are facing the street right of way to promote pedestrian and neighborhood connectivity. This will include incorporating a walkway connection from the front of the home to the public sidewalk. The public sidewalk will not be constructed with the development, but the connection shall be provided for. The driveway width at the street should be limited to 16 feet to limit the amount of concrete mass on the site but the driveway width can expand behind the home to allow for a multi stall garage. The home shall be constructed in such a way that the entry to the home shall incorporate a minimum of two steps from the sidewalk grade to the front porch. Front porch must incorporate a minimum of two column elements to delineate the porch with a minimum of 30% of the porch being constructed with a railing or knee wall.



House Color and Material

The developer will have the authority to review and approve all home colors, materials and styles prior to building permit approval.

The front of the House siding shall consist of multiple types of house siding to vary the appearance. Examples would include but not limited to lap siding or shake shingle combinations with stone or brick. The front and two sides of the home shall provide trim around window and door elements to be painted in a color that is different than the main body color of the house.

Acceptable materials for exterior siding of homes

-Wood Panel, Shingle -Stone or Brick Veneer -Real Brick or Stone -Fiber Cement Lap Siding, Panel or Shingle

Excluded materials for exterior siding of homes


-Horizontal or Vertical Vinyl Siding -Horizontal or Vertical Metal Siding -Stucco

The following pictures are illustrations of home materials and the intended appearance of the homes. The side and rear elevations shall maintain the principal home siding material around the entire perimeter of the home. The detached or attached garage shall maintain the same siding primary / secondary materials as the main house.

Home colors shall not be -High Contrasting Color Palettes -Florescent

The following pages are taken from Sherwin Williams and will provide options for the home colors and schemes, the final houses are not limited to these specific color palettes, but these are to be considered the basis for judgement of the final home options. White is not shown on these pages but is allowed as a home color.





 50 SE 30th Street Lee's Summit, MO 64082

 P: (816) 623-9888
 F: (816) 623-9849
 www.engineeringsolutionskc.com



GINEERING ENGINEERING & SURVEYING

OLUTIONS



exterior historic colors

AMERICA'S HERITAGE

The America's Heritage Palette pays homage to key architectural styles throughout American history. Ranging from exuberant hues that adorned ornately appointed Victorians to the softer, restrained shades of Craftsman bungalows, our featured color combinations are based on authentic schemes from their respective eras. Each has endured the test of time and is sure to provide beauty and enjoyment for centuries to come.






historic color AMERICA'S HERITAGE





BODY	TRIM	ACCENT	ACCENT 2
Renwick Rose Beige	Renwick Beige	Pewter Tankard	Polished Mahogany
SW 2804	SW 2805	SW 0023	SW 2838
Renwick Golden Oak	Downing Straw	Roycroft Vellum	Deepest Mauve
SW 2824	SW 2813	SW 2833	SW 0005
Downing Sand SW 2822	Rookwood Clay SW 2823	Rookwood Sash Green SW 2810	Rookwood Blue Green SW 2811







N G I N E E R I N G







N G I N E E R I N G



GINEERING ENGINEERING & SURVEYING

OLUTIONS

50 SE 30th Street Lee's Summit, MO 64082 P: (816) 623-9888 F: (816) 623-9849 www.engineeringsolutionskc.com







exterior coastal colors

NORTHERN SHORES AND SEAPORTS

From the lush forests of the Pacific Northwest to the misty harbors of Maine, cool weather and gentle waters create a perfect environment for relaxation and rejuvenation.

In the Northern Shores & Seaports Palette, you'll find softened shades of traditional colors found throughout nature. Slate blue, dusty red and subdued gray-green tones offer a calming serenity reflective of a vast, pristine landscape.





NORTHERN SHORES AND SEAPORTS







BODY	TRIM	ACCENT
Restrained Gold	Believable Buff	Sierra Redwood
SW 6129	SW 6120	SW 7598
Butternut	Concord Buff	Olympic Range
SW 6389	SW 7684	SW 7750
Homburg Gray	White Duck	Butterscotch
SW 7622	SW 7010	SW 6377



 B0DY
 TRIM
 ACCENT

 Carriage Door
 Urban Putty
 Sanderling

 SW 7594
 SW 7532
 SW 7513

 Creamy
 Lanyard
 Tanbark

 SW 7012
 SW 7680
 SW 6061

 Perfect Greige
 Pure White
 Naval

 SW 6073
 SW 7005
 SW 6244

 The above scheme is featured on the cover.
 SW 6244



50 SE 30th Street Lee's Summit, MO 64082 P: (816) 623-9888 F: (816) 623-9849 www.engineeringsolutionskc.com



GINEERING


OLUTIONS

ENGINEERING & SURVEYING -

	BODY	TRIM	ACCENT
1	Portabello	Modern Gray	Porpoise
	SW 6102	SW 7632	SW 7047
	Anew Gray	Extra White	Fireweed
	SW 7030	SW 7006	SW 6328
	Retreat	Creamy	Portico
	SW 6207	SW 7012	SW 7548











BODY	TRIM	ACCENT
Storm Cloud	Alabaster	Ramie
SW 6249	SW 7008	SW 6156
Svelte Sage	Lotus Pod	Leather Bound
SW 6164	SW 7572	SW 6118
Lanyard	Buff	Sea Serpent
SW 7680	SW 7683	SW 7615



N G I N E E R I N G

OLUTIONS

ENGINEERING & SURVEYING



N G I N E E R I N G

ENGINEERING & SURVEYING

The following are example houses that could be constructed on the lots

NGINEERING

OLUTIONS

ENGINEERING & SURVEYING





 50 SE 30th Street Lee's Summit, MO 64082

 P: (816) 623-9888
 F: (816) 623-9849
 www.engineeringsolutionskc.com





 50 SE 30th Street Lee's Summit, MO 64082

 P: (816) 623-9888
 F: (816) 623-9849
 www.engineeringsolutionskc.com





Detached Garage Option





Detached Garage Option



N G I N E E R I N G

OLUTIONS

ENGINEERING & SURVEYING



Attached Garage w/ Breezeway





Attached Garage w/ Breezeway







GINEERING & SURVEYING -

OLUTIONS

Four-Sided Architecture



Neighborhood Meeting Notes

Meeting Date	10-10-19 at брт
Location	Gamber Community Center, Yellowstone Room
	4 SE Independence, MO

Attendance Sheet is attached to this report

The meeting began at 6pm and Mr. Schlicht presented the project as a residential development of the 2 lots located at 510 NW Main and 6 NW Orchard to create 5 new residential single family lots and the existing home at 510 NW Main is proposing to construct a Garage / Loft structure for use as a rental on that lot. Mr. Schlicht explained the current area is zoned RP-2, which would allow for a multifamily development, however at this time the 5 new lots are being proposed as single family construction and if someone would like to build multifamily units on those lots, a new Preliminary Development Plan application would be required.

Following the presentation Mr. Schlicht asked if there were any questions or comments and the following things were asked:

-Will the new homes be rentals?

Mr. Schlicht explained that he will be selling the lots and the builder would be able to rent or sell the home. He explained that he expected individuals to purchase the lots and construct a new home for their own residence, but he did not know for sure.

-What will the expected cost of the homes be?

Mr. Schlicht again noted he is selling the lots but speculated that if the lot costs \$65,000 and the person constructs a new 1,000 sf home at \$140 to \$150/sf, that the home price would be a minimum of \$225,000 and that currently there is homes on the market for around \$325,000.

There was some additional discussion on the home and the neighborhood that was more general in nature but overall the meeting went well, and everyone was gone by 6:45 pm.

Mr. Schlicht explained they would receive another notice about the public meeting and that everyone will have an opportunity to speak at the public meeting and they are welcome to contact Mr. Schlicht or the City of Lee's Summit if they had any questions.



Preliminary Development Criteria

- 1. The character of the neighborhood.
 - The area to the north and west is single family and duplex family homes that were constructed in the 1950's with an average home size around 1,050 sf and a lots size of approximately 15,000 sf. Many of the existing homes that were constructed in the 1950's can be described as a mid-century ranch style home. These homes are typically rectangular in shape and have a long linear presentation toward the street with a single stall parking garage on one end of the home. Within the development area there are a few homes there were constructed in the early 1900's and have a typical "American Foursquare" and "Bungalow" style designs, with home sizes being 1,500 sf and 1,000 sf respectively and the lots sizes are approximately 0.50 acres in size.
- 2. The existing and any proposed zoning and uses of adjacent properties, and the extent to which the proposed use is compatible with the adjacent zoning and uses.
 - The area is zoned RP-2 and the area is generally single family and duplex home sites. These two parcels are two of the few remaining lots within the downtown area
- 3. The extent to which the proposed use facilitates the adequate provision of transportation, water, sewerage, schools, parks and other public requirements.
 - The site has adequate access to all necessary public facilities and the development will improve the sanitary sewer system with a new sewer extension to serve the proposed lots.
- 4. The suitability of the property for the uses to which it has been restricted under the applicable zoning district regulations.
 - The site is zoned for two family residential zoning and the homes will comply with the zoning district
- 5. The length of time, if any, the property has remained vacant as zoned.
 - The parcel located at 6 NE Orchard has always been a vacant parcel and the parcel located at 510 NW Main has an existing home and the remaining area has been undeveloped.
- 6. The extent to which the proposed use will negatively affect the aesthetics of the property and neighboring property.
 - The development of this parcel will continue to develop new downtown homes that rekindle the mid 1900's Craftsman Style Bungalow in the downtown area.
- 7. The extent to which the proposed use will seriously injure the appropriate use of, or detrimentally affect, neighboring property.
 - This development will not create any detrimental impact the downtown / neighboring area and will continue the revitalization of the downtown area.
- 8. The extent to which the proposed use will adversely affect the capacity or safety of the portions of the street network impacted by the use, or present parking problems in the vicinity of the property.
 - The construction of the new sidewalks along Main Street and Orchard will continue to improve the pedestrian access throughout the downtown area. Each home site will provide a garage and off-street parking to not create any parking concerns for the area.

P: (816) 623-9888 F: (816) 623-9849

www.engineeringsolutionskc.com



- 9. The extent to which the proposed use will create excessive storm water runoff, air pollution, water pollution, noise pollution or other environmental harm.
 - The site will provide individual onsite detention facilities that will incorporate Best Management Practices for storm water management to provide some innovative and aesthetically appealing plantings within the development area.
- 10. The extent to which the proposed use will negatively affect the values of the property or neighboring properties.
 - With the estimated home prices being \$225,000 or more it is expected the development of these lots will increase the value of the neighboring properties.
- 11. The extent to which there is a need for the use in the community.

GINEERING

DLUTIONS

- The downtown area is a very desirable are to live and is continuing to develop in a positive direction. This project will provide an opportunity for the community to purchase and construct a new home with the old town feel of the downtown community.
- 12. The economic impact of the proposed use on the community.
 - With the estimated home prices being \$225,000 or more it is expected the development of these lots will increase the value of the neighboring properties.
- 13. The ability of the applicant to satisfy any requirements applicable to the specific use imposed pursuant to the UDO.
 - The development will comply with the UDO requirements and is asking for a variance on a few storm water requirements and on the height of the proposed Garage / Loft on Lot 3.
- 14. The extent to which public facilities and services are available and adequate to meet the demand for facilities and services generated by the proposed use.
 - The existing facilities will be adequate for the development of this project and the Developer will install a new sanitary sewer line to serve the proposed lots with a new sanitary sewer service.
- 15. The gain, if any, to the public health, safety and welfare due to approval of the application as compared to the hardship imposed upon the landowner, if any, as a result of denial of the application.
 - The Developer believes the parcels are currently underutilized and the development of these lots will provide a very desirable lot for a future Lee's Summit resident. The hardship or denial of the application will mean the land will stay undeveloped as it has for years and it is the Developer's belief that this is not the best use of the parcel.
- 16. The conformance of the proposed use to the Comprehensive Plan, the Major Street Plan, the Capital Improvement Plan, and other adopted planning policies.
 - The proposed development conforms to the overall plans for the site.
- 17. The recommendation of professional staff.
 - This is the highest and best use for these parcels.

www.engineeringsolutionskc.com





- 18. The consistency of the proposed use with the permitted uses and the uses subject to conditions in the district in which the proposed rezoning or special use is located.
 - The proposed development is consistent with the surrounding development and City's long-term plans for the area.

Article 2 of the UDO Requirements

- 1. Development is designed, located and proposed to be operated so that the public health, safety and welfare will be protected.
 - The development conforms with the City's long-term plan and zoning for these parcels.
- 2. Development will not impede the normal and orderly development and improvement of the surrounding property.
 - These two parcels are a two of the few remaining undeveloped lots located within the downtown area and the development of these lots is consistent with the existing development within the area.
- 3. Development incorporates adequate ingress and egress and an internal street network that minimizes traffic congestion.
 - The proposed lots will connect directly to Main Street and the driveways are being limited to 16 feet to minimize the impervious impact to the front yard area of the proposed lots.