

\\PHelps-SERVER\Projects\171125\Eng\Permit Plans\Secondary Storm Plan.dwg Layout:Chart-2 Jan 27, 2020 2:51pm Kyle Delers

7	80	0.90	0.073	0.066	0.073	0.066	5.00	8.53	1.10	0.6	80	81	-	-	8	45.42	-	-	0.0100	0.22	3.5	0.6	0.9	1.2	OK
	81	0.90	0.021	0.019	0.094	0.085	5.00	8.53	1.10	0.8	81	82	-	-	8	20.44	-	-	0.0100	0.10	3.5	0.8	1.1	1.2	OK
	82	0.90	0.000	0.000	0.123	0.111	5.00	8.53	1.10	1.0	82	73	-	-	10	24.09	-	-	0.0100	0.10	4.1	1.0	1.4	2.2	OK
	73	0.90	0.000	0.000	0.123	0.111	5.00	8.53	1.10	1.0	73	90	-	-											
8	90	0.90	0.029	0.026	0.029	0.026	5.00	8.53	1.10	0.2	90	82	-	-	8	20.44	-	-	0.0337	0.05	6.4	0.2	0.3	2.2	OK
	82	0.90	0.000	0.000	0.029	0.026	5.00	8.53	1.10	0.2	82	100	-	-											
9	100	0.90	0.013	0.012	0.013	0.012	5.00	8.53	1.10	0.1	100	101	-	-	8	26.88	-	-	0.0100	0.13	3.5	0.1	0.2	1.2	OK
	101	0.90	0.041	0.037	0.054	0.049	5.00	8.53	1.10	0.5	101	102	-	-	8	23.17	-	-	0.0100	0.11	3.5	0.5	0.6	1.2	OK
	102	0.90	0.041	0.037	0.095	0.086	5.00	8.53	1.10	0.8	102	103	-	-	8	34.17	-	-	0.0100	0.16	3.5	0.8	1.1	1.2	OK
	103	0.90	0.061	0.055	0.156	0.141	5.00	8.53	1.10	1.3	103	104	-	-	10	27.39	-	-	0.0100	0.11	4.1	1.3	1.8	2.2	OK
	104	0.90	0.015	0.014	0.171	0.155	5.00	8.53	1.10	1.5	104	105	-	-	10	27.02	-	-	0.0100	0.11	4.1	1.5	2.0	2.2	OK
	105	0.90	0.028	0.025	0.199	0.180	5.00	8.53	1.10	1.7	105	106	-	-	12	12.72	-	-	0.0100	0.05	4.6	1.7	2.3	3.6	OK
	106	0.90	0.063	0.057	0.262	0.237	5.00	8.53	1.10	2.2	106	107	-	-	12	25.37	-	-	0.0100	0.09	4.6	2.2	3.1	3.6	OK
	107	0.90	0.037	0.033	0.299	0.270	5.00	8.53	1.10	2.5	107	108	-	-	12	11.29	-	-	0.0100	0.04	4.6	2.5	3.5	3.6	OK
	108	0.90	0.015	0.014	0.314	0.284	5.00	8.53	1.10	2.7	108	109	-	-	15	21.68	-	-	0.0100	0.07	5.3	2.7	3.7	6.5	OK
	109	0.90	0.066	0.059	0.380	0.343	5.00	8.53	1.10	3.2	109	30	-	-	15	3.00	-	-	0.0100	0.01	5.3	3.2	4.4	6.5	OK
	30	0.90	0.000	0.000	0.380	0.343	5.00	8.53	1.10	3.2	30	110	-	-											
	10	110	0.90	0.047	0.042	0.047	0.042	5.00	8.53	1.10	0.4	110	111	-	-	8	39.48	-	-	0.0100	0.19	3.5	0.4	0.5	1.2
111		0.90	0.076	0.068	0.123	0.110	5.00	8.53	1.10	1.0	111	112	-	-	10	29.14	-	-	0.0100	0.12	4.1	1.0	1.4	2.2	OK
112		0.90	0.021	0.019	0.144	0.129	5.00	8.53	1.10	1.2	112	113	-	-	10	11.88	-	-	0.0100	0.05	4.1	1.2	1.7	2.2	OK
113		0.90	0.015	0.014	0.159	0.143	5.00	8.53	1.10	1.3	113	30	-	-	10	11.15	-	-	0.0100	0.05	4.1	1.3	1.8	2.2	OK
30		0.90	0.000	0.000	0.159	0.143	5.00	8.53	1.10	1.3	30	120	-	-											
120		0.90	0.055	0.050	0.055	0.050	5.00	8.53	1.10	0.5	120	121	-	-	8	50.48	-	-	0.1000	0.08	11.1	0.5	0.6	3.8	OK
11	121	0.90	0.039	0.035	0.094	0.085	5.00	8.53	1.10	0.8	121	122	-	-	8	42.63	-	-	0.1000	0.06	11.1	0.8	1.1	3.8	OK
	122	0.90	0.031	0.028	0.125	0.113	5.00	8.53	1.10	1.1	122	123	-	-	10	40.77	-	-	0.0100	0.17	4.1	1.1	1.5	2.2	OK
	123	0.90	0.000	0.000	0.125	0.113	5.00	8.53	1.10	1.1	123	40	-	-	10	17.60	-	-	0.0100	0.07	4.1	1.1	1.5	2.2	OK
	40	0.90	0.000	0.000	0.125	0.113	5.00	8.53	1.10	1.1			-	-											
	130	0.90	0.033	0.030	0.033	0.030	5.00	8.53	1.10	0.3	130	131	-	-	8	8.87	-	-	0.1000	0.01	11.1	0.3	0.4	3.8	OK
12	131	0.90	0.033	0.030	0.066	0.060	5.00	8.53	1.10	0.6	131	132	-	-	8	106.25	-	-	0.0100	0.51	3.5	0.6	0.8	1.2	OK
	132	0.90	0.031	0.028	0.097	0.088	5.00	8.53	1.10	0.8	132	31	-	-	8	8.65	-	-	0.0100	0.04	3.5	0.8	1.1	1.2	OK
	31	0.90	0.000	0.000	0.097	0.088	5.00	8.53	1.10	0.8	31		-	-											
	140	0.90	0.023	0.021	0.023	0.021	5.00	8.53	1.10	0.2	140	141	-	-	8	33.71	-	-	0.0100	0.16	3.5	0.2	0.3	1.2	OK
13	141	0.90	0.028	0.025	0.051	0.046	5.00	8.53	1.10	0.4	141	31	-	-	8	25.61	-	-	0.0100	0.12	3.5	0.4	0.6	1.2	OK
	31	0.90	0.000	0.000	0.051	0.046	5.00	8.53	1.10	0.4	31	150	-	-											
	150	0.90	0.073	0.066	0.073	0.066	5.00	8.53	1.10	0.6	150	151	-	-	8	21.79	-	-	0.0100	0.10	3.5	0.6	0.9	1.2	OK
14	151	0.90	0.016	0.014	0.089	0.106	5.00	8.53	1.10	1.0	151	152	-	-	10	24.06	-	-	0.0100	0.10	4.1	1.0	1.4	2.2	OK
	152	0.90	0.022	0.020	0.140	0.126	5.00	8.53	1.10	1.2	152	20	-	-	10	10.64	-	-	0.3872	0.01	25.3	1.2	1.6	13.6	OK
	20	0.90	0.000	0.000	0.140	0.126	5.00	8.53	1.10	1.2	20		-	-											
	160	0.90	0.029	0.026	0.029	0.026	5.00	8.53	1.10	0.2	160	152	-	-	8	32.17	-	-	0.0143	0.13	4.2	0.2	0.3	1.4	OK
16	170	0.90	0.083	0.075	0.083	0.075	5.00	8.53	1.10	0.7	170	171	-	-	8	21.38	-	-	0.1000	0.03	11.1	0.7	1.0	3.8	OK
	171	0.90	0.015	0.014	0.098	0.089	5.00	8.53	1.10	0.8	171	172	-	-	8	24.47	-	-	0.0919	0.04	10.6	0.8	1.1	3.7	OK
	172	0.90	0.023	0.021	0.151	0.137	5.00	8.53	1.10	1.3	172	20	-	-	8	3.00	-	-	0.7070	0.00	29.5	1.3	1.8	10.2	OK
	20	0.90	0.000	0.000	0.151	0.137	5.00	8.53	1.10	1.3			-	-											
17	180	0.90	0.030	0.027	0.030	0.027	5.00	8.53	1.10	0.3	180	172	-	-	8	40.44	-	-	0.0608	0.08	8.6	0.3	0.3	3.0	OK
	172	0.90	0.000	0.000	0.030	0.027	5.00	8.53	1.10	0.3	172	20	-	-											