CABLE TV - EXISTING

FIBER OPTIC CABLE - EXISTING

EXISTING SANITARY MANHOLE

EXISTING AREA INLET

EXISTING CURB INLET

EXISTING GRATE INLET


EXISTING JUNCTION BOX

EXISTING STORM MANHOLE

PROPOSED SANITARY MANHOLE

John Meadows 4700 Little Blue Parkway Independence, MO 64057 ----- OHP_x ----- OVERHEAD POWER LINE - EXIST (816) 795-2257 ----- UGE, ---- UNDERGROUND ELECTRIC - EX. GAS LINE - EXISTING WATERLINE - EXISTING LIGHT - EXISTING 220 SE Green Street **EXISTING MANHOLE** Lee's Summit. MO 64063 (816) 969-1900 CLEANOUT

CHIPMAN RD NW1/4 1ST



UTILITY CONTACTS:

MISSOURI DEPARTMENT OF TRANSPORTATION (MODOT) Steve Holloway 600 NE Colbern Road Lee's Summit, MO 64086

Brent Jones 3025 SE Clover Drive Lee's Summit, MO 64082 (816) 399-9633 brent.jones@spireenergy.com

EVERGY (KCP&L) Gary Jones Gary.Jones@evergy.com

CITY OF LEES SUMMIT PUBLIC WORKS Dena Mezger 220 SE Green Street Lee's Summit, MO 64063 (816) 969-1800

Mark Manion or Marty Loper 500 E. 8th Street, Room 370 Kansas City, MO 64106 (816) 275-2341 or (816) 275-1550

COMCAST CABLE

PUBLIC WATER SUPPLY DISTRICT

SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN, STREET, AND STORMWATER PLANS

WINTERSET VALLEY REPLAT LOTS 1450, 1451, & TRACT A51

IN THE CITY OF LEE'S SUMMIT JACKSON COUNTY, MISSOURI

GENERAL NOTES

- ALL WORKMANSHIP AND MATERIALS SHALL BE SUBJECT TO THE INSPECTION AND APPROVAL OF THE ENGINEERING DEPARTMENT OF THE CITY OF LEE'S SUMMIT, MISSOUR
- LINEAL FOOT MEASUREMENTS SHOWN ON THE PLANS ARE HORIZONTAL MEASUREMENTS, NOT SLOPE
- NO GEOLOGICAL INVESTIGATION HAS BEEN PERFORMED ON THE SITE

- DISTURBANCE ACTIVITIES WITHIN THE RIGHT OF WAY. THESE ACTIVITIES MAY REQUIRE A PERMIT
- THE CONTRACTOR SHALL PROVIDE AND MAINTAIN ALL TRAFFIC HANDLING MEASURES NECESSARY TO ENSURE THAT THE GENERAL PUBLIC IS PROTECTED AT ALL TIMES. TRAFFIC CONTROL SHALL CONFORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD-LATEST EDITION).

STREET NOTES:

- 1. ALL STREET CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE CITY OF LEE'S SUMMIT DESIGN AND CONSTRUCTION MANUAL. ALL APPLICABLE AASHTO STANDARDS HAVE BEEN MET.
- 2. ALL INSPECTION OF STREET CONSTRUCTION TO BE PERFORMED BY THE CITY OF LEE'S SUMMIT PUBLIC
- CURB RETURN RADII SHALL BE 25' AT BACK OF CURB UNLESS OTHERWISE NOTED.
- SUBGRADE TO BE COMPACTED TO 95% STANDARD PROCTOR DENSITY.
- ASSUMED DESIGN SPEED = 25 MPH (COLLECTOR). MINIMUM STOPPING SIGHT DISTANCE = 155 FEET.
- MINIMUM K, SAG CURVE = 26 (14 WITH LIGHTING), CREST CURVE = 12.
- GRADE INTERSECTIONS TO DRAIN AS SHOWN.
- 9. SSD = STOPPING SIGHT DISTANCE.

EARTHWORK

- EXISTING SITE TO THE FINISHED GRADE (OR SUB-GRADE) ELEVATIONS PROVIDED ON THE PLANS AS SPO

- LANDSCAPED AREAS TO A MINIMUM DEPTH OF 6-INCHES BELOW FINAL GRADE

- B. PAVED AREAS 1.2% MINIMUM, 5% MAXIMUM ACTIVITIES HAVE CEASED. SEEDING SHALL BE PER THE EROSION AND SEDIMENT CONTROL PLAN AND/OR LANDSCAPE PLAN. IF NOT SPECIFIED SEEDING SHALL BE PER APWA SECTION 2400. LATEST EDITION. UNLESS OTHERWISE NOTED, SEEDING SHALL BE SUBSIDIARY TO THE CONTRACT PRICE FOR EARTHWORK AND
- 14. ALL DISTURBED AREAS IN THE RIGHT-OF-WAY SHALL BE SODDED.
- UNDERDRAINS ARE RECOMMENDED FOR ALL PAVED AREAS ADJACENT TO IRRIGATED TURF AND LANDSCAPED BEDS.
- CONTRACTOR SHALL ADHERE TO THE REPORTING REQUIREMENTS OUTLINED IN THE STORM WATER POLLUTION PREVENTION PLAN (SWPPP) PREPARED FOR THIS PROJECT, EROSION AND SEDIMENT CONTROL DEVICES SHALL BE PROPERLY MAINTAINED AND KEPT CLEAN OF SILT AND DEBRIS AND IN GOOD WORKING ORDER. ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED AS REQUIRED.

UTILITIES:

- EXISTING UTILITIES HAVE BEEN SHOWN TO THE GREATEST EXTENT POSSIBLE BASED UPON INFORMATION PROVIDED TO THE ENGINEER. THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING THE RESPECTIVE UTILITY COMPANIES AND FIELD LOCATING UTILITIES PRIOR TO CONSTRUCTION AND IDENTIFYING ANY POTENTIAL CONFLICTS. ALL CONFLICTS SHALL IMMEDIATELY BE BROUGHT TO THE ATTENTION OF THE
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ANY REQUIRED UTILITY RELOCATIONS. UTILITIES DAMAGED THROUGH THE NEGLIGENCE OF THE CONTRACTOR SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE
- CONTRACTOR SHALL VERIFY FLOW-LINES AND STRUCTURE TOPS PRIOR TO CONSTRUCTION, AND SHALL NOTIFY ENGINEER OF ANY DISCREPANCIES. PROVIDE SHOP DRAWINGS FOR ALL PRECAST AND MANUFACTURED UTILITY STRUCTURES FOR REVIEW BY THE ENGINEER PRIOR TO CONSTRUCTION OF THE
- UTILITY SEPARATION: WATERLINES SHALL HAVE A MINIMUM OF 10 FEET HORIZONTAL AND 2 FEET VERTICAL SEPARATION FROM ALL SANITARY AND STORM SEWER LINES. IF MINIMUM SEPARATIONS CAN NOT BE OBTAINED, A CONTINUOUS CASING PIPE MUST BE USED ON THE WATER LINE AND EXTEND NO LESS THAN 10 FEET IN EACH DIRECTION FROM THE CROSSING OF THE SANITARY OR STORM SEWER LINE IN CONFLICT. PAYMENT FOR TRENCHING, BACKFILLING, PIPE EMBEDMENT, FLOWABLE FILL, BACKFILL MATERIALS, CLEAN
- UP, SEEDING, SODDING AND ANY OTHER ITEMS NECESSARY FOR THE CONSTRUCTION OF THE UTILITY LINE SHALL BE INCLUDED IN THE CONTRACT PRICE FOR THE UTILITY INSTALLATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING RESPECTIVE UTILITY COMPANIES 48-HOURS IN
- ADVANCE FOR THE INSPECTION OF ANY PROPOSED UTILITY MAIN EXTENSION OR SERVICE LINE OR SERVICE CONNECTION TO ANY EXISTING MAIN.
- TRENCH SPOILS SHALL BE NEATLY PLACED ONSITE ADJACENT TO THE TRENCH, AND COMPACTED TO PREVENT SATURATION AND EXCESS SEDIMENT RUNOFF. UNSUITABLE MATERIALS, EXCESS ROCK AND SHALE, ASPHALT, CONCRETE, TREES, BRUSH ETC. SHALL BE PROPERLY DISPOSED OF OFFSITE. MATERIALS MAY BE WASTED ONSITE AT THE DIRECTION OF THE OWNER OR HIS APPOINTED REPRESENTATIVE.

	Sheet List Table
Sheet Number	Sheet Title
1	COVER SHEET
2	PRE-CLEARING PLAN
3	ECP-CONSTRUCTION
4	FINAL STABILIZATION PLAN
5	EROSION CONTROL DETAILS
6	GENERAL LAYOUT
7	MDP - GRADING PLAN
8	MDP SPOT ELEVATIONS
9	MDP DRAINAGE AREA
10	INTERSECTION DETAILS
11	EXISTING LINE 100 PLAN & PROFILI
12	STANDARD DETAILS
13	STANDARD DETAILS

APPROVED BY

CITY ENGINEER APPROVED FOR ONE YEAR FROM THIS DATE DATE

OWNER/DEVELOPER:

GALE COMMUNITIES, INC. DAVID GALE 400 SW LONGVIEW BLVD, STE 109 LEE'S SUMMIT, MISSOURI 64081 O: (816) 761-9292 C: (816) 645-2336 DGALE@GALECOMMUNITIES.COM



MISSOURI GEOGRAPHIC REFERENCE SYSTEM **BENCH MARK:**

BM JA-136, LOCATED AT INTERSECTION OF SW OLDHAM PARKWAY AND SW WARD ROAD, 61 FT SOUTH OF CL OF OLDHAM PARKWAY AND 28.9 FT EAST OF THE EAST EDGE OF WARD ROAD.


ELEV. 993.11'

PROJECT BENCH MARK:

SANITARY MANHOLE H2 AT NW CORNER OF LOT 1153 WINTERSET VALLEY 1ST PLAT, APPROX. 39' RT. OF CL OF NW PEALE BLVD.


ELEV.935.45'

PREPARED BY:



WINT SE

COVER SHEET




1. CONSTRUCTION OF THIS CONTRACT IS TO BE CONCURRENT WITH WINTERSET VALLEY 13TH PLAT IMPROVEMENTS. THEREFORE EROSION CONTROL MEASURES FROM WINTERSET VALLEY 13TH PLAT SHALL REMAIN OR BE IMPROVED UPON DURING THIS CONTRACT.

		EROSIC	ON AND SEDIMENT CONT	ROL ST	AGING CHART
190 <u>4</u>	PROJECT STAGE	BMP PLAN REF. NO	BMP DESCRIPTION	REMOVE AFTER STAGE	NOTES:
		N/A	CONSTRUCTION ENTRANCE & STAGING AREA	D	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
TRE-CLEARING THASE	A - PRIOR TO LAND DISTURBANCE	1	SILT FENCE 1 (PRIOR TO LAND DISTURBANCE)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		2	EXISTING INLET PROTECTION (GRAVEL CURB INLET SEDIMENT TRAP)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		3	SILT FENCE 2 (DURING CONSTRUCTION)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
	B - MASS GRADING	4	SILT SOCK/ ROCK SOCK/ SOCK WATTLE	D	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		5	FOAM SILT DIKE OR ROCK DITCH CHECK	E	PLACE WHERE INDICATED AS SOON AS SWALE IS ESTABLISHED, REPAIR OR REPLACE AS NECESSARY
		6	CONCRETE WASHOUT AREA	E	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
	C - UTILITY CONSTRUCTION	7	INLET PROTECTION (SILT FENCE)	D/E	PLACE SILT FENCE AROUND ALL STORM SEWER STRUCTURES / YARD AREA STORM STRUCTURES TO HAVE SILT FENCE REMOVED ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
NO		8	INLET PROTECTION (GRAVEL FILTER BAGS)	E	BOARDS SHALL BE PLACED IN FRONT OF INLET OPENING FROM THE TIME SILT FENCE IS REMOVED UNTIL SUCH TIME THAT THE CURB / THROAT IS POURED. PLACE GRAVEL FILTER BAGS AT THE OPENING OF ALL CURB INLETS IMMEDIATELY AFTER THE INLET THROATS ARE POURED
PHASE	D - AFTER PAVING OPERATIONS	9	SILT FENCE 2 (AFTER CURB CONSTRUCTION)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
JINAL L		10	SEEDING AND MULCHING	E	ALL DISTURBED AREAS AFTER 14 DAYS OF CONSTRUCTION INACTIVITY
	E - UNTIL CLOSURE OF LAND DISTURBANCE PERMIT				ADDITIONAL SEDIMENT AND EROSION CONTROL MEASURES MAY BE REQUIRED ANY TIME CURRENT MEASURES ARE FOUND TO BE INEFFECTIVE.

DISTURBED AREA = 0.44 A.C.

SITE SPECIFIC NOTES:

- 1. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL EXISTING UTILITY LOCATIONS PRIOR TO EXCAVATION.
- THERE ARE NO WETLANDS, NATURAL OR ARTIFICIAL WATER STORAGE DETENTION AREAS IN THE PROJECT AREA.
- NO PART OF THE PROJECT LIES WITHIN THE 100 YEAR FLOOD PLAIN PER FEMA FLOOD INSURANCE RATE MAP NUMBER 29095C0412G DATED JANUARY 20, 2017.
- ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE IMPLEMENTED ACCORDING TO THE BMP STAGING CHART.
- ADDITIONAL EROSION CONTROL MAY BE REQUIRED BY THE CITY ENGINEER AT ANY TIME EXISTING MEASURES ARE FOUND TO BE INEFFECTIVE OR PROBLEMATIC AREAS ARE NOTED IN THE FIELD.
- STABILIZATION OF DISTURBED AREAS MUST, AT A MINIMUM, BE INITIATED IMMEDIATELY WHENEVER ANY CLEARING, GRADING, EXCAVATING, OR OTHER SOIL DISTURBING ACTIVITIES HAVE PERMANENTLY CEASED ON ANY PORTION OF THE SITE, OR TEMPORARILY CEASED ON ANY PORTION OF THE SITE AND WILL NOT RESUME FOR A PERIOD EXCEEDING 14 CALENDAR DAYS. THE DISTURBED AREAS SHALL BE PROTECTED FROM EROSION BY STABILIZING THE AREA WITH MULCH OR OTHER SIMILARLY EFFECTIVE SOIL STABILIZING BMPS. INITIAL STABILIZATION ACTIVITIES MUST BE COMPLETED WITHIN 14 DAYS AFTER SOIL DISTURBING ACTIVITIES CEASE.
- ALL PERIMETER SILT FENCE, EARTH DIKES, SEDIMENT BASINS, AND ROCK CONSTRUCTION ENTRANCES WILL BE INSTALLED BEFORE GRADING OPERATIONS BEGIN.
- SILT FENCE AND EARTH DIKES THAT ARE PLACED BEFORE GRADING BEGINS WILL BE MAINTAINED BY THE GRADING CONTRACTOR.
- AREAS WITHIN PUBLIC RIGHT-OF-WAY SHALL BE SODDED IMMEDIATELY AFTER CONSTRUCTION IS COMPLETE.





MARK ALLEN

BREUER


MUMBER

PE-2009007268

04.10.2020

AUDUBON I MISSOURI


PRE-CLEARING PLAN



NOTE:

1. CONSTRUCTION OF THIS CONTRACT IS TO BE CONCURRENT WITH WINTERSET VALLEY 13TH PLAT IMPROVEMENTS. THEREFORE EROSION CONTROL MEASURES FROM WINTERSET VALLEY 13TH PLAT SHALL REMAIN OR BE IMPROVED UPON DURING THIS CONTRACT.

		EROSIC	ON AND SEDIMENT CONT	ROL ST	AGING CHART
PHASE	PROJECT STAGE	BMP PLAN REF. NO	BMP DESCRIPTION	REMOVE AFTER STAGE	NOTES:
		N/A	CONSTRUCTION ENTRANCE & STAGING AREA	D	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
'RE-CLEARING	A - PRIOR TO LAND DISTURBANCE	1	SILT FENCE 1 (PRIOR TO LAND DISTURBANCE)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		2	EXISTING INLET PROTECTION (GRAVEL CURB INLET SEDIMENT TRAP)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
SE		3	SILT FENCE 2 (DURING CONSTRUCTION)	Е	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
ION PHASE	B - MASS GRADING	4	SILT SOCK/ ROCK SOCK/ SOCK WATTLE	D	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
CONSTRUCTION		5	FOAM SILT DIKE OR ROCK DITCH CHECK	Е	PLACE WHERE INDICATED AS SOON AS SWALE IS ESTABLISHED, REPAIR OR REPLACE AS NECESSARY
CON		6	CONCRETE WASHOUT AREA	E	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
	C - UTILITY CONSTRUCTION	7	INLET PROTECTION (SILT FENCE)	D/E	PLACE SILT FENCE AROUND ALL STORM SEWER STRUCTURES / YARD AREA STORM STRUCTURES TO HAVE SILT FENCE REMOVED ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
NOIL		8	INLET PROTECTION (GRAVEL FILTER BAGS)	E	BOARDS SHALL BE PLACED IN FRONT OF INLET OPENING FROM THE TIME SILT FENCE IS REMOVED UNTIL SUCH TIME THAT THE CURB / THROAT IS POURED. PLACE GRAVEL FILTER BAGS AT THE OPENING OF ALL CURB INLETS IMMEDIATELY AFTER THE INLET THROATS ARE POURED
STABILIZATION PHASE	D - AFTER PAVING OPERATIONS	0	SILT FENCE 2 (AFTER CURB CONSTRUCTION)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
FINAL		10	SEEDING AND MULCHING	E	ALL DISTURBED AREAS AFTER 14 DAYS OF CONSTRUCTION INACTIVITY
	E - UNTIL CLOSURE OF LAND DISTURBANCE PERMIT				ADDITIONAL SEDIMENT AND EROSION CONTROL MEASURES MAY BE REQUIRED ANY TIME CURRENT MEASURES ARE FOUND TO BE INEFFECTIVE.



STABILIZATION OF DISTURBED AREAS MUST, AT A MINIMUM, BE INITIATED IMMEDIATELY WHENEVER ANY CLEARING, GRADING, EXCAVATING, OR OTHER SOIL DISTURBING ACTIVITIES HAVE PERMANENTLY CEASED ON ANY PORTION OF THE SITE, OR TEMPORARILY CEASED ON ANY PORTION OF THE SITE AND WILL NOT RESUME FOR A PERIOD EXCEEDING 14 CALENDAR DAYS. THE DISTURBED AREAS SHALL BE PROTECTED FROM EROSION BY STABILIZING THE AREA WITH MULCH OR OTHER SIMILARLY EFFECTIVE SOIL STABILIZING BMPS. INITIAL STABILIZATION ACTIVITIES MUST BE COMPLETED WITHIN 14 DAYS AFTER SOIL DISTURBING

7. ALL PERIMETER SILT FENCE, EARTH DIKES, SEDIMENT BASINS, AND ROCK CONSTRUCTION ENTRANCES WILL BE INSTALLED BEFORE GRADING OPERATIONS BEGIN.

8. SILT FENCE AND EARTH DIKES THAT ARE PLACED BEFORE GRADING BEGINS WILL BE MAINTAINED BY THE GRADING CONTRACTOR.

ACTIVITIES CEASE.

SITE SPECIFIC NOTES:

STAGING CHART.

NOTED IN THE FIELD.

1. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL

2. THERE ARE NO WETLANDS, NATURAL OR ARTIFICIAL

3. NO PART OF THE PROJECT LIES WITHIN THE 100 YEAR

NUMBER 29095C0412G DATED JANUARY 20, 2017.

4. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE IMPLEMENTED ACCORDING TO THE BMP

EXISTING UTILITY LOCATIONS PRIOR TO EXCAVATION.

WATER STORAGE DETENTION AREAS IN THE PROJECT

FLOOD PLAIN PER FEMA FLOOD INSURANCE RATE MAP

ADDITIONAL EROSION CONTROL MAY BE REQUIRED BY THE CITY ENGINEER AT ANY TIME EXISTING MEASURES ARE

FOUND TO BE INEFFECTIVE OR PROBLEMATIC AREAS ARE

9. AREAS WITHIN PUBLIC RIGHT-OF-WAY SHALL BE SODDED IMMEDIATELY AFTER CONSTRUCTION IS COMPLETE.

OSSIM TOOLS

SCALE: 1" = 20'

PREPARED BY:

MARK ALLEN BREUER

NUMBER PE-2009007268

SCHLAGEL & ASSOCIATES, P.A.


04.10.2020

ECP-CONSTRUCTION

WINTERSET VALLEY F SEDIMENT CONTRO STREET, A

SHEET


3



NOTE:

1. CONSTRUCTION OF THIS CONTRACT IS TO BE CONCURRENT WITH WINTERSET VALLEY 13TH PLAT IMPROVEMENTS. THEREFORE EROSION CONTROL MEASURES FROM WINTERSET VALLEY 13TH PLAT SHALL REMAIN OR BE IMPROVED UPON DURING THIS CONTRACT.

		EROSIC	ON AND SEDIMENT CONT	ROL ST	AGING CHART
ASE	PROJECT STAGE	BMP PLAN REF. NO	BMP DESCRIPTION	REMOVE AFTER STAGE	NOTES:
TE-CLEAKING THASE		N/A	CONSTRUCTION ENTRANCE & STAGING AREA	D	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
	A - PRIOR TO LAND DISTURBANCE	1	SILT FENCE 1 (PRIOR TO LAND DISTURBANCE)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		2	EXISTING INLET PROTECTION (GRAVEL CURB INLET SEDIMENT TRAP)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		3	SILT FENCE 2 (DURING CONSTRUCTION)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
	B - MASS GRADING	4	SILT SOCK/ ROCK SOCK/ SOCK WATTLE	D	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		5	FOAM SILT DIKE OR ROCK DITCH CHECK	E	PLACE WHERE INDICATED AS SOON AS SWALE IS ESTABLISHED, REPAIR OR REPLACE AS NECESSARY
		6	CONCRETE WASHOUT AREA	Е	MAINTAIN, REPAIR, OR REPLACE AS NECESSARY
	C - UTILITY CONSTRUCTION	7	INLET PROTECTION (SILT FENCE)	D/E	PLACE SILT FENCE AROUND ALL STORM SEWER STRUCTURES / YARD AREA STORM STRUCTURES TO HAVE SILT FENCE REMOVED ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHE
		8	INLET PROTECTION (GRAVEL FILTER BAGS)	E	BOARDS SHALL BE PLACED IN FRONT OF INLET OPENING FROM THE TIME SILT FENCE IS REMOVED UNTIL SUCH TIME THAT THE CURB / THROAT IS POURED. PLACE GRAVEL FILTER BAGS AT THE OPENING OF ALL CURB INLETS IMMEDIATELY AFTER THE INLET THROATS ARE POURED
PHASE	D - AFTER PAVING OPERATIONS	9	SILT FENCE 2 (AFTER CURB CONSTRUCTION)	E	PLACE WHERE INDICATED, REPAIR OR REPLACE AS NECESSARY AND REMOVE ONLY WHEN GRADED AREAS HAVE SUFFICIENT GROUND COVER ESTABLISHED
		10	SEEDING AND MULCHING	E	ALL DISTURBED AREAS AFTER 14 DAYS OF CONSTRUCTION INACTIVITY
	E - UNTIL CLOSURE OF LAND DISTURBANCE PERMIT				ADDITIONAL SEDIMENT AND EROSION CONTROL MEASURES MAY BE REQUIRED ANY TIME CURRENT MEASURES ARE FOUND TO BE INEFFECTIVE.



DISTURBED AREA = 0.44 A.C.

SITE SPECIFIC NOTES:

- THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL EXISTING UTILITY LOCATIONS PRIOR TO EXCAVATION.
- 2. THERE ARE NO WETLANDS, NATURAL OR ARTIFICIAL WATER STORAGE DETENTION AREAS IN THE PROJECT
- 3. NO PART OF THE PROJECT LIES WITHIN THE 100 YEAR FLOOD PLAIN PER FEMA FLOOD INSURANCE RATE MAP NUMBER 29095C0412G DATED JANUARY 20, 2017.
- 4. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE IMPLEMENTED ACCORDING TO THE BMP STAGING CHART.
- ADDITIONAL EROSION CONTROL MAY BE REQUIRED BY THE CITY ENGINEER AT ANY TIME EXISTING MEASURES ARE FOUND TO BE INEFFECTIVE OR PROBLEMATIC AREAS ARE NOTED IN THE FIELD.
- STABILIZATION OF DISTURBED AREAS MUST, AT A MINIMUM, BE INITIATED IMMEDIATELY WHENEVER ANY CLEARING, GRADING, EXCAVATING, OR OTHER SOIL DISTURBING ACTIVITIES HAVE PERMANENTLY CEASED ON ANY PORTION OF THE SITE, OR TEMPORARILY CEASED ON ANY PORTION OF THE SITE AND WILL NOT RESUME FOR A PERIOD EXCEEDING 14 CALENDAR DAYS. THE DISTURBED AREAS SHALL BE PROTECTED FROM EROSION BY STABILIZING THE AREA WITH MULCH OR OTHER SIMILARLY EFFECTIVE SOIL STABILIZING BMPS. INITIAL STABILIZATION ACTIVITIES MUST BE COMPLETED WITHIN 14 DAYS AFTER SOIL DISTURBING ACTIVITIES CEASE.
- 7. ALL PERIMETER SILT FENCE, EARTH DIKES, SEDIMENT BASINS, AND ROCK CONSTRUCTION ENTRANCES WILL BE INSTALLED BEFORE GRADING OPERATIONS BEGIN.
- 8. SILT FENCE AND EARTH DIKES THAT ARE PLACED BEFORE GRADING BEGINS WILL BE MAINTAINED BY THE GRADING CONTRACTOR.
- 9. AREAS WITHIN PUBLIC RIGHT-OF-WAY SHALL BE SODDED IMMEDIATELY AFTER CONSTRUCTION IS COMPLETE.



SCALE: 1" = 20'

 WINTERSET
 WINTERSET

 RED BY:
 A

 RED BY:
 A

 RED BY:
 A

 RED BY:
 A

 RED BY:
 B

 RED IMENT
 S

 SQ2020
 B

 9/2020
 B

 NUMBER:
 B

 1-074
 B

PREPARED BY:

MARK ALLEN BREUER

NUMBER PE-2009007268


SCHLAGEL & ASSOCIATES, P.A.


04.10.2020


FINAL
STABILIZATION
PLAN


SHEET

4












PREPARED BY:



OTS 1450, 1451, & TRACT , MASTER DRAINAGE PLAN RMWATER PLANS Y REPLAT L TROL PLAN, I, AND STOF I DRIVE SUMMIT WINTERSET VALLEY SEDIMENT CONTR STREET,

10/24/2016

EROSION CONTROL DETAILS



BM JA-136, LOCATED AT INTERSECTION OF SW OLDHAM PARKWAY AND SW WARD ROAD, 61 FT SOUTH OF CL OF OLDHAM PARKWAY AND 28.9

FT EAST OF THE EAST EDGE OF WARD ROAD.

ELEV. 993.11'

VALLEY 1ST PLAT, APPROX. 39' RT. OF CL OF NW PEALE BLVD. ELEV.935.45'

GENERAL LAYOUT

SHEET

PREPARED BY:


MARK ALLEN BREUER

NUMBER PE-2009007268

04.10.2020

AUDUBON I MISSOURI

 \geq




SCALE 1" = 2000'


NOTE:

THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL EXISTING UTILITY LOCATIONS PRIOR TO EXCAVATIONS.


DENOTES EXISTING MINOR CONTOUR

DENOTES RETAINING WALL DENOTES PROPOSED MAJOR CONTOUR - DENOTES PROPOSED MINOR CONTOUR DENOTES EXISTING MAJOR CONTOUR





PREPARED BY:




WINTERSET VALLEY REPLAT LOTS 1450, 1451, & TRACT A51 SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN, STREET AND STORMWATER PLANS

AUDUBON I MISSOURI

≥

MDP - GRADING PLAN

SHEET




MISSOURI GEOGRAPHIC REFERENCE SYSTEM **BENCH MARK:**

BM JA-136, LOCATED AT INTERSECTION OF SW OLDHAM PARKWAY AND SW WARD ROAD, 61 FT SOUTH OF CL OF OLDHAM PARKWAY AND 28.9 FT EAST OF THE EAST EDGE OF WARD ROAD.

ELEV. 993.11'

PROJECT BENCH MARK:

SANITARY MANHOLE H2 AT NW CORNER OF LOT 1153 WINTERSET VALLEY 1ST PLAT, APPROX. 39' RT. OF CL OF NW PEALE BLVD. ELEV.935.45'



DENOTES LOT HIGH POINT ELEVATION

PREPARED BY:





SCHLAGEL & ASSOCIATES, P.A.


E & AUDUBON I IT, MISSOURI

WINTERSET VALLEY REPLAT LOTS 1450, 1451, & TRACT A51 SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN, STREET AND STORMWATER PLANS

MDP SPOT **ELEVATIONS**







10 YR STORM SEWER DESIGN CALCULATIONS

R	unoff C	alculation	าร													Pipe Pr	operties										
				Cumul.				Runoff		Full		Up	Up	Up									Drop				
	Inlet	Area	"C"	Area	Cumul.			То	Cumul.	Pipe	Pipe	Piped	Piped	Area	Up	Up	Down	Pipe	"n"	Pipe		Slope	ln			Inlet	HG
	#	(acres)	Value	(acres)	CxA	Tc	Intensity	Inlet	Runoff	Cap.	Vel.	Inlet 1	Inlet 2	(acres)	CxA	Inlet	Inlet	Type	Value	Size	Length	%	Inlet	FL Up	FL Down	Тор	Ele
LI	INE 10	0																					DS T	AILWATE	ER @ STE	R #100	FR
	101	0.00	0.51	1.76	0.90	5.6	7.18	0.00	6.44	12.60	10.26			0.00	0.00	101	100	HDPE	0.012	15	77.23	3.24	0.58	894.50	892.00	906.00	895
	102	0.37	0.51	1.76	0.90	5.2	7.30	1.38	6.55	8.51	6.94			0.00	0.00	102	101	HDPE	0.012	15	161.25	1.48	4.15	897.47	895.08	908.00	898
	103	0.40	0.51	1.39	0.71	5.1	7.33	1.49	5.20	7.70	6.27			0.00	0.00	103	102	HDPE	0.012	15	39.62	1.21	0.50	902.10	901.62	909.63	903
	104	0.99	0.51	0.99	0.50	5.0	7.35	3.71	3.71	8.93	7.28			0.00	0.00	104	103	HDPE	0.012	15	35.00	1.63	N/A	903.17	902.60	909.63	904

100 YR STORM SEWER DESIGN CALCULATIONS

R	unoff C	Calculation	ns													Pipe Pr	operties										
				Cumul.				Runoff		Full		Up	Up	Up									Drop				
	Inlet	Area	"C"	Area	Cum	al.		To	Cumul.	Pipe	Pipe	Piped	Piped	Area	Up	Up	Down	Pipe	"n"	Pipe		Slope	ln			Inlet	HGL
	#	(acres)	Value	(acres)	CxA	Tc	Intensity	Inlet	Runoff	Cap.	Vel.	Inlet 1	Inlet 2	(acres)	CxA	Inlet	Inlet	Type	Value	Size	Length	%	Inlet	FL Up	FL Down	Тор	Elev
LI	INE 10	00																					DS	TAILWAT	ER@ST	R #100	FRE
(.	101	0.00	0.51	1.76	0.90	5.6	10.09	0.00	11.32	12.60	10.26			0.00	0.00	101	100	HDPE	0.012	15	77.23	3.24	0.58	894.50	892.00	906.00	896.4
	102	0.37	0.51	1.76	0.90	5.2	10.25	2.42	11.50	8.51	6.94			0.00	0.00	102	101	HDPE	0.012	15	161.25	1.48	4.15	897.47	895.08	908.00	901.4
(.	103	0.40	0.51	1.39	0.71	5.1	10.29	2.62	9.12	7.70	6.27			0.00	0.00	103	102	HDPE	0.012	15	39.62	1.21	0.50	902.10	901.62	909.63	903.9
(.	104	0.99	0.51	0.99	0.50	5.0	10.32	6.51	6.51	8.93	7.28			0.00	0.00	104	103	HDPE	0.012	15	35.00	1.63	N/A	903.17	902.60	909.63	904.4

MISSOURI GEOGRAPHIC REFERENCE SYSTEM BENCH MARK:

BM JA-136, LOCATED AT INTERSECTION OF SW OLDHAM PARKWAY AND SW WARD ROAD, 61 FT SOUTH OF CL OF OLDHAM PARKWAY AND 28.9 FT EAST OF THE EAST EDGE OF WARD ROAD.

ELEV. 993.11'

PROJECT BENCH MARK:

SANITARY MANHOLE H2 AT NW CORNER OF LOT 1153 WINTERSET VALLEY 1ST PLAT, APPROX. 39' RT. OF CL OF NW PEALE BLVD.

ELEV.935.45'



MDP DRAINAGE AREA


PREPARED BY:

SCHLAGEL & ASSOCIATES, P.A.


LOTS 1450, 1451, & TRACT A51 STER DRAINAGE PLAN, STREET VATER PLANS

SHEET

9




PREPARED BY:




SCHLAGEL & ASSOCIATES, P.A.

WINTERSET VALLEY REPLAT LOTS 1450, 1451, & TRACT A51
SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN,
STREET, AND STORMWATER PLANS
NW CARSON DRIVE & AUDUBON LANE
LEE'S SUMMIT, MISSOURI

INTERSECTION DETAILS






EXISTING LINE 100 1" = 50' HORIZ. 1" = 10' VERT. 950 STA. 2+14.66, EXISTING LINE 100
REMOVE EX. 4 × 4 JUNCTION BOX
INSTALL 6 × 4 CURB INLET
TOP = 907.80 920 920 EX. 8" C-900 PVC WATER MAIN FL=904.92 PROPOSED — GRADE 910 EXISTING -GROUND 900 900 35.00 LF EX. 15" HDPE 10.0% SLOPE MAXIMUM 137.43 LF @ 1.63% EX. 15" HDPE 77.23 LF @ 1.74% 40.78 LF EX. 15" HDPE EX. 15" HDPE @ 3.24% @ 1.18% EX. 8" PVC SDR-26 SANITARY MAIN FL=898.46 870 870 850 850 0+00 1+00 2+00 3+00 3+50

LEGEND:

EXISTING CURB & GUTTER PROPOSED CURB & GUTTER

ALL SIDEWALKS ADJACENT TO TRACTS AND UNPLATTED AREAS, AS WELL AS ALL ADA RAMPS SHALL BE CONSTRUCTED BY STREET CONTRACTOR. SIDEWALK ADJACENT TO LOTS SHALL BE CONSTRUCTED BY INDIVIDUAL HOME BUILDER.

PREPARED BY:



SCHLAGEL & ASSOCIATES, P.A.


WINTERSET VALLEY REPLAT LOTS 1450, 1451, & TRACT ASEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN STREET, AND STORMWATER PLANS


NW CARSON DRIVE & AUDUBON LANE


LEE'S SUMMIT, MISSOURI


EXISTING LINE 100 PLAN &

PROFILE














A5

451, & TRACT AINAGE PLANANANS 1451, RAIN , AUDUBON MISSOURI OTS 1450, 1 AASTER DF MWATER F VINTERSET VALLEY REPLAT LO SEDIMENT CONTROL PLAN, N STREET, AND STORI

STANDARD **DETAILS**

TABLE LS-2: MINIMUM ASPHALT PAVEMENT THICKNESSES

Street Classification	Pavement Option	AC Surface (in.)	AC Base (in.)	MoDOT Type 5 Base (in.)	Geogrid(1)	Chemical Subgrade Stabilization(2) (in.)
Residential Local/Access	A	2	4	6		6
	В	2	4	10	Geogrid	
Residential Collector	A	2	5.5	6		9
	В	2	5.5	12	Geogrid	
Commercial Industrial	A	2	7.5	6		9
Local/Collector	В	2	7.5	12	Geogrid	

TABLE LS-3: MINIMUM PCC PAVEMENT THICKNESSES


Street Classification	PCC (in.)	Aggregate Base (in.)	Subgrade Stabilization ⁽¹⁾ (in.)
Residential Local/Access	6	4	
Residential Collector	6	4	6
Commercial Industrial Local/Collector	8	4	9


(1) Subgrade Stabilization and 4" aggregate base may be replaced by approved geogrid and 6" of aggregate base


LS5200


16

October 2016











MARK ALLEN
BREUER

MUMBER
PE-2009007268

04.10.2020

SCHLAGEL & ASSOCIATES, P.A.

| SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN, SEDIMENT CONTROL PLAN, MASTER DRAINAGE PLAN, STREET, AND STORMWATER PLANS | NW CARSON DRIVE & AUDUBON LANE | LEE'S SUMMIT, MISSOURI

STANDARD DETAILS