

Scale

1/4" = 1'-0"

BUILDING CODE ANALYSIS

APPLICABLE CODES 2018 INTERNATIONAL BUILDING CODE 2018 INTERNATIONAL MECHANICAL CODE 2018 INTERNATIONAL PLUMBING CODE 2018 INTERNATIONAL FIRE CODE 2018 INTERNATIONAL ENERGY CONSERVATION CODE 2017 NATIONAL ELECTRICAL CODE 2009 ICC/ANSI A117.1

SUMMARY OF WORK NEW SHELL BUILDING FOR PANERA BREAD. THIS APPLICATION DOES NOT REQUEST A C.O., JUST A FINAL INSPECTION. SEPARATE TENANT FINISH PLANS WILL BE SUBMITTED AT A LATER DATE FOR INTERIOR BUILD OUT.

OCCUPANCY CLASSIFICATION A-3 (RESTAURANT)

TYPE OF CONSTRUCTION V-B, SPRINKLED

FLOOR AREA TOTAL AREA: 3,860 SQ.FT.

OCCUPANT LOAD

EXITS REQUIRED TO BE DETERMINED

EXITS PROVIDED FOUR


TOILET FACILITIES REQUIRED


TOILET FACILITIES PROVIDED NONE WITH SHELL


DEFERRED SUBMITTALS TO BE COMPLETED BY OTHERS FIRE SPRINKLER PLANS (PLANS BY SUBCONTRACTOR) FIRE ALARM PLANS (PLANS BY SUBCONTRACTOR) ROOF TRUSS PLANS (PLANS BY SUBCONTRACTOR)

EGRESS DOORS SHALL BE READILY OPENABLE FROM THE EGRESS SIDE WITHOUT THE USE OF A KEY OR SPECIAL KNOWLEDGE OR EFFORT. (THUMBTURN IS ACCEPTABLE)

PREMISES SHALL BE IDENTIFIED ON BOTH FRONT AND REAR DOORS, WITH NUMBERS AND/OR LETTERS. EACH CHARACTER SHALL BE NOT LESS THAN 6" HIGH WITH A MINIMUM STROKE WIDTH OF 0.5 INCHES. THEY SHOULD BE INSTALLED ON A CONTRASTING BACKGROUND AND BE PLAINLY LEGIBLE AND VISIBLE FROM THE STREE OR ROAD FRONTING THE PROPERTY. ADDRESS NUMBERS AND/OR LETTERS SHALL BE ARABIC NUMBERS OR ALPHABETIC LETTERS.











Scale


As indicated



























Total Lamp Lumens	LLF
N.A.	0.950
N.A.	0.950
N.A.	0.950
N.A.	0.900
N.A.	0.900