

City of Lee's Summit Criteria with all land developed (Offsite)

Line Segment	Gravity Flow Capacity CFS	Segment Flow CFS	Excess Capacity CFS	DownStream HGL	Upstream HGL	Line Size Inches
A-1	3.27	3.01	0.26	800.94	801.16	15
A-2	3.17	3.01	0.16	801.38	802.11	15
A-3	10.67	3.01	7.66	802.13	809.1	15
A-4	14.39	3.01	11.38	809.1	821.61	15
A-5	11.31	3.01	8.3	821.61	826.05	15
A-6	9.84	3.01	6.83	826.05	830.91	15
A-7	5	3.01	1.99	832.37	834.41	15
A-8	13.28	3.01	10.27	834.45	851	15
A-9	14.25	3.01	11.24	851	858.7	15
A-10	3.19	3.01	0.18	859.17	859.52	15
A-11	3.16	3.01	0.15	859.73	859.91	15
A-12	10.68	3.01	7.67	859.93	864.7	15
A-13	3.24	3.01	0.23	865.15	865.22	15
A-14	17.63	3.01	14.62	865.24	876.99	15
A-15	9.32	3.01	6.31	876.99	883.49	15
ONSITE	7.76	1.3	6.46	883.49	902.48	12

