



Design #

0626447AR3

Sheet 1 of 10

Client

#

Address

SWC Douglas St - St Lukes Blvd, Lee's Summit, MO

Acct. Rep. DEBBIE MOLTZ
Coordinator LAUREN STACKHOUSE

Designer IH

Date 8/6/20

Approval / Date

Client

Sales

Estimating

Art

Engineering


Landlord

Revision/Date

R1(8-7-20)H Delete raceways from channel letters. (not allowed by City)

R2(1-11-21)H Change orange LEDs to white. Update package.

R3(1-13-21)H Update site plan & elevations per latest set of plans. Ensure plan for placement of memorboards is shown accurately



GENERAL NOTES:

- A. ALL EXISTING CONDITIONS, TOPOGRAPHY, UTILITIES AND PROPERTY INFORMATION ARE TAKEN FROM A SURVEY OF LAND SITUATED IN THE CITY OF LEE'S SUMMIT, COUNTY OF JACKSON, AND STATE OF MISSOURI, BY SURVEYOR YOUNG - HOBBS AND ASSOCIATES, 1302 CROSSLAND AVE., CLARKSVILLE, TN 37040, PHONE: (615) 664-2524.
B. CONTRACTOR IS RESPONSIBLE FOR LOCATING AND VERIFYING ALL EXISTING UNDERGROUND UTILITIES PRIOR TO CONSTRUCTION, AND IS RESPONSIBLE FOR ANY DAMAGE TO THEM DURING CONSTRUCTION.
C. PROVIDE SMOOTH TRANSITION FROM NEWLY PAVED AREAS TO EXISTING PAVED AREAS AS NECESSARY. THE EXISTING EDGE OF PAVEMENT SHALL BE FREE OF ALL LOOSE DEBRIS AT ALL AREAS WHERE PROPOSED PAVEMENT MEETS EXISTING PAVEMENT. THE EDGE OF EXISTING ASPHALT PAVEMENT SHALL BE PROPERLY SEALED WITH A TACK COAT MATERIAL IN ALL AREAS WHERE NEW ASPHALT PAVEMENT IS INDICATED TO JOIN EXISTING.
D. ALL DIMENSIONS TO FACE OF CURB AND/OR EDGE OF PAVEMENT UNLESS OTHERWISE NOTED. CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR AND TAKE ALL PRECAUTIONS NECESSARY TO AVOID DAMAGE TO ADJACENT PROPERTIES DURING THE CONSTRUCTION PHASES OF THIS PROJECT.
E. REFER TO ARCHITECTURAL DRAWINGS FOR BUILDING DIMENSIONS AND ADDITIONAL INFORMATION.
F. ALL CONSTRUCTION METHODS AND MATERIALS MUST CONFORM TO CURRENT STANDARDS AND SPECIFICATIONS OF THE FEDERAL, STATE, COUNTY, CITY OR LOCAL REQUIREMENTS, WHICHEVER HAS JURISDICTION.
G. ALL EXCAVATED AREAS TO BE SEEDED AND/OR SODED AFTER FINISH GRADING UNLESS OTHERWISE NOTED. ALL NEWLY SEEDED/SODDED AREAS SHALL HAVE A MINIMUM OF 4" OF TOPSOIL, HOLD SOIL DOWN 1" FROM PAVEMENT ELEVATION. CONTRACTOR TO SUPPLY STRAW MULCH WHERE GRASS SEED HAS BEEN PLANTED.
H. ALL RADI ARE 3.0 FEET UNLESS OTHERWISE SHOWN. ALL RADII INDICATED ON PLANS SHALL BE CONSTRUCTED AS CIRCULAR ARCS.

KEYED NOTES:

- (1) PROPOSED HEAVY DUTY ASPHALT PAVEMENT. SEE DETAIL ON SHEET C-9.
(2) PROPOSED HEAVY DUTY CONCRETE PAVEMENT. SEE DETAIL ON SHEET C-9.
(3) PROPOSED ASPHALT PAVEMENT TO BE FLUSH WITH EXISTING.
(4) PROPOSED PAINTED PARKING STRIPING (TYPICAL). ALL PARKING STRIPES ARE TO BE 4" PAINTED WHITE, UNLESS OTHERWISE NOTED ON THE PLANS, DETAILS OR SPECIFICATIONS.
(5) PROPOSED 6" CONCRETE CURBS. SEE DETAIL ON SHEET C-9.
(6) PROPOSED CONCRETE SIDEWALK. SEE DETAIL ON SHEET C-9.
(7) PROPOSED CONCRETE SIDEWALK. SEE DEVELOPER ROADWAY PLANS FOR MORE DETAILS.
(8) PROPOSED RIGHT-TURN LANE. SEE DEVELOPER ROADWAY PLANS FOR MORE DETAILS.
(9) PROPOSED BOLLARD, TYP. OF 8. SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
(10) PROPOSED ILLUMINATED BOLLARD, TYP. OF 4. SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
(11) GENERAL CONTRACTOR TO PROVIDE AND INSTALL (1) POLE-MOUNTED HANDICAP PARKING SIGNS. SIGNS PROVIDED BY CONTRACTOR TO MEET LOCAL REQUIREMENTS, SEE DETAIL ON SHEET C-8.
(12) GENERAL CONTRACTOR TO PROVIDE AND INSTALL (1) POLE-MOUNTED HANDICAP PARKING SIGN WITH "VAN ACCESSIBLE" SIGN. SIGNS PROVIDED BY CONTRACTOR TO MEET LOCAL REQUIREMENTS, SEE DETAIL ON SHEET C-8.
(13) CONCRETE DUMPSTER ENCLOSURE APRON. SEE DETAIL ON SHEET C-9.
(14) PROPOSED PRE-CAST CONCRETE WHEEL STOP (TYP. OF 6). SEE DETAIL ON SHEET C-9.
(15) CONCRETE TO BE FLUSH WITH ADJACENT ASPHALT PAVEMENT.
(16) FLAGPOLE WITH GROUND-MOUNTED LIGHTS, UNITEFLAG AND BANNER. GARRISON TYPE OR OWNER APPROVED EQUAL, 30' HIGH, 2" BUTT ALUMINUM WITH 14 GAUGE ALUMINUM BALL. FINAL INCLUDE ALUMINUM ROLLER AND SLEEVE. HARDWARE TO INCLUDE STATIONARY STRUCK, WIND FLASKMIPS, AND HAYWARDS. ENTIRE ASSEMBLY INCLUDING FOUNDATION TO CONFORM TO APPLICABLE CODES, INCLUDING WIND LOADS. SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
(17) PROPOSED MONUMENT SIGN. CONTRACTOR TO COORDINATE WITH OWNER. SEE ELECTRICAL PLANS AND SIGNAGE PACKAGE FOR DETAILS.
(18) PROPOSED DUMPSTER ENCLOSURE AND CONCRETE PAD. SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
(19) PROPOSED 2 1/2" RED-ROCK RETAINING WALL WITH PEDESTAL RAILING. SEE GRADING PLAN ON SHEET C-4 FOR WALL HEIGHT.
(20) PROPOSED HEADACHE BAR. SEE ARCHITECTURAL PLANS FOR DETAILS.
(21) PROPOSED MENU BOARD CANOPY. SEE ARCHITECTURAL PLANS FOR DETAILS.
(22) PROPOSED EXTERIOR MENU BOARD. SEE ARCHITECTURAL PLANS FOR DETAILS.
(23) PROPOSED 6" MONOLITHIC CURB. SEE DETAIL ON SHEET C-11.
(24) TYPE N MOUNTABLE CURB PER MDDOT STANDARD DRAWING 609.00P. SEE DETAIL ON SHEET C-11.
(25) CURB RAMPS. SEE DETAIL ON SHEET C-11.
(26) PROPOSED PEDESTAL RAILING TO MATCH RAILING INSTALLED AT NORTHERN RETAINING WALL.
(27) RAMP WITH ADA STRIPING. SEE DETAIL ON SHEET C-11.
(28) CONCRETE TO BE FLUSH WITH ADJACENT ASPHALT PAVEMENT, SEE DETAIL ON SHEET C-11.
(29) PROPOSED UNDERGROUND STORAGE. SEE DETAILS ON SHEETS C-12 AND C-13.
(30) 1" WIDE CRUSHED GRANITE STRIP. SEE DETAIL ON SHEET C-11.
(31) CONCRETE ISLAND NOSE. SEE DETAIL ON SHEET C-11.
(32) LIGHTPOLE AND FOUNDATION SEE STRUCTURAL PLANS FOR DETAILS.
(33) PROPOSED STORM SEWER STRUCTURE. SEE SITE GRADING PLAN, SHEET C-6 FOR MORE INFORMATION.
(34) PRIVATE SITE AND DEVELOPER WORK INTERFACE.

REVISION/DATE/DESCRIPTION

Table with 3 columns: Revision, Date, Description. Includes entries for 60% Plan Set, 90% Plan Set, and 100% Plan Set.

NOTICE

THIS ARCHITECTURAL AND ENGINEERING DRAWING IS GIVEN IN CONFIDENCE AND SHALL BE USED ONLY IN ACCORDANCE WITH THE AGREEMENT WITH THE CLIENT. NO OTHER USE, REPRODUCTION, OR ALTERATION MAY BE MADE WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT. ALL COMMON LAW RIGHTS OF COPYRIGHT AND OTHERWISE ARE HEREBY PROTECTED AND RESERVED.



ms consultants, inc.
engineers, architects, planners
2221 Schrock Road
Columbus, Ohio 43229-1547
phone 614.898.7100
fax 614.898.7570

PROJECT

WHATABURGER
PT20M BUILDING
1450 NE DOUGLAS ST.
LEE'S SUMMIT, MO
64086

SHEET TITLE

SITE
DIMENSION
PLAN

DRAWN BY: LLK/AMA

CHECKED BY: KEA

PROJECT NO: 40497-01

DRAWING: C-4

SCALE 1/64" = 1'-0"

N:\036524\049701-Lee's Summit, MO\docs\CAD\Civil\C4 - Site Dimension Plan.dwg, 12/27/2020 3:37 PM, zahnornak, sara



chandlersigns.com

National Headquarters 14201 Sovereign Road #101 Fort Worth, TX 76155 (214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave Ste 200 San Antonio, TX 78232 (210) 349-3804 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr Ste 250 Vista, CA 92081 (760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road Suite 201 Louisville, KY 40206 (502) 897-9800 Cell (502) 554-2575


Florida 2584 Sand Hill Point Circle Davenport, FL 33837 (863) 420-1100 Fax (863) 424-1160

Georgia 111 Woodstone Place Dawsonville, GA 30534 (678) 725-8852 Fax (210) 349-8724

South Texas PO BOX 125 206 Doral Drive Portland, TX 78374 (863) 563-5399 Fax (361) 643-6533

This drawing is the property of Chandler Signs, LLC. All rights to its use for reproduction are reserved by Chandler Signs, LLC.

FINAL ELECTRICAL CONNECTION BY CUSTOMER





Design #

0626447AR3

Sheet 2 of 10

Client

#

Address

SWC Douglas St - St Lukes Blvd,
Lee's Summit, MO

Acct. Rep. DEBBIE MOLTZ
Coordinator LAUREN STACKHOUSE

Designer IH

Date 8/6/20

Approval / Date

Client

Sales

Estimating

Art

Engineering

Landlord

Revision/Date

R1(8-7-20)H: Delete raceways from channel letters.
(not allowed by City)





R2(1-11-21)H: Change orange LEDs to white. Update
package.

R3(1-13-21)H: Update site plan & elevations per latest
set of plans. Ensure plan for placement of menuboards
is shown accurately

KEYNOTES	
KEYNOTE LEGEND	
1	32" x 16 FT BLOCKING BY GC
2	32" x 16 FT BLOCKING BY GC
3	32" x 16 FT BLOCKING BY GC
4	32" x 16 FT BLOCKING BY GC
5	32" x 16 FT BLOCKING BY GC
6	32" x 16 FT BLOCKING BY GC
7	32" x 16 FT BLOCKING BY GC
8	32" x 16 FT BLOCKING BY GC
9	32" x 16 FT BLOCKING BY GC
10	32" x 16 FT BLOCKING BY GC
11	32" x 16 FT BLOCKING BY GC
12	32" x 16 FT BLOCKING BY GC
13	32" x 16 FT BLOCKING BY GC
14	32" x 16 FT BLOCKING BY GC
15	32" x 16 FT BLOCKING BY GC
16	32" x 16 FT BLOCKING BY GC
17	32" x 16 FT BLOCKING BY GC
18	32" x 16 FT BLOCKING BY GC
19	32" x 16 FT BLOCKING BY GC
20	32" x 16 FT BLOCKING BY GC
21	32" x 16 FT BLOCKING BY GC
22	32" x 16 FT BLOCKING BY GC
23	32" x 16 FT BLOCKING BY GC
24	32" x 16 FT BLOCKING BY GC
25	32" x 16 FT BLOCKING BY GC
26	32" x 16 FT BLOCKING BY GC
27	32" x 16 FT BLOCKING BY GC
28	32" x 16 FT BLOCKING BY GC
29	32" x 16 FT BLOCKING BY GC
30	32" x 16 FT BLOCKING BY GC
31	32" x 16 FT BLOCKING BY GC
32	32" x 16 FT BLOCKING BY GC
33	32" x 16 FT BLOCKING BY GC
34	32" x 16 FT BLOCKING BY GC
35	32" x 16 FT BLOCKING BY GC
36	32" x 16 FT BLOCKING BY GC
37	32" x 16 FT BLOCKING BY GC
38	32" x 16 FT BLOCKING BY GC
39	32" x 16 FT BLOCKING BY GC
40	32" x 16 FT BLOCKING BY GC
41	32" x 16 FT BLOCKING BY GC
42	32" x 16 FT BLOCKING BY GC
43	32" x 16 FT BLOCKING BY GC
44	32" x 16 FT BLOCKING BY GC
45	32" x 16 FT BLOCKING BY GC
46	32" x 16 FT BLOCKING BY GC
47	32" x 16 FT BLOCKING BY GC
48	32" x 16 FT BLOCKING BY GC
49	32" x 16 FT BLOCKING BY GC
50	32" x 16 FT BLOCKING BY GC
51	32" x 16 FT BLOCKING BY GC
52	32" x 16 FT BLOCKING BY GC
53	32" x 16 FT BLOCKING BY GC
54	32" x 16 FT BLOCKING BY GC
55	32" x 16 FT BLOCKING BY GC
56	32" x 16 FT BLOCKING BY GC
57	32" x 16 FT BLOCKING BY GC
58	32" x 16 FT BLOCKING BY GC
59	32" x 16 FT BLOCKING BY GC
60	32" x 16 FT BLOCKING BY GC
61	32" x 16 FT BLOCKING BY GC
62	32" x 16 FT BLOCKING BY GC
63	32" x 16 FT BLOCKING BY GC
64	32" x 16 FT BLOCKING BY GC
65	32" x 16 FT BLOCKING BY GC
66	32" x 16 FT BLOCKING BY GC
67	32" x 16 FT BLOCKING BY GC
68	32" x 16 FT BLOCKING BY GC
69	32" x 16 FT BLOCKING BY GC
70	32" x 16 FT BLOCKING BY GC
71	32" x 16 FT BLOCKING BY GC
72	32" x 16 FT BLOCKING BY GC
73	32" x 16 FT BLOCKING BY GC
74	32" x 16 FT BLOCKING BY GC
75	32" x 16 FT BLOCKING BY GC
76	32" x 16 FT BLOCKING BY GC
77	32" x 16 FT BLOCKING BY GC
78	32" x 16 FT BLOCKING BY GC
79	32" x 16 FT BLOCKING BY GC
80	32" x 16 FT BLOCKING BY GC
81	32" x 16 FT BLOCKING BY GC
82	32" x 16 FT BLOCKING BY GC
83	32" x 16 FT BLOCKING BY GC
84	32" x 16 FT BLOCKING BY GC
85	32" x 16 FT BLOCKING BY GC
86	32" x 16 FT BLOCKING BY GC
87	32" x 16 FT BLOCKING BY GC
88	32" x 16 FT BLOCKING BY GC
89	32" x 16 FT BLOCKING BY GC
90	32" x 16 FT BLOCKING BY GC
91	32" x 16 FT BLOCKING BY GC
92	32" x 16 FT BLOCKING BY GC
93	32" x 16 FT BLOCKING BY GC
94	32" x 16 FT BLOCKING BY GC
95	32" x 16 FT BLOCKING BY GC
96	32" x 16 FT BLOCKING BY GC
97	32" x 16 FT BLOCKING BY GC
98	32" x 16 FT BLOCKING BY GC
99	32" x 16 FT BLOCKING BY GC
100	32" x 16 FT BLOCKING BY GC

CODE TO EXTERIOR MATERIALS

0041	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0042	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0043	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0044	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0045	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0046	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0047	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0048	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0049	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0050	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0051	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0052	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0053	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0054	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0055	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0056	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0057	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0058	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0059	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0060	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0061	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0062	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0063	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0064	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0065	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0066	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0067	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0068	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0069	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0070	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0071	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0072	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0073	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0074	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0075	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0076	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0077	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0078	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0079	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0080	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0081	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0082	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0083	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0084	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0085	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0086	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0087	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0088	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0089	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0090	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0091	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0092	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0093	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0094	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0095	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0096	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0097	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0098	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0099	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM
0100	GLASS	BASE OF GLASS: BRONZE ANODIZED ALUMINUM



SCALE 3/32" = 1'-0"



chandler signs.com

National Headquarters 14201 Sovereign Road #101
Fort Worth, TX 76155
(214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave
Ste 200
San Antonio, TX 78232
(210) 349-3804 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr
Ste 250
Vista, CA 92081
(760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road
Suite 201
Louisville, KY 40206
(502) 897-9800 Cell (502) 554-2575

Florida 2584 Sand Hill Point Circle
Davenport, FL 33837
(883) 420-1100 Fax (863) 424-1160

Georgia 111 Woodstone Place
Dawsonville, GA 30534
(678) 725-8852 Fax (210) 349-8724


South Texas PO BOX 125 206 Doral Drive
Portland, TX 78374
(863) 563-5399 Fax (863) 643-6533

This drawing is the property of
Chandler Signs, LLC
All rights to its use for reproduction
are reserved by Chandler Signs, LLC

**FINAL ELECTRICAL
CONNECTION BY
CUSTOMER**

THIS SIGN IS INTENDED TO BE INSTALLED
IN ACCORDANCE WITH ARTICLE 600 OF THE
NATIONAL ELECTRICAL CODE AND/OR OTHER
APPLICABLE LOCAL CODES. THIS INCLUDES
PROPER GROUNDING & BONDING OF THE SIGN.
SIGN WILL BEAR UL LABEL(S).





A1 A2 A3


27" PCL

THREE (3) SETS REQUIRED - MANUFACTURE AND INSTALL

SCALE 1/2"=1'-0"


34 SQ. FT.

NOTE: PRIMARY ELECTRICAL PROVIDED BY G.C. WILL BE BELOW ROOFLINE. GC WILL PROVIDE 5/8" PLYWOOD BLOCKING BEHIND THE CORRUGATED PANELS.



METAL PANEL WALL PARAPET

SCALE: 3/4" = 1'-0"



2014 / 2017 NEC COMPLIANT SWITCH / LABEL

RACEWAYS ARE NOT PERMITTED PER CITY CODE.

RETURNS ON LETTERS ARE .040" ALUM. PRE-FINISHED WRISCO CONSTRUCTION ORANGE

.187" THK. #2119 ORANGE ACRYLIC LTR. FACES WITH 1" JEWELITE (ORANGE)

4mm ACM BACKS - WHITE FINISH

INTERNALLY ILLUMINATED WITH PRINCIPAL QM2 4100K WHITE LEDs

WALL BUSTER CONDUIT WITH LOW VOLTAGE WIRING TO REMOTE POWER SUPPLY BEHIND WALL, ONE PER LETTER

MOUNT TO FASCIA WITH 3/8" DIAM. NON-CORROSIVE FASTENERS AND SPACERS AS REQUIRED PER WALL CONDITION

1/4" WEEP HOLE W/ LIGHT SHIELD AT LOWEST PART OF EACH LETTER

REMOTE POWER SUPPLY IN METAL ENCLOSURE

J-BOX BEHIND WALL WITH PRIMARY ELECTRICAL BY G.C.

LETTER SECTION

N.T.S.

INSTALLATION NOTE: VERIFY ACCESS BEHIND WALL FOR LOCATION OF REMOTE POWER SUPPLY FOR INSTALL AND FUTURE SERVICE.



Design #

0626447AR3

Sheet 3 of 10

Client

#

Address

SWC Douglas St - St Lukes Blvd,
Lee's Summit, MO

Acct. Rep. DEBBIE MOLTZ
Coordinator LAUREN STACKHOUSE

Designer IH

Date 8/6/20

Approval / Date

Client

Sales

Estimating

Art

Engineering

Landlord

Revision/Date

R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City)

R2(1-11-21)IH: Change orange LEDs to white. Update package.

R3(1-13-21)IH: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately



chandler signs.com

National Headquarters 14201 Sovereign Road #101
Fort Worth, TX 76155
(214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave
Ste 200
San Antonio, TX 78232
(210) 349-3804 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr
Ste 250
Vista, CA 92081
(760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road
Suite 201
Louisville, KY 40206
(502) 897-9800 Cell (502) 554-2575

Florida 2584 Sand Hill Point Circle
Davenport, FL 33837
(883) 420-1100 Fax (863) 424-1160

Georgia 111 Woodstone Place
Dawsonville, GA 30534
(678) 725-8852 Fax (210) 349-8724


South Texas PO BOX 125 206 Doral Drive
Portland, TX 78374
(863) 563-5399 Fax (361) 643-6533

This drawing is the property of
Chandler Signs, LLC
All rights to its use for reproduction
are reserved by Chandler Signs, LLC


FINAL ELECTRICAL CONNECTION BY CUSTOMER

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN. SIGN WILL BEAR UL LABEL(S).







B1 B2 42" PCL-LOGO SCALE: 3/4" = 1'-0"
 TWO (2) REQUIRED - MANUFACTURE AND INSTALL 15.32 SQ. FT.



METAL PANEL WALL PARAPET SCALE 3/4" = 1'-0"
 SPACERS REQUIRED P.T.M WALL



LETTER SECTION N.T.S.
 SELF-CONTAINED
 5/8" PLYWOOD BLOCKING AND PRIMARY ELECTRICAL BY G.C.
 (NOT INCLUDED BY CHANDLER SIGNS)



2014 / 2017 NEC COMPLIANT SWITCH / LABEL



Design #	0626447AR3
Sheet	4 of 10
Client	#
Address	SWC Douglas St - St Lukes Blvd, Lee's Summit, MO
Acct. Rep.	DEBBIE MOLTZ
Coordinator	LAUREN STACKHOUSE
Designer	IH
Date	8/6/20
Approval / Date	
Client	
Sales	
Estimating	
Art	
Engineering	
Landlord	
Revision/Date	

R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City)
 R2(1-11-21)IH: Change orange LEDs to white. Update package.
 R3(1-13-21)IH: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately





chandlersigns.com	
National Headquarters	14201 Sovereign Road #101 Fort Worth, TX 76155 (214) 902-2000 Fax (214) 902-2044
San Antonio	17319 San Pedro Ave Ste 200 San Antonio, TX 78232 (210) 349-3804 Fax (210) 349-8724
West Coast	3220 Executive Ridge Dr Ste 250 Vista, CA 92081 (760) 734-1708 Fax (760) 734-3752
Northeast US	2301 River Road Suite 201 Louisville, KY 40206 (502) 897-9800 Cell (502) 554-2575
Florida	2584 Sand Hill Point Circle Davenport, FL 33837 (863) 420-1100 Fax (863) 424-1160
Georgia	111 Woodstone Place Dawsonville, GA 30534 (678) 725-8852 Fax (210) 349-8724
South Texas	PO BOX 125 206 Doral Drive Portland, TX 78374 (863) 563-5399 Fax (863) 643-6533

This drawing is the property of Chandler Signs, LLC. All rights to its use for reproduction are reserved by Chandler Signs, LLC

FINAL ELECTRICAL CONNECTION BY CUSTOMER

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN. SIGN WILL BEAR UL LABEL(S).






C 60" PCL-LOGO
 ONE (1) REQUIRED - MANUFACTURE AND INSTALL
 SCALE: 3/4" = 1'-0"
 31.25 SQ. FT.

NO STAPLED BACKS. VISIBLE BY WB PATRONS EXITING THE STORE.

PAINT BACK OF CHANNEL LETTER/LOGO TO MATCH WRISCO CONSTRUCTION ORANGE. BACK OF LOGO VISIBLE BY WB PATRONS EXITING THE STORE.

(8) MOUNTING HOLES. PAINT BOLTS TO MATCH ORANGE. MIN. QTY SHOWN, INSTALLER CAN ADD MORE.



LETTER SECTION

N.T.S.


REMOTE POWER SUPPLY

PRIMARY ELECTRICAL BY G.C. (NOT INCLUDED BY CHANDLER SIGNS)



NOTE: REMOTE POWER SUPPLY. LOW VOLTAGE LEAD GOING BACK TO DESIGNATED AREA BEHIND THE WALL WITHIN 40FT OF THE SIGN OR ABOVE THE ROOF LINE. THE DESIGNATED AREA TO BE ACCESSIBLE FOR FUTURE SERVICE AND TO BE IDENTIFIED BY THE ARCHITECT. PRIMARY ELECTRICAL BY THE GC SHOULD BE LOCATED IN THIS AREA. GEN. CONTRACTOR TO PROVIDE THREE (3) PROVIDE CONDUITS FROM DESIGNATED AREA TO AREA BEHIND UPPER ATTACHMENT PLATES.

NOTE: SHIP TOUCH-UP PAINT COLOR TO MATCH BACKGROUND WALL WITH SIGN. ALL BOLTS ON RACEWAY TO BE PAINTED TO MATCH AFTER SIGN IS INSTALLED.

NOTE: LOCATION OF PRIMARY ELECTRICAL WITHIN THE BUILDING (AND LOCATION OF REMOTE POWERS SUPPLIES) TO BE IDENTIFIED BY THE ARCHITECT.



C END VIEW
 LOGO INSTALLED ABOVE ENTRY DOOR
 SCALE 3/8" = 1'-0"



2014 / 2017 NEC COMPLIANT SWITCH / LABEL



Design #	
0626447AR3	
Sheet	5 of 10
Client	
#	
Address	
SWC Douglas St - St Lukes Blvd, Lee's Summit, MO	
Acct. Rep.	DEBBIE MOLTZ
Coordinator	LAUREN STACKHOUSE
Designer	IH
Date	8/6/20
Approval / Date	
Client	
Sales	
Estimating	
Art	
Engineering	
Landlord	
Revision/Date	

R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City)
 R2(1-11-21)IH: Change orange LEDs to white. Update package.
 R3(1-13-21)IH: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately



chandler signs.com	
National Headquarters	14201 Sovereign Road #101 Fort Worth, TX 76155 (214) 902-2000 Fax (214) 902-2044
San Antonio	17319 San Pedro Ave Ste 200 San Antonio, TX 78232 (210) 349-3804 Fax (210) 349-8724
West Coast	3220 Executive Ridge Dr Ste 250 Vista, CA 92081 (760) 734-1708 Fax (760) 734-3752
Northeast US	2301 River Road Suite 201 Louisville, KY 40206 (502) 897-9800 Cell (502) 554-2575
Florida	2584 Sand Hill Point Circle Davenport, FL 33837 (863) 420-1100 Fax (863) 424-1160
Georgia	111 Woodstone Place Dawsonville, GA 30534 (678) 725-8852 Fax (210) 349-8724
South Texas	PO BOX 125 206 Doral Drive Portland, TX 78374 (863) 563-5399 Fax (863) 643-6533





This drawing is the property of Chandler Signs, LLC. All rights to its use for reproduction are reserved by Chandler Signs, LLC

FINAL ELECTRICAL CONNECTION BY CUSTOMER

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN. SIGN WILL BEAR UL LABEL(S).



D LIT CHANNELS MAIN ENTRY ELEVATION SCALE: 1/2" = 1' - 0"
 THREE (3) REQUIRED - MANUFACTURE & INSTALL XX.0 SQ. FT.



Design #	0626447AR3
Sheet	6 of 10
Client	#
Address	SWC Douglas St - St Lukes Blvd, Lee's Summit, MO
Acct. Rep. Coordinator	DEBBIE MOLTZ LAUREN STACKHOUSE
Designer	IH
Date	8/6/20
Approval / Date	
Client	
Sales	
Estimating	
Art	
Engineering	
Landlord	
Revision/Date	
<small>R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City) R2(1-11-21)IH: Change orange LEDs to white. Update package. R3(1-13-21)IH: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately</small>	

CHANDLER SIGNS
 chandlersigns.com

National Headquarters
 14201 Sovereign Road #101
 Fort Worth, TX 76155
 (214) 902-2000 Fax (214) 902-2044

San Antonio
 17319 San Pedro Ave
 Ste 200
 San Antonio, TX 78232
 (210) 349-3804 Fax (210) 349-8724

West Coast
 3220 Executive Ridge Dr
 Ste 250
 Vista, CA 92081
 (760) 734-1708 Fax (760) 734-3752

Northeast US
 2301 River Road
 Suite 201
 Louisville, KY 40206
 (502) 897-9800 Cell (502) 554-2575

Florida
 2584 Sand Hill Point Circle
 Davenport, FL 33837
 (863) 420-1100 Fax (863) 424-1160

Georgia
 111 Woodstone Place
 Dawsonville, GA 30534
 (678) 725-8852 Fax (210) 349-8724

South Texas
 PO BOX 125 206 Doral Drive
 Portland, TX 78374
 (863) 563-5399 Fax (361) 643-6533


This drawing is the property of Chandler Signs, LLC
 All rights to its use for reproduction are reserved by Chandler Signs, LLC

FINAL ELECTRICAL CONNECTION BY CUSTOMER

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN. SIGN WILL BEAR UL LABEL(S).




PROPER INSTALL OF CHANNELS IS SUBJECT TO ALL PLATES BY G.C. TO BE SPACED, LEVEL AND PLUMB AS SHOWN ON STRUCTURAL DRAWINGS.




SCALE: 1" = 1' - 0"
WALL SECTION DETAIL AT ENTRY - TOP

GEN. CONTRACTOR TO PROVIDE STEEL CONNECTION PLATES. TOTAL OF THREE (3) UPPER PLATES REQUIRED PER ELEVATION.

STEEL PLATES PAINTED BY GC TO MATCH PMS 1665 ORANGE - SHOWN BLUE FOR VISUAL PURPOSES. NOTE: SIGN COMPANY IS GOING TO DRILL HOLES ON ALL STEEL PLATES IN THE FIELD TO ALIGN WITH THE PRE-DRILLED HOLES IN THE I-BEAM



CONNECTION DETAIL AT TOP END




CONNECTION DETAIL AT BOTTOM END SCALE: 1" = 1' - 0"

PRE-WIRING NOTE:

GEN. CONTRACTOR TO PROVIDE THREE (3) **CARFLEX CONDUIT WHIPS** FOR LOW VOLTAGE WIRING TO DESIGNATED AREA BEHIND THE WALL AND WITHIN 40FT OF THE SIGN OR TO AREA ABOVE THE ROOF LINE. ELECTRICAL CONTRACTOR TO PROVIDE PULL STRINGS THRU EACH CONDUIT TO UPPER PLATES. THE DESIGNATED AREA TO BE ACCESSIBLE FOR INSTALL OF POWER SUPPLIES AND FUTURE SERVICE, AND TO BE IDENTIFIED BY THE ARCHITECT. PRIMARY ELECTRICAL BY THE GC SHOULD BE LOCATED IN THIS AREA. CONDUIT WHIPS TO BE ATTACHED BEHIND UPPER ATTACHMENT PLATES.

IMPORTANT NOTE FOR WHATABURGER'S GENERAL CONTRACTOR:

THE 9 STEEL PLATES PROVIDED BY GENERAL CONTRACTOR DESIGNED TO SUPPORT THE LED CHANNELS SUPPLIED AND INSTALLED BY THE SIGN VENDOR MUST BE INSTALLED IN THE EXACT PLACEMENT SHOWN ON THE STRUCTURAL DRAWINGS. THE PLATES MUST BE EQUALLY SPACED, LEVEL, & PLUMB IN ORDER FOR THE FINAL APPEARANCE OF THE INSTALLED LED CHANNELS TO APPEAR PERFECTLY PARALLEL AND SYMMETRICAL AS PER THE DESIGN INTENT. THIS PLATE PLACEMENT WILL BE CRITICAL IN AVOIDING ANY REALIGNMENT CHALLENGES DURING INSTALLATION CAUSING ADDITIONAL LABOR AND/OR TRIPS TO THE JOBSITE FOR FINAL FIELD ADJUSTMENTS.



SCALE: 1" = 1' - 0"
WALL SECTION DETAIL AT ENTRY - BOTTOM

GEN. CONTRACTOR TO PROVIDE STEEL CONNECTION PLATES. TOTAL OF SIX (6) LOWER PLATES REQUIRED PER ELEVATION. FABRICATED ANGLE CUT TO MATCH CHANNEL ANGLE. THEY DO NOT INCLUDE ANY HOLES. SIGN COMPANY WILL DRILL ALL HOLES DURING INSTALLATION.

Design #	0626447AR3
Sheet	7 of 10
Client	#
Address	SWC Douglas St - St Lukes Blvd, Lee's Summit, MO
Acct. Rep. Coordinator	DEBBIE MOLTZ LAUREN STACKHOUSE
Designer	IH
Date	8/6/20
Approval / Date	
Client	
Sales	
Estimating	
Art	
Engineering	
Landlord	
Revision/Date	
R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City)	
R2(1-11-21)H: Change orange LEDs to white. Update package.	
R3(1-13-21)H: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately	





chandler signs.com	
National Headquarters	14201 Sovereign Road #101 Fort Worth, TX 76155 (214) 349-2000 Fax (214) 902-2044
San Antonio	17319 San Pedro Ave Ste 200 San Antonio, TX 78232 (210) 349-2854 Fax (210) 349-8724
West Coast	3220 Executive Ridge Dr Ste 250 Vista, CA 92081 (760) 734-1708 Fax (760) 734-3752
Northeast US	2301 River Road Suite 201 Louisville, KY 40206 (502) 897-9800 Cell (502) 554-2575
Florida	2584 Sand Hill Point Circle Davenport, FL 33837 (883) 420-1100 Fax (863) 424-1160
Georgia	111 Woodstone Place Dawsonville, GA 30534 (678) 725-8852 Fax (210) 349-8724
South Texas	PO BOX 125 206 Doral Drive Portland, TX 78374 (863) 563-5399 Fax (863) 643-6533

This drawing is the property of Chandler Signs, LLC. All rights to its use for reproduction are reserved by Chandler Signs, LLC

FINAL ELECTRICAL CONNECTION BY CUSTOMER





E D/F MONUMENT 5 FT CABINET SCALE: 1/2"=1'-0"

ONE (1) REQUIRED - MANUFACTURE AND INSTALL **22.50 SQ. FT. CABINET ONLY**

D/F ALUM. CABINET - .063" FILLERS WITH 2" RETAINERS.
SG ACRYLIC FACES WITH APPLIED 1ST SURFACE 3M VINYL GRAPHICS.

INTERNALLY ILLUMINATED WITH WHITE L.E.D.
DISPLAY TO HAVE ON/OFF SERVICE SWITCHES
2" ALUM. REVEAL

ONE STEEL SUPPORT WITH CONCRETE PIER

CONCRETE PAD AND MASONRY INCLUDING CMU CORE BY G.C. – NO FRAME REQ'D
STONE VENEER TO MATCH BUILDING STONE.

U.L. LABELS REQUIRED. LABELS TO BE ATTACHED IN VISIBLE
AREA, DIRECTLY BELOW ON/OFF SWITCH
2.5 TOTAL AMPS (1) 120v, 20a CIRCUIT REQ'D

NOTE: STEEL AND FOUNDATION FOR SIGN TO BE DETERMINED BASED ON SITE SPECIFIC BASIS, LOCAL SOIL CONDITIONS AND WIND LOAD REQUIREMENTS.

COLOR SCHEDULE	
1	3/16" WHITE SG ACRYLIC FACES
2	3M 3630-44 ORANGE VINYL
3	P.T.M. P.M.S. 1665C ORANGE.
4	SPRAYLAT MARK 1: SM-102S SATIN WHITE
5	3M 3630-51 SILVER GRAY VINYL
6	P.T.M. P.M.S. 430 GRAY

Design #	0626447AR3
Sheet	8 of 10
Client	#
Address	SWC Douglas St - St Lukes Blvd, Lee's Summit, MO
Acct. Rep. Coordinator	DEBBIE MOLTZ LAUREN STACKHOUSE
Designer	IH
Date	8/6/20
Approval / Date	
Client	
Sales	
Estimating	
Art	
Engineering	
Landlord	

Revision/Date
R1(8-7-20)IH: Delete raceways from channel letters. (not allowed by City)
R2(1-11-21)IH: Change orange LEDs to white. Update package.
R3(1-13-21)IH: Update site plan & elevations per latest set of plans. Ensure plan for placement of menuboards is shown accurately

CHANDLER SIGNS
chandlersigns.com

National Headquarters 14201 Sovereign Road #101
Fort Worth, TX 76155
(214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave
Ste 200
San Antonio, TX 78232
(210) 349-3804 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr
Ste 250
Vista, CA 92081
(760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road
Suite 201
Louisville, KY 40206
(502) 897-9800 Cell (502) 554-2575

Florida 2584 Sand Hill Point Circle
Davenport, FL 33837
(863) 420-1100 Fax (863) 424-1160

Georgia 111 Woodstone Place
Dawsonville, GA 30534
(678) 725-8852 Fax (210) 349-8724

South Texas PO BOX 125 206 Doral Drive
Portland, TX 78374
(863) 563-5999 Fax (361) 643-6533

This drawing is the property of Chandler Signs, LLC
All rights to its use for reproduction are reserved by Chandler Signs, LLC

FINAL ELECTRICAL CONNECTION BY CUSTOMER

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN. SIGN WILL BEAR UL LABEL(S).



Design #

0626447AR3

Sheet 9 of 10

Client

#

Address

SWC Douglas St - St Lukes Blvd,
Lee's Summit, MO

Acct. Rep. DEBBIE MOLTZ
Coordinator LAUREN STACKHOUSE

Designer IH

Date 8/6/20

Approval / Date

Client

Sales

Estimating

Art

Engineering

Landlord

Revision/Date

R1(8-7-20)H: Delete raceways from channel letters.
(not allowed by City)

R2(1-11-21)H: Change orange LEDs to white. Update
package.

R3(1-13-21)H: Update site plan & elevations per latest
set of plans. Ensure plan for placement of menuboards
is shown accurately



chandler signs.com

National Headquarters 14201 Sovereign Road #101
Fort Worth, TX 76155
(214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave
Ste 200
San Antonio, TX 78232
(210) 349-3054 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr
Ste 250
Vista, CA 92081
(760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road
Suite 201
Louisville, KY 40206
(502) 897-9800 Cell (502) 554-2575

Florida 2584 Sand Hill Point Circle
Davenport, FL 33837
(863) 420-1100 Fax (863) 424-1160


Georgia 111 Woodstone Place
Dawsonville, GA 30534
(678) 725-8852 Fax (210) 349-8724

South Texas PO BOX 125 206 Doral Drive
Portland, TX 78374
(863) 563-5399 Fax (361) 643-6533


This drawing is the property of
Chandler Signs, LLC
All rights to its use for reproduction
are reserved by Chandler Signs, LLC

**FINAL ELECTRICAL
CONNECTION BY
CUSTOMER**

THIS SIGN IS INTENDED TO BE INSTALLED
IN ACCORDANCE WITH ARTICLE 600 OF THE
NATIONAL ELECTRICAL CODE AND/OR OTHER
APPLICABLE LOCAL CODES. THIS INCLUDES
PROPER GROUNDING & BONDING OF THE SIGN.
SIGN WILL BEAR UL LABEL(S).




TOP VIEW




3M #3630-44 ORANGE VINYL COPY & LOGO
ALUMINUM CABINET & FACE,
P.T.M. SPRAYLAT MARK 1: SM-102S SATIN WHITE
• INT. ILLUM. WHITE L.E.D.
J- BOX BY G.C. ON BACK OF SUPPORT
3"x3"x3/16" SUPPORTS P.T.M. FIELD MASTER: FM102
WHITE SATIN

(2) 3"x 3"x 3/16" SQ. STL. TUBE SUPPORTS EACH
IN TWO SECTIONS w/ MATCH PLATE @ GRADE

TWO (2) 12" DIA. x 2'-6" DEEP CONCRETE PIERS



END VIEW



F1 F2 S/F EXTERIOR MENUBOARD
TWO (2) REQUIRED - TAKE FROM STOCK & INSTALL

SCALE: 1/2" = 1' - 0"

46.66 FT.



Design #

0626447AR3

Sheet 10 of 10

Client

#

Address

SWC Douglas St - St Lukes Blvd,
Lee's Summit, MO

Acct. Rep. DEBBIE MOLTZ
Coordinator LAUREN STACKHOUSE

Designer IH

Date 8/6/20

Approval / Date

Client

Sales

Estimating

Art

Engineering

Landlord

Revision/Date

R1(8-7-20)IH: Delete raceways from channel letters.
(not allowed by City)

R2(1-11-21)IH: Change orange LEDs to white. Update
package.

R3(1-13-21)IH: Update site plan & elevations per latest
set of plans. Ensure plan for placement of menuboards
is shown accurately



chandlersigns.com

National Headquarters 14201 Sovereign Road #101
Fort Worth, TX 76155
(214) 902-2000 Fax (214) 902-2044

San Antonio 17319 San Pedro Ave
Ste 200
San Antonio, TX 78232
(210) 349-3804 Fax (210) 349-8724

West Coast 3220 Executive Ridge Dr
Ste 250
Vista, CA 92081
(760) 734-1708 Fax (760) 734-3752

Northeast US 2301 River Road
Suite 201
Louisville, KY 40206
(502) 897-9800 Cell (502) 554-2575

Florida 2584 Sand Hill Point Circle
Davenport, FL 33837
(888) 420-1100 Fax (863) 424-1160



Georgia 111 Woodstone Place
Dawsonville, GA 30534
(678) 725-8852 Fax (210) 349-8724

South Texas PO BOX 125 206 Doral Drive
Portland, TX 78374
(361) 563-5399 Fax (361) 643-6533

This drawing is the property of
Chandler Signs, LLC
All rights to its use for reproduction
are reserved by Chandler Signs, LLC

**FINAL ELECTRICAL
CONNECTION BY
CUSTOMER**

THIS SIGN IS INTENDED TO BE INSTALLED
IN ACCORDANCE WITH ARTICLE 600 OF THE
NATIONAL ELECTRICAL CODE AND/OR OTHER
APPLICABLE LOCAL CODES. THIS INCLUDES
PROPER GROUNDING & BONDING OF THE SIGN.
SIGN WILL BEAR UL LABEL(S).



ON/OFF SWITCH LOCATED INSIDE THE DISPLAY NEAR THE POWER
SUPPLIES ON THE LEFT END (REMOVE THE FACE TO ACCESS THE SWITCH).

D 6 PANEL S/F INTERIOR MENUBOARD SCALE: 3/4" = 1' - 0"
ONE (1) REQUIRED - TAKE FROM STOCK AND DELIVER 24.20 SQ. FT.

FABRICATED 18 GA. BRUSHED (HORIZONTAL GRAIN) STAINLESS STEEL CABINET AND
RETURNS, with .080 ALUMINUM BACK PAINTED WHITE.

SIX (6) ROUTED OUT MENU OPENINGS with 1 1/4" POSTER GRIP RETAINER
FRAMES ALUM. SATIN FINISH.

.125" 2447 WHITE DIFFUSER ACRYLIC BACK PANEL AND .020" CLEAR LEXAN PROTECTIVE
COVER IN POSTER GRIP FRAME. **NOTE:** SERVICE ACCESS THROUGH DIFFUSER FACE - DO
NOT RIVET OR SECURE DIFFUSER ACRYLIC WITH FASTENERS.

INTERNALLY ILLUMINATED WITH WHITE L.E.D.

FILE ALL SHARP FINISHED EDGES ON ANY EXTERIOR JOINTS

