

PRELIMINARY STORMWATER MANAGEMENT FACILITIES REPORT FOR



Site Address:

250 NW McNary Court
Lee's Summit, MO 64086

Developer:

TM Crowley

501 Pennsylvania Parkway Suite 160
Indianapolis, IN 46280
630-441-0165

Prepared By:



Dated: March 10, 2021

STORMWATER FACILITIES MANAGEMENT REPORT

Table of Contents

Introduction.....	3
Project Narrative.....	3
FEMA Classification.....	3
Wetland and USACE Involvement	4
Site Area Calculations.....	5
Methodology	5
Existing Condition Analysis	5
Existing Conditions Summary Table.....	6
Existing Point of Interest #1.....	7
Existing Point of Interest #2.....	8
Allowable Release Rate Calculation	8
Proposed Development Analysis	8
Proposed Drainage Conditions Analysis.....	9
Proposed Runoff Table.....	10
Proposed Drainage Area Description.....	11
Proposed Areas of Interest.....	11
Proposed Area of Interest #1 – Discharge from Basin	11
Proposed Area of Interest #2 – Onsite to Offsite Discharge	11
Proposed Area of Interest #3 – Combined discharge existing storm sewer.....	12
Detention Basin Summary	9
40 Hour Water Quality Calculations.....	13
Summarization and Conclusions	14
Appendix A Existing Drainage Area Map.....	15
Appendix B Proposed Drainage Area Map	17
Appendix C HydroCAD Hydrographs.....	19

Introduction


The proposed improvements that are depicted on the Preliminary Development Plan provides the design for the proposed development for Petsuites located at 250 NW McNary court. The development will increase the impervious area of the site therefore changing the characteristics of the stormwater runoff. The information supplied in this report will provide evidence that the Post Developed Stormwater Runoff has been mitigated appropriately with the Best Management Practices proposed for this development.

Project Narrative

TM Crowley is developing the subject property for Petsuites of America. The property size is ± 2.11 acres and is located at the west end of the cul-de-sac on McNary Court. The proposed building will consist of a veterinary clinic and PetSuites for a total of 14,100 sq. ft. The overall drainage patterns of the existing area drain east to west towards the existing railroad.

FEMA Classification

This property is classified as Zone "X" areas outside the 100 year floodplain per 29095C0417G map effective date of 1/20/2017. There are no known flooding issues associated with this property.




Wetland and USACE Involvement

There are no wetlands listed associated with the national wetlands inventory.



National Wetlands Inventory Map



November 2, 2020

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Wetlands Inventory (NWI)
This page was produced by the NWI mapper

Site Area Calculations

Property Size	2.11 Acres
<u>Pre-Development Condition</u>	
2.11 Acres of Grass	CN=74
<u>Post-Development Condition</u>	
0.69 Acres of Impervious Area (Buildings and Pavement)	CN=98
1.42 Acres of Pervious Area	CN=74
"CN" Value Weighted Average	CN=82

Methodology

The methodology used for the project is Hydro CAD 10.10-3a for determination of SCS TR-55 hydrographs. The hydraulics for the project will be determined using Autodesk Civil 3D 2020 Storm Sewer Analysis. To determine the Storm Intensity and Frequency the overall project pre-development condition and post development condition was determined by the SCS method using NOAA's precipitation intensity data from their website.

Existing Condition Analysis

The summary of comprehensive control requirements shall be per 5601.5.A.4.and 5608.4 the "Comprehensive Control" release rate strategy. Assumed time of concentration associated with the areas were used to due to the minimal area to discharge locations.

The default strategy of comprehensive protection of the 1% (100 year event), 10% (10 year event) and 50% (2 year event) is being provided with this development. Comprehensive controls shall be the following:

- 50% storm peak rate less than nor equal to 0.5 cfs per site acre
- 10% storm peak rate less than nor equal to 2.0 cfs per site acre
- 1% storm peak rate less than nor equal to 3.0 cfs per site acre

Existing Conditions Summary Table

ID	RUNOFF (cfs)	TC	IMPERVIOUS AREA (ac.)	PERVIOUS AREA (ac.)	Total Area (ac.)	COMPOSITE CN
AREA A						
2-Year	2.79	30	0.99	0.175	1.17	94
10-Year	4.43	30	0.99	0.175	1.17	94
100-Year	6.58	30	0.99	0.175	1.17	94
AREA B						
2-Year	0.12	5	0.00	0.05	0.05	74
10-Year	0.24	5	0.00	0.05	0.05	74
100-Year	0.42	5	0.00	0.05	0.05	74
AREA C						
2-Year	0.35	5	0.00	0.15	0.15	74
10-Year	0.73	5	0.00	0.15	0.15	74
100-Year	1.27	5	0.00	0.15	0.15	74
AREA D						
2-Year	0.14	5	0.00	0.06	0.06	74
10-Year	0.29	5	0.00	0.06	0.06	74
100-Year	0.51	5	0.00	0.06	0.06	74
AREA E						
2-Year	6.56	20	1.84	0.325	2.17	94
10-Year	10.38	20	1.84	0.325	2.17	94
100-Year	15.41	20	1.84	0.325	2.17	94
AREA F						
2-Year	3.57	10	0.00	1.89	1.89	74
10-Year	7.6	10	0.00	1.89	1.89	74
100-Year	13.44	10	0.00	1.89	1.89	74
AREA G						
2-Year	0.04	10	0.00	0.02	0.02	74
10-Year	0.08	10	0.00	0.02	0.02	74
100-Year	0.14	10	0.00	0.02	0.02	74
AREA H						
2-Year	0.02	10	0.00	0.01	0.01	74
10-Year	0.04	10	0.00	0.01	0.01	74
100-Year	0.07	10	0.00	0.01	0.01	74

The site is an open field with a wooded area to the west. It is surrounded by commercial properties except the west which is railroad right of way. The existing runoff drains to the west. Due to the minimal TC and unknown relationship of discharge for the offsite basin we determined a 30 minute TC for Area A otherwise areas B, C and D were five minute time of concentrations. Area F, G, and H were given 10 minute time of concentrations representing the existing onsite conditions.

There are two points of interest associated with the existing conditions.

Existing Point of Interest #1

Point of Interest #1 – Existing Runoff to West of Site

This is in relationship to the property and the overland flow to the existing railway. The discharge associated with this is shown in Areas C, D, F, G and H. Area D drains offsite to the existing inlet at the street however its discharge associated with the project remains along with a small area of Area H that drains offsite however it is nominal of an area.

ID	 RUNOFF (cfs)	TC	IMPERVIOUS AREA (ac.)	PERVIOUS AREA (ac.)	Total Area (ac.)	COMPOSITE CN
AREA C						
1-Year	0.01	5	0.00	0.15	0.15	74
2-Year	0.35	5	0.00	0.15	0.15	74
10-Year	0.73	5	0.00	0.15	0.15	74
100-Year	1.27	5	0.00	0.15	0.15	74
AREA D						
1-Year	0.01	5	0.00	0.06	0.06	74
2-Year	0.14	5	0.00	0.06	0.06	74
10-Year	0.29	5	0.00	0.06	0.06	74
100-Year	0.51	5	0.00	0.06	0.06	74
AREA F						
1-Year	0.13	10	0.00	1.89	1.89	74
2-Year	3.57	10	0.00	1.89	1.89	74
10-Year	7.6	10	0.00	1.89	1.89	74
100-Year	13.44	10	0.00	1.89	1.89	74
AREA G						
1-Year	0.00	10	0.00	0.02	0.02	74
2-Year	0.04	10	0.00	0.02	0.02	74
10-Year	0.08	10	0.00	0.02	0.02	74
100-Year	0.14	10	0.00	0.02	0.02	74
AREA H						
1-Year	0.00	10	0.00	0.01	0.01	74
2-Year	0.02	10	0.00	0.01	0.01	74
10-Year	0.04	10	0.00	0.01	0.01	74
100-Year	0.07	10	0.00	0.01	0.01	74

Existing Point of Interest #2

This point of interest is in relationship with the neighboring stormwater runoff that is collected in what appears to be a water quality basin. This is noted as area A. A longer time of concentration was provided to address the ponding area and reduced release rate and timing. We considering this 30 minute TC as conservative and protects the proposed project from potentially overcompensating with a larger TC and our calculations would not handle to the correct amount of stormwater.

ID	 RUNOFF (cfs)	TC	IMPERVIOUS AREA (ac.)	PERVIOUS AREA (ac.)	Total Area (ac.)	COMPOSITE CN
AREA A						
1-Year	0.84	30	0.99	0.175	1.17	94
2-Year	2.79	30	0.99	0.175	1.17	94
10-Year	4.43	30	0.99	0.175	1.17	94
100-Year	6.58	30	0.99	0.175	1.17	94

Allowable Release Rate Calculation

Due to this project providing the comprehensive control strategy that is listed in the existing condition analysis, our storm peak rate is based on the Existing Point of Interest #1. Since our site area is larger than the area listed in Existing Point of Interest #1 a table has been provided of the allowed release rates.

	<u>Release Rate Per Acre</u> (ac per cfs)	<u>Site Area (ac.)</u>	<u>Allowable release rate (c.f.s.)</u>
2 Year	0.50	2.11	1.06
10 Year	2.00	2.11	4.22
100 Year	3.00	2.11	6.33

Proposed Development Analysis

The proposed project will change the existing stormwater runoff by the increase of impervious area. The bypass areas have been mitigated to the maximum extent practical and the detention has accommodated for such areas. There is an overall reduction in the total runoff based on the proposed conditions as referenced in the Differential Runoff Table. The table was derived per the event tables from HydroCAD.

The proposed project will increase the impervious surface however it will reduce the runoff for the overall disturbed area per APWA 5600. This project proposes that areas that will route through the detention will meet the allowable release rate. The bypass areas consist of existing woodlands that will remain in place therefore to meet the requirements we would have to remove the existing vegetation in place.

Proposed Drainage Conditions Analysis

The proposed drainage area map that is referenced in the attachments provide a visual indicator for the runoff of each drainage area map. The proposed project will change the existing stormwater runoff by the increase of impervious area. The bypass areas have been mitigated to the maximum extent practical and the detention has accommodated for such areas. There is an overall reduction in the total runoff based on the proposed conditions as referenced in the Differential Runoff Table. The table was derived per the event tables from HydroCAD.

Detention Basin Summary

1. Top of Basin = 1000
2. Top of Spillway = 999.06
3. 1 Year/WQv HW = 994.37
4. 2 Year HW = 996.01
5. 10 Year HW = 997.17
6. 100 Year HW = 998.18

Proposed Runoff Table

Row Labels	Peak Runoff (cfs)	Impervious Area	Pervious Area	Total Area	Composite CN	TC
AREA 1						
1-Year	0.25	0.15	0.06	0.21	91	5
2-Year	0.94	0.15	0.06	0.21	91	5
10-Year	1.52	0.15	0.06	0.21	91	5
100-Year	2.29	0.15	0.06	0.21	91	5
AREA 2						
1-Year	0.26	0.16	0.08	0.24	90	5
2-Year	1.04	0.16	0.08	0.24	90	5
10-Year	1.71	0.16	0.08	0.24	90	5
100-Year	2.6	0.16	0.08	0.24	90	5
AREA 3						
1-Year	1.55	1.01	0.75	1.76	172	10
2-Year	7.07	1.01	0.75	1.76	172	10
10-Year	11.99	1.01	0.75	1.76	172	10
100-Year	18.5	1.01	0.75	1.76	172	10
AREA 4						
1-Year	0.63	0.33	0	0.33	98	5
2-Year	1.69	0.33	0	0.33	98	5
10-Year	2.57	0.33	0	0.33	98	5
100-Year	3.74	0.33	0	0.33	98	5
AREA 5						
1-Year	0.07	0.05	0.05	0.1	86	5
2-Year	0.38	0.05	0.05	0.1	86	5
10-Year	0.66	0.05	0.05	0.1	86	5
100-Year	1.04	0.05	0.05	0.1	86	5
AREA 6						
1-Year	0.11	0.06	0.45	0.51	77	5
2-Year	1.36	0.06	0.45	0.51	77	5
10-Year	2.7	0.06	0.45	0.51	77	5
100-Year	4.59	0.06	0.45	0.51	77	5
AREA 7						
1-Year	0.03	0.02	0.05	0.07	81	5
2-Year	0.22	0.02	0.05	0.07	81	5
10-Year	0.41	0.02	0.05	0.07	81	5
100-Year	0.68	0.02	0.05	0.07	81	5
AREA TO AI 11						
1-Year	0	0	0.02	0.02	74	5
2-Year	0.05	0	0.02	0.02	74	5
10-Year	0.1	0	0.02	0.02	74	5
100-Year	0.17	0	0.02	0.02	74	5
OFFSITE TO CI 12						
1-Year	1.98	1.844	0.325	2.17	94	20
2-Year	6.56	1.844	0.325	2.17	94	20
10-Year	10.38	1.844	0.325	2.17	94	20
100-Year	15.41	1.844	0.325	2.17	94	20

Proposed Drainage Area Description

1. Area to proposed inlet south of building. Routed through storm sewer.
2. Area east of building routed to inlet. Routed through storm sewer.
3. Overland flow path east of basin and basin area. Parking area through opening in trash enclosure.
4. Proposed Building Footprint
5. Areas that have turf that have underdrain systems.
6. Area onsite to the west of the property that slope to the existing railroad right of way. This area bypasses the detention basin.
7. Area onsite that drain to the existing curb inlet in the cul-de-sac. This area bypasses the detention basin.
8. Area to AI 11 – Offsite Area to onsite.
9. Offsite Area to Curb Inlet in cul-de-sac.

Proposed Areas of Interest

The areas of interest and their corresponding runoff information is listed below. There are three points of interest for this project. The flowrate out of the basin, the discharge from the existing storm sewer outfall and the onsite areas that flow offsite due to the existing topography.

Proposed Area of Interest #1 – Discharge from Basin

Event	 Inflow to Basin (ac.)	Peak Inflow (cfs)	Peak Storage (ac. ft.)	HW Elevation (Feet)	Discharge (cfs)
DETENTION BASIN					
 1-Year	1.32	1.45	0.038	994.37	0.04
 2-Year	1.32	5.56	0.129	996.01	0.67
 10-Year	1.32	9.19	0.228	997.17	0.91
 100-Year	1.32	14.04	0.342	998.18	3.22

Proposed Area of Interest #2 – Onsite to Offsite Discharge

Event	 Peak Runoff (cfs)	Sum of Pervious	Impervious Area
AREA 6			
1-Year	0.11	0.45	0.06
2-Year	1.36	0.45	0.06
10-Year	2.7	0.45	0.06
100-Year	4.59	0.45	0.06
AREA 7			
1-Year	0.03	0.05	0.02
2-Year	0.22	0.05	0.02
10-Year	0.41	0.05	0.02
100-Year	0.68	0.05	0.02

Proposed Area of Interest #3 – Combined discharge existing storm sewer

Events	 Peak Outflow
 11-10	
1-Year	5.45
2-Year	18.74
10-Year	29.58
100-Year	45.36

40 Hour Water Quality Calculations

WATER QUALITY CALCULATIONS

PROJECT LOCATION:

Petsuites Lee's Summit, Missouri

DATE: 3/9/2021

PROJECT OWNER:

TM Crowley

BY: M. FOGARTY

WATER QUALITY VOLUME REQUIRED (WQ_v)

$$WQ_v = P \times R_v$$

where WQ_v = Water Quality Volume (acre-ft)

P = rainfall event in inches

R_v = Volumetric runoff coefficient

I = Percent site imperviousness

Runoff Coefficient, R_v = 0.8
 Precipitation Depth, P = 1.37 inches
 Disturbed Area, A = 1.63 acres
 WQ_v = 0.08 ac. ft.
Minimum Required WQ_v = 3,550 ft³

EXTENDED DETENTION VOLUME (ED_v)

$$ED_v = 0.9 \times WQ_v \text{ (for Wet Extended Detention Basins)}$$

☐ Wet Extended Detention

$$= 2,663 \text{ ft}^3$$

☒ Dry Extended Detention

$$ED_v = WQ_v \text{ (for all other structural BMPs)}$$

$$= 3,550 \text{ ft}^3$$

DESIGN PARAMETERS

BMP Type = Detention System

DESIGN PARAMETERS 40 hrs.

Outlet structure for the post-construction BMP must not discharge more than the first half of the WQ_v or Extended Detention Volume (ED_v) in less than one-third of the drain time.

$$WQ_v \text{ or } ED_v = 3,550 \text{ ft}^3$$

$$1/2 \text{ of } WQ_v \text{ or } ED_v = 1,775 \text{ ft}^3$$

$$1/3 \text{ of draw-down time} = 13.3 \text{ hrs}$$

$$\text{Maximum Volume Allowed to be discharged in } 13.3 \text{ hrs} = 1,183 \text{ cf}$$

Orifice Diameter Sizing for Extended Detention (Not provided for this project)

(Calculations based on ED_v parameters provided above)

Orifice D = 0.96 in

Maximum Hydraulic Head, H_{max} = 2.20 ft (measured from orifice invert to WQ_v elevation)

Orifice Coefficient, C = 0.60

Average Discharge, Q_{avg} = 0.03 cfs (this is the average discharge corresponding to the draw-down time)

Draw-down time = 38.85 hrs

Volume discharged in 1/3 of draw-down time = 1,218 cf **Does not meet requirements.**

METHOD 1 (for sizing Water Quality Orifice)

Average Discharge, Q_{avg} = 0.02 cfs

Maximum Discharge, Q_{max} = 0.05 cfs

Maximum Hydraulic Head, H_{max} = 2.22 ft

Orifice Coefficient, C = 0.60

$$\text{Orifice Area, } A = Q_{\text{max}} / [C(2gH_{\text{max}})^{0.5}]$$

$$= 0.007 \text{ ft}^2$$

Orifice Diameter, D = 1.12 in (This is a preliminary estimate only)

METHOD 2 (for sizing Water Quality Orifice using same parameters above)

Average Discharge, Q_{avg} = 0.02 cfs (this is the average discharge corresponding to the draw-down time)

Maximum Hydraulic Head, H_{max} = 2.22 ft (measured from orifice invert to WQ_v elevation)

Average Hydraulic Head, H_{avg} = 1.11 ft

Orifice Coefficient, C = 0.60

$$\text{Orifice Area, } A = Q_{\text{avg}} / [C(2gH_{\text{avg}})^{0.5}]$$

$$= 0.005 \text{ ft}^2$$

Orifice Diameter, D = 0.94 in

Volume discharged in 1/3 of draw-down time = 1,183 cf **Design parameters met. Orifice size OK.**

Summarization and Conclusions

Impacts to downstream sewers and streams have been mitigated to the maximum extent practical. This project provides filters via catch basin inserts and a vegetated basin for water quality which meets the KC APWA MARC Manual. This project will meet the requirements that were being set forth by the governing jurisdiction.

The listed waivers as shown below are being requested for the post Developed condition to allow the increase from the allowable release rate due to the Bypass Areas associated with the existing vegetation to remain instead of routing those areas to the basin. This waiver would be for the 2 Year, 10 Year and 100 Year Events. The proposed project will increase the impervious surface however it will reduce the runoff for the overall disturbed area per APWA 5600. This project proposes that areas that will route through the detention will meet the allowable release rate. The bypass areas consist of existing woodlands that will remain in place therefore to meet the requirements we would have to remove the existing vegetation in place.

The water quality orifice size is 1" for this project. This will allow for the water quality measures to be met per the City's requirements. We are reducing the overall runoff for this project. While we are requesting waivers, this is only due to limiting the disturbed area to keep the woodlands in place.


Waiver #1 – Allowable release rate increase for 2, 10 and 100 Year Storm Events per the table listed below.

	<u>Existing Conditions</u>	<u>Post Developed Condition (No Detention) (c.f.s.)</u>	<u>Allowable release rate (c.f.s.)</u>	<u>Post Developed Routed through Detention (c.f.s.)</u>	<u>Bypass Areas (c.f.s.)</u>	<u>Post Developed Condition Final Routing (c.f.s.)</u>	<u>Differential Runoff Post Developed to Existing</u>	<u>Increase or Reduction for Runoff from Existing to Proposed Condition</u>
2 Year	4.12	6.76	1.06	0.67	1.58	2.25	-1.87	Reduction
10 Year	8.74	12.44	4.22	0.91	3.12	4.03	-4.71	Reduction
100 Year	15.43	20.17	6.33	2.95	5.26	8.21	-7.22	Reduction

Appendix A Existing Drainage Area Map




Appendix B Proposed Drainage Area Map



MINIMUM TIME OF CONCENTRATION = 5 MINUTES
EXISTING SOIL TYPE = C
CN PAVI = 98
CN GRASS = 74
CN COMMERCIAL AREAS = 94

MASTER DRAINAGE PLAN NOTES

1. MADE - (MINIMUM BUILDING OPENING ELEVATION)
ELEV = 1001.00
2. THE INDIVIDUAL LOT OWNER(S) SHALL NOT CHANGE OR OBSTRUCT THE OVERALL DRAINAGE FLOW LINE OR PATHS ON THE LOT AS SHOWN ON THE MASTER DRAINAGE PLAN, UNLESS SPECIFIC APPLICATION IS MADE AND APPROVED BY THE CITY ENGINEER.



Row Labels	Peak Runoff (cfs)	Impervious Area	Pervious Area	Total Area	Composite CN	TC
AREA 1						
2-Year	0.94	0.15	0.06	0.21	91	5
10-Year	1.52	0.15	0.06	0.21	91	5
100-Year	2.29	0.15	0.06	0.21	91	5
AREA 2						
2-Year	1.04	0.16	0.08	0.24	90	5
10-Year	1.71	0.16	0.08	0.24	90	5
100-Year	2.6	0.16	0.08	0.24	90	5
AREA 3						
2-Year	1.51	0.16	0.28	0.44	83	5
10-Year	2.73	0.16	0.28	0.44	83	5
100-Year	4.37	0.16	0.28	0.44	83	5
AREA 4						
2-Year	1.69	0.33	0	0.33	98	5
10-Year	2.57	0.33	0	0.33	98	5
100-Year	3.74	0.33	0	0.33	98	5
AREA 5						
2-Year	0.38	0.05	0.05	0.1	86	5
10-Year	0.66	0.05	0.05	0.1	86	5
100-Year	1.04	0.05	0.05	0.1	86	5
AREA 6						
2-Year	1.36	0.06	0.45	0.51	77	5
10-Year	2.7	0.06	0.45	0.51	77	5
100-Year	4.59	0.06	0.45	0.51	77	5
AREA 7						
2-Year	0.22	0.02	0.05	0.07	81	5
10-Year	0.41	0.02	0.05	0.07	81	5
100-Year	0.68	0.02	0.05	0.07	81	5
AREA TO AI 11						
2-Year	0.05	0	0.02	0.02	74	5
10-Year	0.1	0	0.02	0.02	74	5
100-Year	0.17	0	0.02	0.02	74	5
OFFSITE TO CI 12						
2-Year	6.56	1.844	0.325	2.17	94	20
10-Year	10.38	1.844	0.325	2.17	94	20
100-Year	15.41	1.844	0.325	2.17	94	20

PREMIER DESIGN GROUP
100 MIDLAND PARK DRIVE
WENTZVILLE, MO 63385
MISSOURI CERTIFICATE OF AUTHORITY #E 200600040
MISSOURI CERTIFICATE OF AUTHORITY #A 700600758

ENGINEER'S AUTHENTICATION
I, the undersigned, do hereby certify that I am a duly licensed Professional Engineer in the State of Missouri, and that I am the author of the design shown on this plan, and that I am not aware of any falsification of data or information used in the preparation of this plan, and that I am not aware of any other person's use of this plan for any purpose other than that for which it was prepared.

STEVEN D. MARION P.E.
PROFESSIONAL ENGINEER
#E 200600758

Project: **PETSUITES OF AMERICA**
LEE'S SUMMIT, MO
250 NW McNary Ct.
LEE'S SUMMIT, MO 64086
TM CROWLEY
501 PENNSYLVANIA PARKWAY SUITE 160
INDIANAPOLIS, IN 46280

1-27-2021

Sheet Title: **STORMWATER MANAGEMENT PLAN**




Sheet Number: **C-501**

Project No.: 2008920
Drawn By: Z. KUNTZ/A. JONES
Checked By: M. FOGARTY
NOT RELEASED FOR CONSTRUCTION

1-800-DIG-RITE
CALL BEFORE YOU DIG!


UNDERGROUND UTILITIES AND OSHA SAFETY NOTE:
Underground utilities and structures have been plotted from available information and therefore, their location must be considered approximate only. It is the responsibility of the individual contractors to verify the utility companies before actual construction. All OSHA rules and regulations established for the type of construction required by these plans shall be strictly followed (i.e. trenching, blasting, etc.)

Appendix C HydroCAD Hydrographs



Subcatchment 1S: EXISTING CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 22


Subcatchment 2S: AREA A

Hydrograph



Subcatchment 3S: AREA B

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 24


Subcatchment 4S: AREA C

Hydrograph



Subcatchment 5S: AREA D

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 26


Subcatchment 6S: AREA E

Hydrograph




Subcatchment 7S: AREA F

Hydrograph




Subcatchment 8S: AREA G

Hydrograph




Subcatchment 9S: AREA H

Hydrograph



Subcatchment 10S: PROPOSED CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 31

Subcatchment 25S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 32

Subcatchment 60S: AREA 6

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 33


Subcatchment 61S: AREA 7

Hydrograph



Subcatchment 62S: AREA 1

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 35

Subcatchment 63S: AREA 2

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 36

Subcatchment 64S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 37

Subcatchment 65S: AREA 4

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 38

Subcatchment 66S: AREA 5

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 39


Subcatchment 67S: OFFSITE TO CI 12

Hydrograph



Subcatchment 68S: AREA TO AI 11

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 41

Subcatchment 69S: OFFSITE TO BMP

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 42


Pond 10P: 12-11

Hydrograph




Pond 10P: 12-11

Stage-Discharge




Pond 10P: 12-11




Pond 11P: 11-10

Hydrograph




Pond 11P: 11-10

Stage-Discharge



Pond 11P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 46


Pond 26P: DETENTION BASIN

Hydrograph




Pond 26P: DETENTION BASIN

Stage-Discharge



Pond 26P: DETENTION BASIN

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 48


Pond 50P: BASIN REACH

Hydrograph




Pond 50P: BASIN REACH

Stage-Discharge



Pond 50P: BASIN REACH



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 50


Pond 51P: ROOF DRAINS TO BASIN

Hydrograph




Pond 51P: ROOF DRAINS TO BASIN

Stage-Discharge




Pond 51P: ROOF DRAINS TO BASIN




Pond 52P: DETENTION BASIN

Hydrograph




Pond 52P: DETENTION BASIN

Stage-Discharge



Pond 52P: DETENTION BASIN

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 54


Pond 53P: 301-300

Hydrograph




Pond 53P: 301-300

Stage-Discharge



Pond 53P: 301-300



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 56


Pond 54P: 302-301

Hydrograph




Pond 54P: 302-301

Stage-Discharge



Pond 54P: 302-301



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 58


Pond 55P: 11-10

Hydrograph




Pond 55P: 11-10

Stage-Discharge



Pond 55P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 1-Year Rainfall=1.37"

Printed 3/10/2021

Page 60


Pond 56P: 11 - 100 MH

Hydrograph




Pond 56P: 11 - 100 MH

Stage-Discharge




Pond 56P: 11 - 100 MH




Pond 57P: 12-11

Hydrograph




Pond 57P: 12-11

Stage-Discharge




Pond 57P: 12-11



Link 90L: BYPASS AREAS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 65

Subcatchment 1S: EXISTING CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 66

Subcatchment 2S: AREA A

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 67

Subcatchment 3S: AREA B

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 68

Subcatchment 4S: AREA C


Hydrograph



Runoff

Subcatchment 5S: AREA D

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 70

Subcatchment 6S: AREA E

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 71

Subcatchment 7S: AREA F

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 72


Subcatchment 8S: AREA G

Hydrograph




Subcatchment 9S: AREA H

Hydrograph



Subcatchment 10S: PROPOSED CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 75

Subcatchment 25S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 76

Subcatchment 60S: AREA 6

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 77

Subcatchment 61S: AREA 7

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 78

Subcatchment 62S: AREA 1

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 79

Subcatchment 63S: AREA 2

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 80

Subcatchment 64S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 81

Subcatchment 65S: AREA 4

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 82

Subcatchment 66S: AREA 5

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 83

Subcatchment 67S: OFFSITE TO CI 12

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 84


Subcatchment 68S: AREA TO AI 11

Hydrograph



Subcatchment 69S: OFFSITE TO BMP

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 86


Pond 10P: 12-11

Hydrograph




Pond 10P: 12-11

Stage-Discharge



Pond 10P: 12-11



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 88


Pond 11P: 11-10

Hydrograph




Pond 11P: 11-10

Stage-Discharge



Pond 11P: 11-10

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 90


Pond 26P: DETENTION BASIN

Hydrograph




Pond 26P: DETENTION BASIN

Stage-Discharge




Pond 26P: DETENTION BASIN

Stage-Area-Storage




Pond 50P: BASIN REACH

Hydrograph




Pond 50P: BASIN REACH

Stage-Discharge




Pond 50P: BASIN REACH




Pond 51P: ROOF DRAINS TO BASIN

Hydrograph




Pond 51P: ROOF DRAINS TO BASIN

Stage-Discharge




Pond 51P: ROOF DRAINS TO BASIN




Pond 52P: DETENTION BASIN

Hydrograph




Pond 52P: DETENTION BASIN

Stage-Discharge



Pond 52P: DETENTION BASIN

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 98


Pond 53P: 301-300

Hydrograph




Pond 53P: 301-300

Stage-Discharge



Pond 53P: 301-300



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 100


Pond 54P: 302-301

Hydrograph




Pond 54P: 302-301

Stage-Discharge



Pond 54P: 302-301



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 102


Pond 55P: 11-10

Hydrograph




Pond 55P: 11-10

Stage-Discharge



Pond 55P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 104


Pond 56P: 11 - 100 MH

Hydrograph



Pond 56P: 11 - 100 MH

Stage-Discharge



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 105

Pond 56P: 11 - 100 MH

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 2-Year Rainfall=3.50"

Printed 3/10/2021

Page 106


Pond 57P: 12-11

Hydrograph




Pond 57P: 12-11

Stage-Discharge




Pond 57P: 12-11



Link 90L: BYPASS AREAS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 109

Subcatchment 1S: EXISTING CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 110

Subcatchment 2S: AREA A

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 111

Subcatchment 3S: AREA B

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 112

Subcatchment 4S: AREA C

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 113

Subcatchment 5S: AREA D

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 114

Subcatchment 6S: AREA E

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 115

Subcatchment 7S: AREA F

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 116

Subcatchment 8S: AREA G

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 117

Subcatchment 9S: AREA H

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 118

Subcatchment 10S: PROPOSED CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 119

Subcatchment 25S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 120

Subcatchment 60S: AREA 6

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 121

Subcatchment 61S: AREA 7

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 122

Subcatchment 62S: AREA 1

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 123

Subcatchment 63S: AREA 2

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 124

Subcatchment 64S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 125

Subcatchment 65S: AREA 4

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 126

Subcatchment 66S: AREA 5

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 127

Subcatchment 67S: OFFSITE TO CI 12

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 128

Subcatchment 68S: AREA TO AI 11

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 129

Subcatchment 69S: OFFSITE TO BMP

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 130


Pond 10P: 12-11

Hydrograph




Pond 10P: 12-11

Stage-Discharge



Pond 10P: 12-11



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 132


Pond 11P: 11-10

Hydrograph




Pond 11P: 11-10

Stage-Discharge



Pond 11P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 134


Pond 26P: DETENTION BASIN

Hydrograph




Pond 26P: DETENTION BASIN

Stage-Discharge




Pond 26P: DETENTION BASIN

Stage-Area-Storage




Pond 50P: BASIN REACH

Hydrograph




Pond 50P: BASIN REACH

Stage-Discharge




Pond 50P: BASIN REACH




Pond 51P: ROOF DRAINS TO BASIN

Hydrograph




Pond 51P: ROOF DRAINS TO BASIN

Stage-Discharge




Pond 51P: ROOF DRAINS TO BASIN




Pond 52P: DETENTION BASIN

Hydrograph




Pond 52P: DETENTION BASIN

Stage-Discharge



Pond 52P: DETENTION BASIN

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 142


Pond 53P: 301-300

Hydrograph




Pond 53P: 301-300

Stage-Discharge



Pond 53P: 301-300



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 144


Pond 54P: 302-301

Hydrograph




Pond 54P: 302-301

Stage-Discharge



Pond 54P: 302-301



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 146


Pond 55P: 11-10

Hydrograph




Pond 55P: 11-10

Stage-Discharge



Pond 55P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 148


Pond 56P: 11 - 100 MH

Hydrograph



Pond 56P: 11 - 100 MH

Stage-Discharge




2020-10-31 ANALYSIS

Prepared by Premier Design Group
HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 149



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 10-Year Rainfall=5.30"

Printed 3/10/2021

Page 150


Pond 57P: 12-11

Hydrograph




Pond 57P: 12-11

Stage-Discharge




Pond 57P: 12-11

Stage-Area-Storage



Link 90L: BYPASS AREAS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 153

Subcatchment 1S: EXISTING CONDITIONS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 154

Subcatchment 2S: AREA A

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 155

Subcatchment 3S: AREA B

Hydrograph



Runoff

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 156


Subcatchment 4S: AREA C

Hydrograph



Subcatchment 5S: AREA D

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 158

Subcatchment 6S: AREA E

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 159


Subcatchment 7S: AREA F

Hydrograph




Subcatchment 8S: AREA G

Hydrograph



Subcatchment 9S: AREA H

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 162

Subcatchment 10S: PROPOSED CONDITIONS

Hydrograph



Runoff

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 163

Subcatchment 25S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 164

Subcatchment 60S: AREA 6

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 165

Subcatchment 61S: AREA 7

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 166

Subcatchment 62S: AREA 1

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 167

Subcatchment 63S: AREA 2

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 168

Subcatchment 64S: AREA 3

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 169

Subcatchment 65S: AREA 4

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 170

Subcatchment 66S: AREA 5

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 171

Subcatchment 67S: OFFSITE TO CI 12

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 172

Subcatchment 68S: AREA TO AI 11

Hydrograph



Runoff

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 173

Subcatchment 69S: OFFSITE TO BMP

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 174


Pond 10P: 12-11

Hydrograph




Pond 10P: 12-11

Stage-Discharge



Pond 10P: 12-11



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 176


Pond 11P: 11-10


Hydrograph



Pond 11P: 11-10

Stage-Discharge





2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 178


Pond 26P: DETENTION BASIN

Hydrograph



Pond 26P: DETENTION BASIN

Stage-Discharge



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 179


Pond 26P: DETENTION BASIN

Stage-Area-Storage




Pond 50P: BASIN REACH

Hydrograph




Pond 50P: BASIN REACH

Stage-Discharge




Pond 50P: BASIN REACH




Pond 51P: ROOF DRAINS TO BASIN

Hydrograph




Pond 51P: ROOF DRAINS TO BASIN

Stage-Discharge




Pond 51P: ROOF DRAINS TO BASIN




Pond 52P: DETENTION BASIN

Hydrograph




Pond 52P: DETENTION BASIN

Stage-Discharge



Pond 52P: DETENTION BASIN

Stage-Area-Storage



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 186


Pond 53P: 301-300

Hydrograph




Pond 53P: 301-300

Stage-Discharge



Pond 53P: 301-300



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 188


Pond 54P: 302-301

Hydrograph




Pond 54P: 302-301

Stage-Discharge



Pond 54P: 302-301



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 190


Pond 55P: 11-10

Hydrograph




Pond 55P: 11-10

Stage-Discharge



Pond 55P: 11-10



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 192


Pond 56P: 11 - 100 MH

Hydrograph




Pond 56P: 11 - 100 MH

Stage-Discharge



Pond 56P: 11 - 100 MH



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC


Type II 24-hr 100-Year Rainfall=7.70"

Printed 3/10/2021

Page 194


Pond 57P: 12-11

Hydrograph




Pond 57P: 12-11

Stage-Discharge




Pond 57P: 12-11



Link 90L: BYPASS AREAS

Hydrograph



2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 197

Events for Subcatchment 1S: EXISTING CONDITIONS

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.15	0.019	0.11
2-Year	3.50	3.98	0.218	1.24
10-Year	5.30	8.48	0.458	2.61
100-Year	7.70	15.01	0.819	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 198

Events for Subcatchment 2S: AREA A

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.84	0.080	0.82
2-Year	3.50	2.79	0.276	2.84
10-Year	5.30	4.43	0.449	4.60
100-Year	7.70	6.58	0.681	6.98

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 199

Events for Subcatchment 3S: AREA B

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.00	0.000	0.11
2-Year	3.50	0.12	0.005	1.24
10-Year	5.30	0.24	0.011	2.61
100-Year	7.70	0.42	0.019	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 200

Events for Subcatchment 4S: AREA C

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.01	0.001	0.11
2-Year	3.50	0.35	0.015	1.24
10-Year	5.30	0.73	0.033	2.61
100-Year	7.70	1.27	0.058	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 201

Events for Subcatchment 5S: AREA D

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.01	0.001	0.11
2-Year	3.50	0.14	0.006	1.24
10-Year	5.30	0.29	0.013	2.61
100-Year	7.70	0.51	0.023	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 202

Events for Subcatchment 6S: AREA E

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	1.98	0.148	0.82
2-Year	3.50	6.56	0.513	2.84
10-Year	5.30	10.38	0.833	4.60
100-Year	7.70	15.41	1.263	6.98

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 203

Events for Subcatchment 7S: AREA F

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.13	0.017	0.11
2-Year	3.50	3.57	0.195	1.24
10-Year	5.30	7.60	0.410	2.61
100-Year	7.70	13.44	0.734	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 204

Events for Subcatchment 8S: AREA G

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.00	0.000	0.11
2-Year	3.50	0.04	0.002	1.24
10-Year	5.30	0.08	0.004	2.61
100-Year	7.70	0.14	0.008	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 205

Events for Subcatchment 9S: AREA H

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.00	0.000	0.11
2-Year	3.50	0.02	0.001	1.24
10-Year	5.30	0.04	0.002	2.61
100-Year	7.70	0.07	0.004	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 206

Events for Subcatchment 10S: PROPOSED CONDITIONS

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	1.01	0.049	0.28
2-Year	3.50	6.96	0.313	1.78
10-Year	5.30	12.78	0.589	3.35
100-Year	7.70	20.67	0.980	5.58

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 207

Events for Subcatchment 25S: AREA 3

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	1.31	0.059	0.53
2-Year	3.50	5.56	0.259	2.36
10-Year	5.30	9.26	0.447	4.06
100-Year	7.70	14.13	0.703	6.39

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 208

Events for Subcatchment 60S: AREA 6

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.11	0.007	0.16
2-Year	3.50	1.36	0.061	1.43
10-Year	5.30	2.70	0.122	2.88
100-Year	7.70	4.59	0.212	5.00

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 209

Events for Subcatchment 61S: AREA 7

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.03	0.001	0.25
2-Year	3.50	0.22	0.010	1.71
10-Year	5.30	0.41	0.019	3.25
100-Year	7.70	0.68	0.032	5.46

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 210

Events for Subcatchment 62S: AREA 1

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.25	0.011	0.64
2-Year	3.50	0.94	0.044	2.54
10-Year	5.30	1.52	0.075	4.27
100-Year	7.70	2.29	0.116	6.63

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 211

Events for Subcatchment 63S: AREA 2

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.26	0.012	0.58
2-Year	3.50	1.04	0.049	2.45
10-Year	5.30	1.71	0.083	4.17
100-Year	7.70	2.60	0.130	6.51

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 212

Events for Subcatchment 64S: AREA 3

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.24	0.011	0.31
2-Year	3.50	1.51	0.068	1.86
10-Year	5.30	2.73	0.126	3.45
100-Year	7.70	4.37	0.209	5.69

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 213

Events for Subcatchment 65S: AREA 4

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.63	0.032	1.15
2-Year	3.50	1.69	0.090	3.27
10-Year	5.30	2.57	0.139	5.06
100-Year	7.70	3.74	0.205	7.46

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 214

Events for Subcatchment 66S: AREA 5

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.07	0.003	0.41
2-Year	3.50	0.38	0.017	2.10
10-Year	5.30	0.66	0.031	3.75
100-Year	7.70	1.04	0.050	6.04

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 215

Events for Subcatchment 67S: OFFSITE TO CI 12

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	1.98	0.148	0.82
2-Year	3.50	6.56	0.513	2.84
10-Year	5.30	10.38	0.833	4.60
100-Year	7.70	15.41	1.263	6.98

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 216

Events for Subcatchment 68S: AREA TO AI 11

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.00	0.000	0.11
2-Year	3.50	0.05	0.002	1.24
10-Year	5.30	0.10	0.004	2.61
100-Year	7.70	0.17	0.008	4.66

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 217

Events for Subcatchment 69S: OFFSITE TO BMP

Event	Rainfall (inches)	Runoff (cfs)	Volume (acre-feet)	Depth (inches)
1-Year	1.37	0.84	0.080	0.82
2-Year	3.50	2.79	0.276	2.84
10-Year	5.30	4.43	0.449	4.60
100-Year	7.70	6.58	0.681	6.98

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 218

Events for Pond 10P: 12-11

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	1.98	1.98	998.42	0.000
2-Year	6.59	6.59	998.69	0.000
10-Year	10.44	10.44	998.87	0.000
100-Year	15.51	15.51	1,000.28	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 219

Events for Pond 11P: 11-10

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	2.71	2.71	992.22	0.000
2-Year	9.08	9.08	992.69	0.000
10-Year	14.44	14.44	993.30	0.000
100-Year	21.49	21.49	994.55	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 220

Events for Pond 26P: DETENTION BASIN

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	1.31	1.31	998.58	0.000
2-Year	5.56	5.56	998.70	0.000
10-Year	9.26	9.26	998.78	0.000
100-Year	14.13	14.13	998.87	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 221

Events for Pond 50P: BASIN REACH

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	0.71	0.71	994.61	0.000
2-Year	2.07	2.07	996.02	0.000
10-Year	3.23	3.23	997.18	0.000
100-Year	4.78	4.78	998.66	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 222

Events for Pond 51P: ROOF DRAINS TO BASIN

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	0.71	0.71	994.96	0.000
2-Year	2.07	2.07	996.02	0.000
10-Year	3.23	3.23	997.46	0.000
100-Year	4.78	4.78	999.47	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 223

Events for Pond 52P: DETENTION BASIN

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (cubic-feet)
1-Year	1.45	0.04	994.37	1,646
2-Year	5.56	0.67	996.01	5,605
10-Year	9.19	0.91	997.17	9,951
100-Year	14.04	2.95	998.18	14,899

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 224

Events for Pond 53P: 301-300

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	0.51	0.51	994.44	0.000
2-Year	1.98	1.98	996.02	0.000
10-Year	3.23	3.23	997.23	0.000
100-Year	4.89	4.89	998.88	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 225

Events for Pond 54P: 302-301

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	0.25	0.25	995.21	0.000
2-Year	0.94	0.94	996.02	0.000
10-Year	1.52	1.52	997.26	0.000
100-Year	2.29	2.29	999.04	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 226

Events for Pond 55P: 11-10

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	2.74	2.74	985.72	0.000
2-Year	9.66	9.66	986.61	0.000
10-Year	15.14	15.14	987.82	0.000
100-Year	23.87	23.87	991.09	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 227

Events for Pond 56P: 11 - 100 MH

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	2.74	2.74	989.39	0.000
2-Year	9.66	9.66	990.28	0.000
10-Year	15.14	15.14	991.49	0.000
100-Year	23.87	23.87	998.94	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 228

Events for Pond 57P: 12-11

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)	Storage (acre-feet)
1-Year	1.98	1.98	995.51	0.000
2-Year	6.56	6.56	996.21	0.000
10-Year	10.38	10.38	997.11	0.000
100-Year	15.41	15.41	1,003.96	0.000

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Multi-Event Tables

Printed 3/10/2021

Page 229

Events for Link 90L: BYPASS AREAS

Event	Inflow (cfs)	Primary (cfs)	Elevation (feet)
1-Year	0.14	0.14	0.00
2-Year	1.58	1.58	0.00
10-Year	3.12	3.12	0.00
100-Year	5.26	5.26	0.00

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Table of Contents

Printed 3/10/2021

TABLE OF CONTENTS

Project Reports

20 Routing Diagram

1-Year Event

21 Subcat 1S: EXISTING CONDITIONS
22 Subcat 2S: AREA A
23 Subcat 3S: AREA B
24 Subcat 4S: AREA C
25 Subcat 5S: AREA D
26 Subcat 6S: AREA E
27 Subcat 7S: AREA F
28 Subcat 8S: AREA G
29 Subcat 9S: AREA H
30 Subcat 10S: PROPOSED CONDITIONS
31 Subcat 25S: AREA 3
32 Subcat 60S: AREA 6
33 Subcat 61S: AREA 7
34 Subcat 62S: AREA 1
35 Subcat 63S: AREA 2
36 Subcat 64S: AREA 3
37 Subcat 65S: AREA 4
38 Subcat 66S: AREA 5
39 Subcat 67S: OFFSITE TO CI 12
40 Subcat 68S: AREA TO AI 11
41 Subcat 69S: OFFSITE TO BMP
42 Pond 10P: 12-11
44 Pond 11P: 11-10
46 Pond 26P: DETENTION BASIN
48 Pond 50P: BASIN REACH
50 Pond 51P: ROOF DRAINS TO BASIN
52 Pond 52P: DETENTION BASIN
54 Pond 53P: 301-300
56 Pond 54P: 302-301
58 Pond 55P: 11-10
60 Pond 56P: 11 - 100 MH
62 Pond 57P: 12-11
64 Link 90L: BYPASS AREAS

2-Year Event

65 Subcat 1S: EXISTING CONDITIONS
66 Subcat 2S: AREA A
67 Subcat 3S: AREA B
68 Subcat 4S: AREA C
69 Subcat 5S: AREA D
70 Subcat 6S: AREA E
71 Subcat 7S: AREA F
72 Subcat 8S: AREA G
73 Subcat 9S: AREA H
74 Subcat 10S: PROPOSED CONDITIONS
75 Subcat 25S: AREA 3
76 Subcat 60S: AREA 6
77 Subcat 61S: AREA 7
78 Subcat 62S: AREA 1
79 Subcat 63S: AREA 2
80 Subcat 64S: AREA 3
81 Subcat 65S: AREA 4
82 Subcat 66S: AREA 5
83 Subcat 67S: OFFSITE TO CI 12
84 Subcat 68S: AREA TO AI 11

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Table of Contents

Printed 3/10/2021

85 Subcat 69S: OFFSITE TO BMP
86 Pond 10P: 12-11
88 Pond 11P: 11-10
90 Pond 26P: DETENTION BASIN
92 Pond 50P: BASIN REACH
94 Pond 51P: ROOF DRAINS TO BASIN
96 Pond 52P: DETENTION BASIN
98 Pond 53P: 301-300
100 Pond 54P: 302-301
102 Pond 55P: 11-10
104 Pond 56P: 11 - 100 MH
106 Pond 57P: 12-11
108 Link 90L: BYPASS AREAS

10-Year Event

109 Subcat 1S: EXISTING CONDITIONS
110 Subcat 2S: AREA A
111 Subcat 3S: AREA B
112 Subcat 4S: AREA C
113 Subcat 5S: AREA D
114 Subcat 6S: AREA E
115 Subcat 7S: AREA F
116 Subcat 8S: AREA G
117 Subcat 9S: AREA H
118 Subcat 10S: PROPOSED CONDITIONS
119 Subcat 25S: AREA 3
120 Subcat 60S: AREA 6
121 Subcat 61S: AREA 7
122 Subcat 62S: AREA 1
123 Subcat 63S: AREA 2
124 Subcat 64S: AREA 3
125 Subcat 65S: AREA 4
126 Subcat 66S: AREA 5
127 Subcat 67S: OFFSITE TO CI 12
128 Subcat 68S: AREA TO AI 11
129 Subcat 69S: OFFSITE TO BMP
130 Pond 10P: 12-11
132 Pond 11P: 11-10
134 Pond 26P: DETENTION BASIN
136 Pond 50P: BASIN REACH
138 Pond 51P: ROOF DRAINS TO BASIN
140 Pond 52P: DETENTION BASIN
142 Pond 53P: 301-300
144 Pond 54P: 302-301
146 Pond 55P: 11-10
148 Pond 56P: 11 - 100 MH
150 Pond 57P: 12-11
152 Link 90L: BYPASS AREAS

100-Year Event

153 Subcat 1S: EXISTING CONDITIONS
154 Subcat 2S: AREA A
155 Subcat 3S: AREA B
156 Subcat 4S: AREA C
157 Subcat 5S: AREA D
158 Subcat 6S: AREA E
159 Subcat 7S: AREA F
160 Subcat 8S: AREA G
161 Subcat 9S: AREA H
162 Subcat 10S: PROPOSED CONDITIONS
163 Subcat 25S: AREA 3

2020-10-31 ANALYSIS

Prepared by Premier Design Group

HydroCAD® 10.10-3a s/n 10347 © 2020 HydroCAD Software Solutions LLC

Table of Contents

Printed 3/10/2021

164	Subcat 60S: AREA 6
165	Subcat 61S: AREA 7
166	Subcat 62S: AREA 1
167	Subcat 63S: AREA 2
168	Subcat 64S: AREA 3
169	Subcat 65S: AREA 4
170	Subcat 66S: AREA 5
171	Subcat 67S: OFFSITE TO CI 12
172	Subcat 68S: AREA TO AI 11
173	Subcat 69S: OFFSITE TO BMP
174	Pond 10P: 12-11
176	Pond 11P: 11-10
178	Pond 26P: DETENTION BASIN
180	Pond 50P: BASIN REACH
182	Pond 51P: ROOF DRAINS TO BASIN
184	Pond 52P: DETENTION BASIN
186	Pond 53P: 301-300
188	Pond 54P: 302-301
190	Pond 55P: 11-10
192	Pond 56P: 11 - 100 MH
194	Pond 57P: 12-11
196	Link 90L: BYPASS AREAS

Multi-Event Tables

197	Subcat 1S: EXISTING CONDITIONS
198	Subcat 2S: AREA A
199	Subcat 3S: AREA B
200	Subcat 4S: AREA C
201	Subcat 5S: AREA D
202	Subcat 6S: AREA E
203	Subcat 7S: AREA F
204	Subcat 8S: AREA G
205	Subcat 9S: AREA H
206	Subcat 10S: PROPOSED CONDITIONS
207	Subcat 25S: AREA 3
208	Subcat 60S: AREA 6
209	Subcat 61S: AREA 7
210	Subcat 62S: AREA 1
211	Subcat 63S: AREA 2
212	Subcat 64S: AREA 3
213	Subcat 65S: AREA 4
214	Subcat 66S: AREA 5
215	Subcat 67S: OFFSITE TO CI 12
216	Subcat 68S: AREA TO AI 11
217	Subcat 69S: OFFSITE TO BMP
218	Pond 10P: 12-11
219	Pond 11P: 11-10
220	Pond 26P: DETENTION BASIN
221	Pond 50P: BASIN REACH
222	Pond 51P: ROOF DRAINS TO BASIN
223	Pond 52P: DETENTION BASIN
224	Pond 53P: 301-300
225	Pond 54P: 302-301
226	Pond 55P: 11-10
227	Pond 56P: 11 - 100 MH
228	Pond 57P: 12-11
229	Link 90L: BYPASS AREAS