
OSAGE 3RD PLAT REZONING & PRELIMINARY DEVELOPMENT PLAN

SECTION 35, TOWNSHIP 47N, RANGE 32W IN LEE'S SUMMIT, JACKSON COUNTY, MO



PROJECT TEAM CONTACT LIST

OWNER / DEVELOPER
CLAYTON PROPERTIES GROUP, INC. DBA SUMMIT HOMES
120 SE 30TH ST.
LEE'S SUMMIT, MO 64082
CONTACT: BRAD KEMPF
PHONE: 816.246.6700 EXT. 308
EMAIL: BRADLEY@SUMMITHOMESKC.COM

ENGINEER OLSSON

OLSSON
1301 BURLINGTON, SUITE 100
NORTH KANSAS CITY, MO 64116
CONTACT: CHRIS HOLMQUIST
PHONE: 816.442.6045

EMAIL: CHOLMQUIST@OLSSON.COM



Sheet Number
01
02
03
04
05
06
L1
A1

PROPERTY DESCRIPTION:

OSAGE THIRD PLAT PDP LEGAL DESCRIPTION

ALL OF THE WEST HALF OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 47 NORTH, RANGE 32 WEST OF THE FIFTH PRINCIPAL MERIDIAN IN LEE'S SUMMIT, JACKSON COUNTY MISSOURI EXCEPT THAT PART IN MISSOURI STATE HIGHWAY NO. 150 RIGHT-OF-WAY

ALSO

A TRACT OF LAND IN THE WEST HALF OF THE SOUTHWEST QUARTER AND EAST HALF OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 47 NORTH, RANGE 32 WEST OF THE 5TH PRINCIPAL MERIDIAN IN LEE'S SUMMIT, JACKSON COUNTY, MISSOURI BEING BOUNDED AND DESCRIBED BY OR UNDER THE DIRECT SUPERVISION OF JASON S. ROUDEBUSH, P.L.S. 202014092, AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 88°07'14" WEST, ON THE NORTH LINE OF SAID NORTHEAST QUARTER OF SAID SOUTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, AND ALONG SAID WESTERLY LINE, 326.96 FEET TO THE NORTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, ALSO BEING THE SOUTHWEST CORNER OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER, ALSO BEING THE SOUTHWEST CORNER OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER, ALSO BEING THE WEST LINE OF SAID SAID HALF OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER, ALSO BEING THE WEST LINE OF SAID SAID HALF OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID PROPOSED TRACT I OF SAID PROPOSED TRACT I OF SAID PROPOSED OSAGE 2ND PLAT, 21.17 FEET; THENCE SOUTH 01°48'53" WEST ALONG THE EASTERLY LINE OF SAID PROPOSED TRACT I, A DISTANCE OF SAID NORTHEAST QUARTER; THENCE NORTH 02°10'22" EAST ON SAID WEST LINE, 20.25 FE



son - Civil Engineering souri Certificate of Authority #001592

АВ						
DATE REVISIONS DESCRIPTION					REVISIONS	
REV. NO.						
				7 0 0 0	2021	

C.J.H./A.V.

checked by:
designed by:
QA/QC by:
project no.:
drawing no.:
drawing no.:

C.J.H./A.A.


C.J.H./A.A.

D19-2339

C_TTL01 D192339

date:
2021.04.23

SHEET



	DD 0 DED TV (0 14 11							
	PROPERTY OWNERS WITHIN 300'							
KEY	ADDRESS	OWNER(S) & MAILING ADDRESS						
1	2144 SW 150 HWY LEE'S SUMMIT, MO 64082	LUNGSTRUM DAVID EUGENE & SHERRIE LYNN 2144 SW 150 HWY LEE'S SUMMIT, MO 64082						
2	2144 SW M 150 HWY LEE'S SUMMIT, MO 64082	LUNGSTRUM DAVID EUGENE & SHERRIE LYNN 2144 SW 150 HWY LEE'S SUMMIT, MO 64082						
3	2124 SW MO 150 HWY LEE'S SUMMIT, MO 64082	DANIELS NANCY SUE & G MARK—TR 13320 S PRATT RD LEE'S SUMMIT, MO 64086						
4	2052 SW MO 150 HWY LEE'S SUMMIT, MO 64082	DALE DONALD RAY—TRUSTEE 2052 SW MO 150 HWY LEE'S SUMMIT, MO 64082						
5	2201 SW MO 150 HWY LEE'S SUMMIT, MO 64082	SOLANO CESAR E & CARLA EVANS 316 S SHORE DR LAKE WINNEBAGO, MO 64034						
6	SW PRYOR RD LEE'S SUMMIT, MO 64082	CLAYTON PROPERTIES GROUP, INC. 120 SE 30TH ST LEE'S SUMMIT, MO 64082						
7	SW MO 150 HWY LEE'S SUMMIT, MO 64082	CLAYTON PROPERTIES GROUP, INC. 120 SE 30TH ST LEE'S SUMMIT, MO 64082						

PROPERTY DESCRIPTION:

OSAGE THIRD PLAT PDP LEGAL DESCRIPTION

ALL OF THE WEST HALF OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 47 NORTH, RANGE 32 WEST OF THE FIFTH PRINCIPAL MERIDIAN IN LEE'S SUMMIT, JACKSON COUNTY MISSOURI EXCEPT THAT PART IN MISSOURI STATE HIGHWAY NO. 150 RIGHT-OF-WAY

ALSO


A TRACT OF LAND IN THE WEST HALF OF THE SOUTHWEST QUARTER AND EAST HALF OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 35, TOWNSHIP 47 NORTH, RANGE 32 WEST OF THE 5TH PRINCIPAL MERIDIAN IN LEE'S SUMMIT, JACKSON COUNTY, MISSOURI BEING BOUNDED AND DESCRIBED BY OR UNDER THE DIRECT SUPERVISION OF JASON S. ROUDEBUSH, P.L.S. 2002014092, AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 88°07'14" WEST, ON THE NORTH LINE OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, 1,319.40 FEET TO THE NORTHWEST CORNER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE SOUTH 02°10'22" WEST, ON THE WEST LINE OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, 659.27 FEET TO THE NORTHWEST CORNER OF SAID SOUTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER ALSO BEING A POINT ON THE WESTERLY LINE OF PROPOSED OSAGE 2ND PLAT; THENCE SOUTH 88°08'29" EAST ON THE NORTH LINE OF SAID SOUTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, AND ALONG SAID WESTERLY LINE, 326.96 FEET TO THE NORTHEAST CORNER OF SAID WEST HALF OF SAID SOUTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, ALSO BEING THE SOUTHWEST CORNER OF SAID EAST HALF OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 02°09'46" EAST ON THE WEST LINE OF SAID EAST HALF OF SAID NORTHWEST QUARTER OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER, AND ALONG SAID WESTERLY LINE 346.14 FEET; THENCE LEAVING SAID EAST LINE AND SAID WESTERLY LINE, SOUTH 88°11'07" EAST, ALONG THE NORTH LINE OF PROPOSED TRACT I OF SAID PROPOSED OSAGE 2ND PLAT, 21.17 FEET; THENCE SOUTH 01°48'53" WEST ALONG THE EASTERLY LINE OF SAID PROPOSED TRACT I, A DISTANCE OF 366.13 FEET; THENCE NORTH 88°11'07" WEST, ALONG SAID EASTERLY LINE AND ITS WESTERLY EXTENSION 353.36 FEET TO A POINT ON SAID WEST LINE OF SAID NORTHEAST QUARTER OF SAID NORTHEAST QUARTER; THENCE NORTH 02°10'22" EAST ON SAID WEST LINE, 20.25 FEET TO THE POINT OF BEGINNING. CONTAINING 14,798 SQUARE FEET OR 0.34 ACRES, MORE OR LESS.

Olsson - Civil Engineering

		OSAGE 3RD PLAT	REZONING & PRELIMINARY DEVELOPMENT PLAN		LEE'S SUMMII, MO 2021	
					REVISIONS	
) 						

project no.: D19-2339 drawing no.: C_REZ01_D192339 date: 2021.04.23

SHEET





drawn by: C.J.H./A.A.


checked by: A.A.
QA/QC by: J.E.S.
project no.: D19-2339
drawing no.: C_EXC01_D192339
date: 2021.04.23

OSAGE 3RD PLAT PRELIMINARY DEVEL

SHEET







Planting Notes

1. Location of all existing utilities needs to done before commencing 2. The planting plan graphically illustrates overall plant massings. Each

plant species massing shall be placed in the field to utilize the greatest coverage of ground plane. The following applies for individual plantings:

a. Creeping groundcover shall be a minimum of 6" from paving edge. b. All trees shall be a minimum of 3' from paving edge. c. All plants of the same species shall be equally spaced apart and

placed for best aesthetic viewing. d. All shrubs shall be a minimum of 2' from paved edge. 3. Mulch all planting bed areas to a minimum depth of 3". Mulch individual

trees to a minimum depth of 4". 4. Note: If plants are not labeled - they are existing and shall remain. 5. All landscaped areas in ROW shall be sodded and irrigated unless otherwise specified.

1. Plant material shall be healthy, vigorous, and free of disease and insects as per AAN standards.

2. Shredded bark mulch installed at trees shall be finely chipped and shredded hardwood chips, consisting of pure wood products and free of all other foreign substances. Pine bark compost mulch installed at planting bed areas shall be free of all other foreign substances.

1. All planting beds shall be amended with 1 cubic yard of peat moss per 1,000 square feet. Till peat moss into soil to a 6" depth. A 10-10-10 fertilizer shall be spread over all planting areas prior to planting, at a rate of 50 pounds per 2,000 square feet.

2. After plants have been installed, all planting beds shall be treated with Dacthal pre-emergent herbicide prior to mulch application. 3. Plant pit backfill for trees and shrubs shall be 50% peat or well

composted manure and 50% topsoil. 4. Plant material shall be maintained and guaranteed for a period of one year after Owner's acceptance of finished job. All dead or damaged plant material shall be replaced at Landscape Contractor's expense. 6. Landscape contractor shall maintain all plant material until final acceptance, at which point the one year guarantee begins.


Landecana Schodula

Lands	scap	e Schedule					
Symbol	Qty.	Botanical Name	Common Name	Min.Root	Min.Size	Caliper	Remarks
OVERSTO	RY TREES	\$					
1 + 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	5	Platanus x acerifolia	London Plane Tree			3"	6' min. clear., ground to canopy
	8	Acer x truncatum 'Warrenred'	Pacific Sunset Maple			3"	6' min. clear., ground to canopy
I many	2	Gleditsia triacanthas 'Skyline'	Shademaster Honeylocust			3"	6' min. clear., ground to canopy
	0	Acer griseum	Paperbark Maple			3"	6' min. clear., ground to canopy
	2	Quercus bicolor	Swamp White Oak			3"	6' min. clear., ground to canopy
EVERGRE	EN TREES	5					
	21	Juniperus chinensis 'Keteleeri'	Keteleeri Juniper		8' ht.		symmetrical pyramidal form
	16	Picea abies	Norway Spruce		8' ht.		symmetrical pyramidal form
	22	Picea pungens	Colorado Blue Spruce		6'ht.		symmetrical pyramidal form
ORNAMEN	TAL TREES						
	19	Cercis canadensis	Eastern Redbud			3"	
*	4	Cornus florida 'Cloud Nine'	Cloud 9 Dogwood			3"	
ORNAMEN	TAL STREE	T TREES					
	21	Acer truncatum	Shantung Maple			2"	
	24	Zelkova serrata 'Schmidtlow'	Wireless Zelkova			2"	
	0	Acer buergerianum	Trident Maple			2"	
	0	Syringa reticulata 'Ivory Silk'	Japanese Tree Lilac			2"	
DECIDUO	US SHRU	JBS/GRASSES					
0	0	Liriope spicata 'Silver Dragon'	Silver Dragon Liriope	1 gal.			Plant @ 18" O.C.
XX	0	Festuca ovina glauca	Dwarf Blue Fescue	1 gal.			Plant @ 18" O.C.
	0	Hydrangea paniculata 'Quick Fire'	Little Quick Fire Hydrangea	3 gal. 1	18" ht. min	•	Plant @ 4'O.C.
	0	Equisetum hyemale	Horsetail Reed	1 gal.			Plant @ 18" O.C.
	20	Syringa X 'Penda'	Bloomerang Purple Lilac	5 gal.			Plant @ 5' O.C.
	EN SHRU	JBS					
mulus more	0	Juniperus chinensis 'Spartan'	Spartan Juniper		5' ht.		Symmetrical pyramidal form
1 2 × 3	0	Juniperus chinensis 'Sea Green'	Sea Green Juniper	3 gal.			Plant @ 4' O.C.
+	30	Juniperus chinensis 'Gold Coast'	Gold Coast Juniper	3 gal.			Plant @ 4' O.C.


Landscape Calculations/Requirements

Street Frontage: (For all Districts) One (1) tree shall be planted for each thirty (30) feet of street frontage, within 20' setback. REQUIREMENTS MET

Buffer Landscape: Medium Density Buffer (type B) provided on West side of development. REQUIREMENT MET



CULTIVATED EDGE DETAIL



ROOT BALL (REMOVE WIRE BASKETS)

7) PLACE ALL ROOT BALLS ON UN-

1) APPLY 2"THK BED OF MULCH 1) WIRE / CABLE SHALL BE ÓN PERENNIAL PLANT BED, GALV, 12-GAUGE

PERENNIAL PLANTING NOTES:

DO NOT COVER PLANTS 2) TIGHTEN WIRE 2) THOROUGHLY MIX PEAT IN CABLE ONLY ENOUGH TOP 3-4" OF SOIL TO KEEP FROM 3) BREAK UP EXISTING SOIL SLIPPING, ALLOW FOR SOME TRUNK MOVEMENT PLASTIC HOSE SHALL BE LONG ENOUGH TO ACCOM-MODATE 1½" OF 2" HARDWOOD OR EQUAL

GROWTH

BACKFILL w/ SUITABLE

MULCH RING

MIN 6' DIA

PLANTING INSTALLATION DETAILS

TO A DEPTH OF 24" 4) PROVIDE NEW TOPSOIL TO A DEPTH OF 12" SHRUB PLANTING NOTES 1) SET SHRUB AT SAME DEPTH AT WHICH IT GREW IN THE FIELD OR CONTAINER 2) PRUNE, THIN & SHAPE SHRUBS
IN ACCORDANCE w/ STANDARD
HORTICULTURAL PRACTICE WHEN BACKFILL IS 2/3
COMPLETE, WATER THOROUGHLY UNTIL NO MORE IS ABSORBED MORE IS ABSORBED

PRUNE DAMAGED OR DEAD WOOD IMMEDIATELY PRIOR TO PLANTING. NEVER LEAVE LEAVE "V" CROTCHES OR DOUBLE LEADER. TREE TIE SYSTEM, SEE STAKING REQUIREMENTS 3 METAL STAKES. PLACE NEXT TO ROOT BALL AS SHOWN. SPACE EQUIDISTANT AROUND TREE.

4" MIN. SPECIFIED MULCH PLANT ROOT BALL 2" HIGHER THAN GRADE

AT WHICH TREE GREW.


DO NOT PRUNE LEADER

INSTALL WEED CONTROL FABRIC IF TREE IS IN LANDSCAPE BED CONTINUOUS SAUCER, RIM FOR WATER & MULCH CUT & REMOVE BURLAP FROM TOP 1/3 OF BALL. SPECIFIED BACKFILL MIXTURE

EXISTING UNDISTURBED SUBSOIL

OVERALL STREET TREE/BUFFER PLAN

SCALE: 1"=30'-0"





Overland Park, KS 66223 913.787.2817




CLIENT


Summit Homes 120 SE 30th St Lee's Summit, MO 64082

PROJECT

Osage Highway 150 and Pryor Road Lee's Summit, MO



Date: 4.23.2021 Project #: 482 Landscape Plan 3rd Plat



- BOARD AND BAT
 STUCCO
 LP SHAKE SHINGLE SIDING
 MANUFACTURED STONE VENEER
 COMPOSITE SHINGLES
 CEDAR BRACKETS AND CORBEL
 TRIMMED FAUX LOUVER ACCENTS
 COACH LIGHTS











			٦٦
drawn by:		C.J.H.	/A.A.
checked by:	_		
designed by:	_		A.A.
QA/QC by:	_	J	.E.S.
project no.:	_	D19-	2339
drawing no.:	C	ARC02_D19	2339
date:		2021.0)4. <u>23</u>

OSAGE 3RD PLAT
REZONING & PRELIMINARY DEVELOPMENT PLAN
SUMMIT, MO

ARCHITECTURAL ELEVATIONS - TWIN GALLERY

SHEET **A**1

gsmith
USER: