



Notes

1. Contractor is responsible for verifying all existing utility locations prior to excavation.
2. There are no known natural or artificial water storage detention areas, or wetlands in the area designated for construction.
3. No part of the project lies within the 100 year flood plain.
4. All erosion and sediment control measures need to be implemented prior to construction.
5. Additional erosion control may be required by the City Engineer, Design Engineer or Owner at any time problematic areas are noted in the field or existing measures are found to be ineffective.
6. Soil Stabilization of disturbed areas shall be completed within 14 days of construction inactivity.
7. Contractor responsible for all density testing of roadway subgrade and granular base.

Professional Registration
M. Masour
Engineering 200600186-D
Surveying 200500519-D
Kansas
Engineering E-1696
Surveying L-5218
Oklahoma
Engineering E294
Nebraska
Engineering CA2821

Grading Plan
Construction Plans for:
Chapel Ridge Lot 15 C
Lee's Summit, Jackson County, Missouri

Project
CHAPEL RIDGE LOT
15, 15.865
Issue Date
July 15, 2021

Grading Plan
Construction Plans for:
Chapel Ridge Lot 15 C
Lee's Summit, Jackson County, Missouri



Matthew J. Schlicht
MO PE 2006019708
KS PE 19071
OK PE 25226

REVISIONS