



—ELECTRICAL CONDUIT. —ANCHOR BOLTS BY LIGHT


FIXTURE MANUFACTURE.

MARK	MANUFACTURER *		MODEL NUMBER	MOUNTING	COLOR	LAMP		DRIVE CURRENT		WATTS		
		FIXTURE DESCRIPTION				QTY	TYPE	CODE	(QUANTITY/TYPE)	VOLTS	(PER/POLE)	NOTES
PL3	McGRAW-EDISON	DARK SKY COMPLIANT AREA LIGHT FIXTURE WITH DIRECT ARM MOUNT AT 90 DEGREES, 23FT ABOVE FINISHED GRADE, 20FT ALUMINUM POLE WITH VIBRATION DAMPER	FIXTURE: GLEON-SA2C-740-U-SL4-BZ POLE: SSA4M20WCN1GV	POLE	4000K	1 PER POLE	LED	_	(1) 1000mA	MVOLT	129	1–2
PL4	McGRAW-EDISON	DARK SKY COMPLIANT AREA LIGHT FIXTURE WITH TWO DIRECT ARM MOUNTS AT 180 DEGREES, FIXTURES INSTALLED 90 DEGREES, 23FT ABOVE FINISHED GRADE, 20FT ALUMINUM POLE WITH VIBRATION DAMPER	FIXTURE: (2) GLEON-SA2C-740-U-T4FT-BZ POLE: SSA4M20WCN2GV	POLE	4000K	2 PER POLE	LED	-	(1) 1000mA	MVOLT	258	1-2
PL5	McGRAW-EDISON	DARK SKY COMPLIANT AREA LIGHT FIXTURE WITH DIRECT ARM MOUNT AT 90 DEGREES, 23FT ABOVE FINISHED GRADE, 20FT ALUMINUM POLE WITH VIBRATION DAMPER	FIXTURE: GLEON-SA2C-740-U-SL2-BZ POLE: SSA4M20WCN1GV	POLE	4000K	1 PER POLE	LED	_	(1) 1000mA	MVOLT	129	1–2



STREETS OF WEST PRYOR
LOT 9
SITE LIGHTING
JACKSON COUNTY

THIS DRAWING is provided as an instrument of service by the Engineer, and is intended for use on this Project ONLY. This Drawing Remains the Property of the Engineer and shall be Returned to him upon completion of the construction work. All Drawings, Specifications, Ideas, Designs and Arrangements appearing herein constitute the original and unpublished Work of the Engineer. Any Reproductions, Use or Disclosure of the Proprietary Information contained herein Without the PRIOR Written Consent of the Engineer is strictly Prohibited.



REV	DESCRIPTION		DATE:				
ISSUE D	ATE:	10/20/202					
REASON	FOR ISSUE:	-	ZONINO				
		00.000					

REASON FOR ISSUE:

PROJECT NUMBER:

20-6828-0

PROJECT PHASE:

SE

DRAWN BY: AWN CHECKED BY: CLB

SHEET TITLE:
LIGHTING
SCHEDULES AND
DETAILS
SHEET NUMBER:

\$\frac{1}{200}\$