

Luminaire Schedule - Units and Buildings							
MARK	DESCRIPTION	MFGR	MODEL	MOUNTING	FINISH	LAMPS	NOTES
E	Trellis	Progress	P5641-20/30K	ceiling	bronze	1355 Lumen 29W 3000K LED	
SL1	Exterior Pole	McGraw Edison	GLEON-AF-02-LED-E1-T4FT	pole	bronze	113W 12252 Lumen 4000K led	provide with 15 ft pole
SL2	Exterior Pole	McGraw Edison	GLEON-AF-01-LED-E1-SL4	pole	bronze	(2) 59W 5922 Lumen 4000K led	provide with 15 ft pole
SL3	Exterior Pole	McGraw Edison	GLEON-AF-01-LED-E1-T3	pole	bronze	59W 6235 Lumen 4000K led	provide with 15 ft pole
SL4	Exterior Pole	McGraw Edison	GLEON-AF-01-LED-E1-T3	pole	bronze	59W 6235 Lumen 4000K led	w/ WP-GFI receptacle



DATE: TYPE: "E"
NAME:
PROJECT:

Halogen/incandescent
P5641-20
Cylinder

6" downlight wall cylinders are ideal for a wide variety of interior and exterior applications including residential and commercial. The aluminum Cylinders offers a contemporary design with its sleek cylindrical form and elegant Antique Bronze finish, perfect for today's inspired exteriors. Modern details feature a die-cast aluminum wall bracket and heavy-duty aluminum framing - resulting in an impeccable modern accent that adds panache and sophistication to your outdoor spaces.

- Antique Bronze finish.
- Interior finish matches exterior finish.
- Ideal for a wide variety of interior and exterior applications.
- One 250w PAR-38 or 150w BR-40.

Category: Outdoor
Finish: Antique Bronze (powder coat paint)
Construction: Cast aluminum Construction

Width: 6"
Height: 12"
Depth: 8-7/8"
H/CTR: 4-1/2"



MOUNTING	ELECTRICAL	LAMPING	ADDITIONAL INFORMATION
Wall mounted Mounting strap for outlet box included Back plate covers a standard 4" octagonal recessed outlet box 4.5" W., 4.5" ht., 2.93" depth	Pre-wired 6" of wire supplied 120 V	Quantity: One 250w max. PAR-38 E26 base porcelain socket	UL-CUL Wet location listed 1 year warranty

701 Millennium Blvd. Greenville, South Carolina 29607

www.progresslighting.com

Rev. 05/19

Project	Catalog #	Type	"SL1", "SL2", "SL3", "SL4"
Prepared by	Notes	Date	



McGraw-Edison
GLEON Galleon

Area / Site Luminaire

Product Features



Product Certifications




Connected Systems

- WaveLinX
- Enlighted

Quick Facts

- Lumen packages range from 4,200 - 80,800 (34W - 640W)
- Efficacy up to 156 lumens per watt

Dimensional Details



NOTES:
1. See <http://www.mcgraw-edison.com> for details to confirm qualification. Not all product variations are DLC qualified.
2. DLC Certified for 3000K CCT and warmer only.



PS5000202EN page 1
August 2, 2021 3:15 PM

**elswood
smith
carlson
architects, p.a.**

7133 west 95th street
suite 200
overland park, ks 66212
ph: 913-649-7557
www.escarchitects.com

elswood smith carlson architects, pa.
Kansas state certificate of authority # A-142
Missouri state certificate of authority # 60030

NOTICE DUTY OF COOPERATION
Notice of these plans constitutes notice of cooperation among the owner, his contractor, and the designer. Design and construction are complete. Although the designer and his consultants have performed their services with due care and diligence, they cannot guarantee perfection. Consequently, the engineer and every contractor cannot be anticipated. Any ambiguity or discrepancy discovered by the use of these plans shall be the responsibility of all participants. Changes made here the plans without the consent of the designer and architect, and shall release the designer of responsibility for all consequences arising out of such changes. Contractor shall check and verify all dimensions.



SUMMIT VIEW FARMS
POOL HOUSE
LEE'S SUMMIT, MISSOURI

The drawing and details contained within are the sole property of the architect and may be used for the specific project only. It shall not be loaned, copied or reproduced in whole or in part, or for any other purpose or project without the written consent of the architect.

copyright ©
elswood smith carlson architects, p.a.

UPDATES

10-18-21

Weston E. Coble
Architect
RBB #705
MO# A-2016011206

The Professional Architects seal affixed to this sheet applies only to material and items shown on this sheet. All drawings, instruments, or other documents not exhibiting this seal shall not be considered prepared by this architect, and this architect expressly disclaims any and all responsibility for such plans, drawings or documents.

project no. 20091
date 01/14/2021
revised
design by RRB
drawn by CAD
struct. by APEX

**Site Plan -
Details**

sheet no.

ME-1a



