
## LAKEWOOD BUSINESS CENTER ON I-470 - PLAT S

Lot 1
WATER LINE CONSTRUCTION PLANS
Part of Section 20, Township 48 N, Range 31 W
LEE'S SUMMIT, JACKSON COUNTY, MISSOURI

### WATER NOTES

- 1. THE CONTRACTOR SHALL COORDINATE WITH THE PUBLIC WORKS INSPECTOR AT LEAST 48 HOURS PRIOR TO AN' CONNECTIONS TO THE PUBLIC WATER SUPPLY AT 816-969-1800.
- 2. ALL WATER MAINS SHALL COMPLY WITH ANSI/AWWA C150/A21.50 AND C151/A21.51, AND CITY OF LEE'S SUMMIT STANDARDS.
  3. FIRE HYDRANTS SHALL BE OPTIC YELLOW WATEROUS "PACER" MODEL NO. WB-67-250 WITH NON-RISING STEM OR CITY
- ENGINEER APPROVED EQUAL. HYDRANTS SHALL HAVE A 5  $\frac{1}{4}$ " VALVE WITH A 4  $\frac{1}{2}$ " PUMPER NOZZLE AND 2 2  $\frac{1}{2}$ " HOSE NOZZLES (LEFT HAND OPENING)
- BUTTERFLY VALVES MANUFACTURED BY THE HENRY PRATT COMPANY OR CITY ENGINEER APPROVED EQUAL. LEFT HAND OPENING. MINIMUM 200# TESTING AWWA.
- LOCATED OUT OF EXISTING OR PROPOSED PAVEMENT AREAS.
- 6. ALL WATER MAINS SHALL BE CONSTRUCTED WITH A MINIMU
- 6. ALL WATER MAINS SHALL BE CONSTRUCTED WITH A MINIMUM COVER OF 42 INCHES. STREET GRADING SHALL BE COMPLETED PRIOR TO BEGINNING CONSTRUCTION OF WATER MAINS.
- AGAINST UNDISTURBED EARTH AND PER CITY OF LEE'S SUMMIT AND APWA STANDARDS
- 8. THE MINIMUM SEPARATION BETWEEN THE PROPOSED WATER MAIN AND SANITARY OR STORM SEWERS IS AS FOLLOWS:
- A) SANITARY SEWERS: HORIZONTAL = 10 FEET, VERTICAL = 18 INCHES
   B) STORM SEWERS: HORIZONTAL = 5 FEET, VERTICAL = 18 INCHES
- THESE SEPARATIONS SHALL PREVAIL OVER ANY DATA SHOWN IN THESE PLANS AND THE CONTRACTOR SHALL INSTALL BENDS
- OR OTHER FITTINGS AS NECESSARY TO ACHIEVE THE REQUIRED SEPARATIONS.

  9. ALL CONSTRUCTION SHALL FOLLOW THE CITY OF LEE'S SUMMIT DESIGN AND CONSTRUCTION MANUAL AS ADOPTED BY



**VICINITY MAP** 



### **UTILITY NOTE:**

THE UTILITIES AS SHOWN IN THESE DRAWINGS WERE DEVELOPED FROM THE INFORMATION AVAILABLE. IT IS NOT IMPLIED NOR INTENDED TO BE THE COMPLETE INVENTORY OF UTILITIES IN THIS AREA. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATIONS OF ALL UTILITIES (WHETHER SHOWN OR NOT) AND PROTECT SAID UTILITIES FROM ANY DAMAGE.

CALL BEFORE YOU DIG 1-800-DIG-RITE UTILITY CONTACTS:

EVERGY 816-471-5275

SPIRE 800-582-1234

COMCAST 816-795-1100

AT&T 816-325-5610

SPECTRUM 816-325-5610

CITY OF LEE'S SUMMIT PUBLIC WORKS 816-969-1800

CITY OF LEE'S SUMMIT PUBLIC WORKS INSPECTIONS 816-969-1800

CITY OF LEE'S SUMMIT WATER UTILITIES 816-969-1900

### HEET INDEX:

COVER SHEET
OVERALL LAYOUT PLAN
512 PLAN & PROFILE
DETAILS

### **LEGAL DESCRIPTION**

### BENCHMARK:

BEARINGS SHOWN HEREON ARE GRID BEARINGS
BASED ON THE MISSOURI COORDINATE SYSTEM
OF 1983, WEST ZONE AND TIED TO CONTROL
MONUMENT "JA-42", DATE OF OBSERVATION 2003
(N: 312505.303 METERS, E: 859594.663 METERS) OF
THE MISSOURI GEOGRAPHIC REFERENCE SYSTEM,
AS DEVELOPED FROM GPS OBSERVATIONS, A
GRID FACTOR OF 0.9999031 WAS USED.

### **ENGINEER'S CERTIFICATION:**

I HEREBY CERTIFY THAT THIS PROJECT HAS BEEN DESIGNED AND THESE PLANS PREPARED IN ACCORDANCE WITH THE CURRENT DESIGN CRITERIA OF THE CITY OF LEE'S SUMMIT, MISSOURI AND THE STATE OF MISSOURI. I FURTHER CERTIFY THAT THESE PLANS WERE IN ACCORDANCE TO AASHTO STANDARDS.

SIGNATUI	RE	DATE	
CITY OF L	EE'S S	UMMIT,	MISSOUR
APPROVED	DATE:_		

**CITY ENGINEER** 

ARCHITECTURE/ENGINEERING/SURVEYING
3200 S. State Route 291, Bldg. 1, Independence, MO 64057

Architecture: MO 310 / KS 73
Engineering: MO 4 / KS 241
Land Surveying: MO 123 / KS 36

### DEVELOPER/OWN

DAVID WARD

NORTH OAK SAFETY


STORAGE, LLC

1120 NW EAGLE RIDGE BLV

GRAIN VALLEY MO 64029

GRAIN VALLEY, MO 64029 (816) 229–8115

CENTER ON I-470 - P
2710 NE HAGEN ROAD
LEE'S SUMMIT, MO 64064
JACKSON COUNTY



Jadrienne S. Rodell-Tipton, PE PE-2021032725 (MISSOURI#)

© 2021 Powell CWM, Inc.This drawing has been prepared by Powell CWM, Inc. This drawing is provided as an instrument of service by Powell CWM, Inc.and is intended for use on this project only. Pursuant to the Architectural Works. Copyright Protection Act of 1990, all drawings, specifications, ideas and designs, including the overall form, arrangement and composition of spaces and elements appearing herein constitute the original, copyrighted work of Powell CWM, Inc. Any reproduction, use, or disclosure of information contained herein without prior written consent of Powell CWM, Inc. is strictly prohibited.

NO. DATE / DESCRIPTION				
NO. DATE / DE				
NO N				

DRAWN BY: JDS
CHECKED BY: JRT


PROJECT #: 21-1883


ISSUE DATE: 03/31/2022


ISSUED FOR:


COVER SHEET


500











NORTH OAK SAFETY STORAGE, LLC 1120 NW EAGLE RIDGE BLVD. GRAIN VALLEY, MO 64029 (816) 229-8115 470 COUNTY

Certificates of Authority
Architecture: MO 310 / KS 73
Engineering: MO 4 / KS 241
Land Surveying: MO 123 / KS 36

DEVELOPER/OWNER

DAVID WARD

JADRIENNE S. \* RODELL-TIPTON NUMBER ○\ PE-2021032725 Jadrienne S. Rodell-Tipton, PE

PE-2021032725 (MISSOURI #) © 2021 Powell CWM, Inc. This drawing has been prepared by Powell CWM, Inc. This drawing is provided as an instrument of service by Powell CWM, Inc.and is intended for use on this project only. Pursuant to the Architectural Works. Copyright Protection Act of 1990, all drawings, specifications, ideas and designs, including the overall form, arrangement and composition of spaces and elements appearing herein constitute the original, copyrighted work of Powell CWM, Inc. Any reproduction, use, or disclosure of information contained herein without prior written consent of Powell CWM, Inc. is strictly prohibited.

DRAWN BY: JDS CHECKED BY: JRT


PROJECT #: 21-1883 ISSUE DATE: 03/31/2022

ISSUED FOR:


PLAN & PROFILE

PERMIT

LINE 2








HORIZONTAL THRUST BLOCKS


Rev: 1/14




1. FLOWABLE FILL SHALL MEET THE REQUIREMENTS OF THE CITY OF LEE'S SUMMIT DESIGN AND CONSTRUCTION

- 2. REGULAR BACKFILL ABOVE THE TRENCH CHECK SHALL BE FREE OF DEBRIS, ORGANIC MATTER, AND STONES > 6" IN ANY DIMENSION.
- 3. TOP OF FLOWABLE BACKFILL SHALL EXTEND 12" ABOVE THE TOP OF THE PIPE. 4. LENGTH OF TRENCH CHECK SHALL BE A MINIMUM OF 12".










- 1. WHEN RETAINER GLANDS ARE USED IN LIEU OF MECHANICAL JOINT (MJ) RESTRAINT FITTINGS,
- HORIZONTAL THRUST BLOCKS ARE REQUIRED. 2. GATE VALVE MAY BE BOLTED DIRECTLY TO MJ RESTRAINT TEE.
- 3. SEE APPROVED PRODUCTS LIST FOR WATER UTILITIES FOR FIRE HYDRANT, VALVES, VALVE BOX LID,
- 4. BOTTOM HYDRANT FLANGE SHALL BE 2" TO 6" ABOVE FINISHED GRADE. 5. FOR STREETS WITHOUT CURBS FIRE HYDRANTS SHALL BE PLACED WITHIN 1 FOOT OF THE R/W LINE, BUT NOT MORE THAN 10' FROM EDGE OF PAVEMENT. FIRE HYDRANT SHALL NOT BE PLACED IN
- 6. HYDRANT SHALL BE ROTATED AS DIRECTED BY INSPECTOR.





### NOTES:

- 1. WHEN RETAINER GLANDS ARE USED IN LIEU OF MECHANICAL JOINT (MJ) RESTRAINT FITTINGS,
- HORIZONTAL THRUST BLOCKS ARE REQUIRED. 2. GATE VALVE MAY BE BOLTED DIRECTLY TO MJ RESTRAINT TEE.
- 3. SEE APPROVED PRODUCTS LIST FOR WATER UTILITIES FOR FIRE HYDRANT, VALVES, VALVE BOX LID, 4. BOTTOM HYDRANT FLANGE SHALL BE 2" TO 6" ABOVE FINISHED GRADE.
- 5. FOR STREETS WITHOUT CURBS FIRE HYDRANTS SHALL BE PLACED WITHIN 1 FOOT OF THE R/W LINE, BUT NOT MORE THAN 10' FROM EDGE OF PAVEMENT. FIRE HYDRANT SHALL NOT BE PLACED IN BOTTOM OF DITCH. 6. HYDRANT SHALL BE ROTATED AS DIRECTED BY INSPECTOR.




LEE'S SUMMIT	Date: 02/13		
LEE 9 90 MINIT	Drawn By: JN		
MISSOURI	Checked By: DL		
BLIC WORKS ENGINEERING DIVISION   220 SE GREEN STREET   LEE'S SUMMIT, MO 64063	FILE: WAT-7		
RANT INSTALLATION — STRAIGHT SET	Rev: 1/14		
RANT INSTALLATION - STRAIGHT SET	Rev:		



NORTH OAK SAFETY STORAGE, LLC 1120 NW EAGLE RIDGE BLVD. GRAIN VALLEY, MO 64029


### (816) 229-8115

# 0



### Jadrienne S. Rodell-Tipton, PE PE-2021032725 (MISSOURI #)

epared by Powell CWM, Inc. This drawing is ovided as an instrument of service by owell CWM, Inc.and is intended for use on s project only. Pursuant to the Architectural orks. Copyright Protection Act of 1990, all awings, specifications, ideas and designs, cluding the overall form, arrangement and position of spaces and elements appearin ein constitute the original, copyrighted work Powell CWM, Inc. Any reproduction, use, disclosure of information contained herein out prior written consent of Powell CWM,



DRAWN BY:

CHECKED BY: JRT PROJECT #: 21-1883

ISSUE DATE: 03/31/2022 ISSUED FOR: PERMIT

DETAILS