

SE 5TH STREET

SE TODD GEORGE PKWY

NW 1/4

NE 1/4

SW 1/4

SE 1/4

10

HWY 50

PROJECT LOCATION

SCALE: 1" = 2000'
SECTION 10-T47N-R31W
JACKSON COUNTY, MISSOURI

CITY OF LEE'S SUMMIT, MO

PLANNING AND DEVELOPMENT
CITY HALL
JOSH JOHNSON
220 SE GREEN STREET
LEE'S SUMMIT, MO 64063
TEL: (816) 969-1600
FAX: (816) 969-1619

CODES ADMINISTRATION
CITY HALL
220 SE GREEN STREET
LEE'S SUMMIT, MO 64063
TEL: (816) 969-1200
FAX: (816) 969-1201

PUBLIC WORKS
CITY HALL
220 SE GREEN STREET
LEE'S SUMMIT, MO 64063
TEL: (816) 969-1800
FAX: (816) 969-1809

WATER UTILITIES
CITY HALL
1200 SE HAMBLÉN RD
LEE'S SUMMIT, MO 64063
TEL: (816) 969-1900
FAX: (816) 969-1935

LEE'S SUMMIT FIRE DEPARTMENT
207 SE DOUGLAS ROAD
LEE'S SUMMIT, MO 64063
TEL: (816) 969-1300

ELECTRIC COMPANY
EVERGY
TEL: (888) 471-5275

TELEPHONE COMPANY
AT&T
TEL: (800) 464-7928

GAS COMPANY
MISSOURI GAS ENERGY
TEL: (816) 756-5252



Not to Scale

Sheet List Table	
<i>Sheet Number</i>	<i>Sheet Title</i>
1	COVER SHEET
2	SANITARY OVERALL PLAN
3	SANITARY PLAN AND PROFILE
4	EROSION CONTROL PLAN
5	SANITARY RELOCATION DETAILS

All existing utility locations shown are approximate only and are not guaranteed to be accurate or all inclusive. Contractor shall be responsible for contacting all utility companies and verifying the actual field locations of all utilities prior to any construction activity. Contractor shall keep all utility locations current. Utilities damaged through the negligence of the contractor to obtain the proper field locations shall be the responsibility of the contractor to repair or replace at their expense and at the direction of the utility company. The contractor shall pothole and survey all utility crossings prior to construction of any portion of storm sewer, sanitary sewer laterals, underdrains, conduit and any other subsurface element of the project. The survey information shall be forwarded to the project engineer for review. The contractor shall not begin construction on any subsurface element on the project without the approval of the project engineer. Utility coordination, potholing/surveying shall be subsidiary to other bid items.

Dig Safely.
Missouri One-Call
1-800-344-7483

The logo features the number '811' in a large, bold, black font. Below the number is a stylized black and white icon of a shovel, with the blade pointing upwards and the handle curving downwards.

PROJECT CONTROL TABLE (NAD83 MISSOURI STATE PLANE, WEST ZONE, US SURVEY FOOT)				
POINT NO.	CONTROL POINT/ BENCHMARK DESCRIPTION	GROUND VALUE NORTHING COORDINATE	GROUND VALUE EASTING COORDINATE	ELEV.
1	CP1 /IB4 W CAP BASE	996651.33	2835160.01	1005.91'
10	CP10 IB4 W CAP	996709.77	2835166.68	1004.75'
11	CP11 /IB4 W CAP	996282.25	2835096.83	1009.27'
2502	BM1 / SQUARE ON INLET	996690.68	2835166.32	1005.01'

BHC RHODES
OVERLAND PARK, KANSAS


ERIC BYRD, P.E.

12/21/2022
DATE

BY THE CITY OF LEE'S SUMMIT, MISSOURI.

CITY ENGINEER

DATE _____



EH&E
CIVIL ENGINEERING / SURVEYING / UTILITIES
7101 College Blvd., Suite 400
Overland Park, Kansas 66210
p. (913) 663-1900

EH&E is a trademark of Irving-Clair International & Company, P.A.


HCA LSMC ASC
150 SE Shenandoah Drive
LEE'S SUMMIT, MO 64063
###-##-####

**SANITARY SEWER
HCA LSCMC ASC
LEE'S SUMMIT, MO 64063**

COVER SHEET

Design:	EB	Drawn:	JS
Checked:	EB		
Issue Date:	12/21/2022		
Project Number:	34660		


1



GRAPHIC SCALE

Design: <i>EB</i>	Drawn: <i>JS</i>
Checked: <i>EB</i>	
Issue Date: <i>12/21/2022</i>	
Project Number: <i>34660</i>	

Dec 21, 2022 - 3:07pm Plotted By: jacob.stroble V:\034660-HCA-LSMC-asc\04-DWG\Eng\Sheet\Sanitary_Sewer\034660-SFIS-ERSN-SS.dwg Layout: SS ERSN CTRL PLAN



CONSTRUCTION NOTES

01 FILTER FABRIC SILT FENCE TO BE PLACED

DETAILS

• SEE DETAIL (SHEET 5) FOR THE FOLLOWING


601 FILTER FABRIC SILT FENCE

EROSION CONTROL LEGEND

— DISTURBED AREA (0.47 AC)


--- SF --- SILT/SEDIMENT FENCE

Design: EB Drawn: JS	
Checked: EB	
Issue Date: 12/21/2022	
Project Number: 34660	
4	
Sanitary Sewer Relocation HCA LSMC ASC LEE'S SUMMIT, MO 64063 EROSION CONTROL PLAN	
Prepared For: HCA LSMC ASC 1950 Shenandoah Drive LEE'S SUMMIT, MO 64063 000-000-0000	
Rev.	Date
By	Description
App.	



Date: 12/2015
Drawn By: SC
Checked By: DL

SAN-2



Date: 02/2013
Drawn By: MJF
Checked By: DL

SAN-5



NOTES:

1. MUST BE INSTALLED PROPERLY TO AVOID NOTICE OF VIOLATION.
2. SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE POUNDING EFFICIENCY.
3. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN NECESSARY. 9" MAXIMUM RECOMMENDED STORAGE HEIGHT.
4. REMOVED SEDIMENT SHALL BE DEPOSITED TO AN AREA THAT WILL NOT CONTRIBUTE TO SEDIMENT OFF-SITE AND CAN BE PERMANENTLY STABILIZED.

601 Filter Fabric Silt Fence

[illegible]