

S:\01 PROJECTS\MULTI-FAMILY\424 SUMMIT SQUARE 3YDP AND PUBLIC IMPROVEMENTS\PLANS\02_SANITARY SEWER PLANS\C-0001 COVER SHEET.DWG



LOCATION MAP
SCALE 1:1700

PROJECT TEAM:

OWNER
TOWNSEND CAPITAL, LLC
CONTACT: TOWNSEND CAPITAL, LLC
PHONE: 303.947.2044

DEVELOPER
NORTHPOINT DEVELOPMENT
3313 N OAK TRAFFICWAY
KANSAS CITY, MO 64116
CONTACT: BRIAN BENJAMIN
PHONE: 816.888.7380
EMAIL: BBENJAMIN@NORTHPOINTKC.COM

ENGINEER
SITEPOINT, LLC
3313 N OAK TRAFFICWAY
KANSAS CITY, MO 64116
CONTACT: MELISSA G. DEAGONIA, P.E.
PHONE: 816.888.7380
EMAIL: MDEAGONIA@NORTHPOINTKC.COM

SURVEYOR
ANDERSON ENGINEERING, INC
4240 PHILIPS FARM ROAD, SUITE 101
COLUMBIA, MO 65201
CONTACT: JOHN HUSS, P.E.
PHONE: 573.397.5476


UTILITY CONTACT LIST:

PUBLIC WORKS
CITY OF LEE'S SUMMIT
PHONE: 816.969.1800

ELECTRIC
EVERGY
PHONE: 888.471.52.75

DOMESTIC GAS
SPIRE
PHONE: 816.756.5252

WATER SERVICE
CITY OF LEE'S SUMMIT
PHONE: 816.969.1900



SCALE 1:300

PROPERTY DESCRIPTION:

LOT 10, SUMMIT FAIR, SECOND PLAT LOTS 8, 10-14 AND TRACT C

PROJECT CONTROL

CP 1
N: 1005856.64
E: 2818546.66
ELEV: 1010.39
1-1/2" REBAR W/ CAP

CP 2
N: 1005467.89
E: 2819172.83
ELEV: 1006.37
1/2" REBAR W/ CAP

CP 3
N: 1004895.44
E: 2818846.42
ELEV: 1002.66
CHISELED "X"

CP 4
N: 1006085.33
E: 2819227.33
ELEV: 991.98
1/2" REBAR W/ SITEPOINT CAP

CP 1000
N: 1004637.63
E: 2818559.79
ELEV: 997.32
FOUND 1/2" REBAR

CP 1001
N: 1007156.13
E: 2818697.32
ELEV: 976.80
FOUND CHISELED "+"

Sheet List Table	
Sheet Number	Sheet Title
C-0001	COVER SHEET
C-0010	GENERAL NOTES
C-0200	GENERAL LAYOUT
C-0600	SANITARY SEWER PLAN & PROFILE
C-0610	AREA MAP
C-2000	DETAIL SHEET

RELEASED FOR CONSTRUCTION
As Noted on Plan Review

Development Services Department
Lee's Summit, Missouri
04/03/2023

COVER SHEET

TRILOGY APARTMENTS
LEFT TURN LANE ADDITION
SANITARY IMPROVEMENT
LEE'S SUMMIT, JACKSON COUNTY, MO



SHEET #:

C-0001

S:\01 PROJECTS\MULTI-FAMILY\424 SUMMIT SQUARE 3YDP AND PUBLIC IMPROVEMENTS\PLANS\02_SANITARY SEWER PLANS\C-0010 GENERAL NOTES.DWG

GENERAL NOTES:

1. LINEAR FOOT MEASUREMENTS SHOWN ON THE PLANS ARE HORIZONTAL MEASUREMENTS (NOT SLOPE MEASUREMENTS) FROM CENTER OF STRUCTURE TO CENTER OF STRUCTURE.
2. ALL CONSTRUCTION SHALL FOLLOW THE CITY OF LEE’S SUMMIT DESIGN AND CONSTRUCTION MANUAL AS ADOPTED BY ORDINANCE 5813. WHERE DISCREPANCIES EXIST BETWEEN THESE PLANS AND THE DESIGN AND CONSTRUCTION MANUAL, THE DESIGN AND CONSTRUCTION MANUAL SHALL PREVAIL.
3. THE DEVELOPER SHALL PERFORM ALIGNMENT AND GRADE, INFILTRATION – EXFILTRATION, DEFLECTION, SOIL DENSITY, AND MANHOLE TESTS AS CALLED OUT IN SECTION 2500 OF THE CURRENT APWA (AMERICAN PUBLIC WORKS ASSOCIATION) STANDARDS AND SPECIFICATIONS. ANY SECTION OF SEWER FAILING ANY OF THE ABOVE MENTIONED TESTS SHALL BE RETESTED BY THE DEVELOPER AFTER REPLACEMENT OR REPAIR.
4. PRIOR TO ORDERING PRE–CAST STRUCTURES, SHOP DRAWINGS ARE TO BE SUBMITTED TO THE DESIGN ENGINEER FOR APPROVAL. THE DESIGN ENGINEER SHALL INDICATE APPROVAL OF THE SHOP DRAWINGS.
5. DURING CONSTRUCTION OF THE PROJECT, THE DEVELOPER SHALL KEEP ONE RECORD COPY OF ALL SPECIFICATIONS, DRAWINGS, ADDENDA, MODIFICATIONS, AND SHOP DRAWINGS AT THE SITE IN GOOD CONDITION. THESE DOCUMENTS SHALL BE ANNOTATED TO SHOW ALL CHANGES MADE DURING CONSTRUCTION. THE EXACT LOCATION OF ALL SEWER WYES, TEES, AND SERVICE LINES SHALL BE RECORD ON THESE DOCUMENTS. AT THE CONCLUSION OF CONSTRUCTION, THESE DOCUMENTS SHALL BE FORWARDED TO THE DESIGN ENGINEER FOR PREPARATION OF AS–BUILT DRAWINGS.
6. THE PROJECT BENCHMARKS AND ALL ELEVATIONS SHOWN ON THE PROFILES ARE N.G.V.D.
7. THE DEVELOPER IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES, AND WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE DEVELOPER MUST CALL THE APPROPRIATE UTILITY COMPANY AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF UTILITIES. IT IS THE DEVELOPERS RESPONSIBILITY TO RELOCATE AND/OR ADJUST ALL EXISTING UTILITIES, CONFLICT WITH PROPOSED SITE IMPROVEMENTS.
8. THE DEVELOPER SHALL ALSO UTILIZE THE FOLLOWING TOLL FREE PHONE NUMBER PROVIDED BY “MISSOURI ONE CALL SYSTEM, INC.” 1–800–DIG–RITE. THIS PHONE NUMBER IS APPLICABLE ANYWHERE WITHIN THE STATE OF MISSOURI. THE NAMES AND TELEPHONE NUMBERS OF UTILITY COMPANIES, EVEN IF ONLY REMOTELY INVOLVED WITH THIS HIS PROJECT ARE LISTED UNDER “UTILITY CONTACTS” THIS SHEET.
9. THE DEVELOPER SHALL PROVIDE AND MAINTAIN ALL TRAFFIC CONTROL MEASURES NECESSARY TO ENSURE THAT THE GENERAL PUBLIC IS PROTECTED AT ALL TIMES. TRAFFIC CONTROL SHALL CONFORM TO THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD–LATEST EDITION).
10. THE SITE PLAN IS BASED ON SURVEY BY ANDERSON ENGINEERING, INC., COMPLETED 07.21.2022. CONDITIONS ON SITE AT THE TIME OF CONSTRUCTION MAY VARY FROM THE SURVEYED CONDITIONS. DEVELOPER SHALL VERIFY EXISTING SITE CONDITIONS PRIOR TO BEGINNING CONSTRUCTION.
11. THE DEVELOPER IS RESPONSIBLE FOR OBTAINING ALL PERMITS (EXCEPT LAND DISTURBANCE), BONDS, INSURANCE, ETC. AND PAYING ALL FEES. THE COST OF DEVELOPERS BONDS AND INSURANCE AS REQUIRED BY THE CITY OF LEE’S SUMMIT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER.
12. DEVELOPER SHALL COMPLY WITH ALL APPLICABLE REGULATIONS REQUIRED BY THE CITY AND THE STATE.
13. THE DEVELOPER MUST REMOVE AT HIS COST ANY BAD SUBSURFACE SOIL WHICH WOULD NOT BE ABLE TO SUPPORT ANY PROPOSED PUBLIC IMPROVEMENT. BACKFILL SHALL BE ACCOMPLISHED IN ACCORDANCE WITH SECTIONS 2100 AND 2201 ENTITLED “GRADING AND SITE PREPARATION” AND “SUBGRADE PREPARATION”.
14. VERTICAL CONTROL IS BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88). THE DEVELOPER IS ADVISED TO USE BENCHMARK INFORMATION FOR VERTICAL CONTROL. HORIZONTAL CONTROL (CONTROL POINT INFORMATION) IS BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83). THE DEVELOPER IS ADVISED TO USE CONTROL POINT INFORMATION FOR HORIZONTAL CONTROL.
15. RAIN WATER FROM ROOFS, STREETS, AND OTHER AREAS AND GROUNDWATER FROM FOUNDATION DRAINS SHALL BE EXCLUDED FROM ALL NEW SEWERS.
16. SERVICE CONNECTIONS TO THE SEWER MAIN SHALL BE WATERTIGHT AND CANNOT PROTRUDE INTO THE SEWER.
17. NO SEWER, SERVICE CONNECTION, OR DROP MANHOLE PIPE SHALL DISCHARGE ONTO THE SURFACE OF THE BENCH.

PLUMBING NOTES:

1. ALL LOTS HAVE BEEN SUPPLIED WITH WYES, TEES OR LATERALS. PLUMBER SHALL CONNECT HOUSE SERVICE TO MAIN AT LOCATIONS INDICATED.
2. ALL SERVICE LINES SHALL BE LAID AT 2% MINIMUM SLOPE, UNLESS OTHERWISE NOTED.
3. M.S.E. ELEVATION – INDICATES BASEMENT FLOOR ELEVATION OR LOWEST FLOOR ELEVATION SERVICEABLE BY PROPOSED SANITARY SEWER.

EXCAVATING NOTES:

1. IT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER TO CONTROL DOWNSTREAM EROSION AND SILTATION DURING ALL PHASES OF CONSTRUCTION.
2. THE DEVELOPER SHALL BE RESPONSIBLE FOR RECORDING ROCK ELEVATIONS AT 25 FOOT (MAXIMUM) INTERVALS WHERE ENCOUNTERED, AND FURNISHING THIS INFORMATION TO THE DESIGN ENGINEER FOR USE ON AS–BUILTS.
3. THE LOCATIONS OF EXISTING UTILITIES AS SHOWN ARE APPROXIMATE. IT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER TO VERIFY THE LOCATIONS OF ALL EXISTING UTILITIES. EROSION CONTROL PLANS AND PROCEDURES SHALL BE IN PLACE PRIOR TO ANY EXCAVATION.
4. NO SUBSURFACE EXPLORATION FOR THE DETERMINATION OF AND/OR THE LOCATION OF EXISTING ROCK HAS BEEN MADE.
5. WHEN SEWER LINES CROSS A LOW POINT IN A CREEK, THE SEWER LINE MUST BE ENCASED ACCORDING TO LEE’S SUMMIT.
6. DEVELOPER IS RESPONSIBLE FOR KEEPING ALL PUBLIC ROADWAYS ADJACENT TO THE CONSTRUCTION SITE FREE OF DIRT AND DEBRIS RESULTING FROM ACTIVITIES RELATED TO THE CONSTRUCTION OF THIS PROJECT. INSPECTIONS AND CLEANUP TO OCCUR ON A DAILY BASIS.
7. DEVELOPER SHALL KEEP THE ENTIRE PROJECT SITE FREE OF DEBRIS AND TRASH AT ALL TIMES. DEVELOPER SHALL EXECUTE WORK USING METHODS THAT MINIMIZE EXCESSIVE NOISE OR DUST EMISSIONS. DEVELOPER SHALL PROVIDE METHODS, MEANS AND FACILITIES TO PREVENT CONTAMINATION OF SOIL OR WATER FROM DISCHARGE OF REGULATED MATERIALS (I.E. FUEL) USED DURING CONSTRUCTION.
8. THE DEVELOPER SHALL ERECT AND MAINTAIN ORANGE COLORED TEMPORARY CONSTRUCTION FENCE AROUND ALL AREAS INDICATED ON THE PLANS TO BE LEFT UNDISTURBED BOTH TEMPORARY AND PERMANENTLY THE DEVELOPER WILL BE GIVEN NOTICE WHEN HE MAY ENTER THESE AREAS MARKED TEMPORARY BY THE OWNER ONCE PERMITS HAVE BEEN OBTAINED. THE FENCE MATERIAL SHALL BE 48” TALL. HIGH DENSITY POLYETHYLENE (HDPE) WITH NOMINAL MESH OPENING SIZE OF 1.25 INCHES X 1.25 INCHES.

SUMMARY OF QUANTITIES

PLAN	UNIT	ITEM
5	EA.	MANHOLE (4’ DIA.)
1,025	L.F.	10” (SDR–26)

SUMMARY OF QUANTITIES AS INDICATED ABOVE AND ANY QUANTITIES AS SHOWN WITHIN THE PLANS HAVE BEEN PROVIDED FOR PERMITTING PURPOSES ONLY AND ARE NOT INTENDED FOR USE IN PREPARATION OF CONTRACT DOCUMENTS. QUANTITIES INTENDED FOR, BUT NOT LIMITED TO, THE PREPARATION OF PROPOSALS AND BID DOCUMENTS SHALL BE INDEPENDENTLY EVALUATED BY THE ESTIMATING PARTY BASED UPON THE CONTENTS OF THESE PLANS.

LEGEND	
GENERAL	
	EXISTING TREELINE
	PROPOSED TREELINE
	EXISTING SIDEWALK
	PROPOSED SIDEWALK
	FUTURE SIDEWALK
	EXISTING BUILDINGS
	PROPOSED BUILDINGS
	FUTURE BUILDINGS
	EXISTING EDGE OF PAVEMENT
	PROPOSED EDGE OF PAVEMENT
	FUTURE EDGE OF PAVEMENT
	EXISTING ROADWAY CENTER LINE
	PROPOSED ROADWAY CENTER LINE
	FUTURE ROADWAY CENTER LINE
	EXISTING CURB & GUTTER
	PROPOSED CURB & GUTTER
	FUTURE CURB & GUTTER
EASEMENTS & SETBACKS	
A.E.	ACCESS EASEMENT
B.M.P.	BEST MANAGEMENT PRACTICE EASEMENT
B.L.	BUILDING SETBACK
COMM. E.	COMMUNICATION EASEMENT
C.G.E.	CONSTRUCTION GRADING EASEMENT
F.P.E.	FLOOD PLAIN EASEMENT
L.S.	LANDSCAPE EASEMENT
G.E.	NATURAL GAS EASEMENT
P.L.E.	POWER\ELECTRIC LINE EASEMENT
P.S.	PARKING SETBACK
S.B.	STREAM BUFFER
S.D.E.	SURFACE DRAINAGE EASEMENT
S.E.	SANITARY SEWER EASEMENT
D.E.	STORM DRAINAGE EASEMENT
TEMP. ESMT.	TEMPORARY EASEMENT
U.E.	UTILITY EASEMENT
W.E.	WATER EASEMENT
F.Y.S	FRONT YARD SETBACK
R.Y.S.	REAR YARD SETBACK
S.Y.S.	SIDE YARD SETBACK
CONTOURS	
	EXISTING INDEX CONTOURS
	EXISTING INTERMEDIATE CONTOURS
	PROPOSED INDEX CONTOURS
	PROPOSED INTERMEDIATE CONTOURS
	FUTURE INDEX CONTOURS
	FUTURE INTERMEDIATE CONTOURS
BOUNDARIES	
	SECTION LINE
	EXISTING PROPERTY BOUNDARY
	PROPOSED PROPERTY BOUNDARY
	FUTURE PROPERTY BOUNDARY
	EXISTING LOT LINE
	PROPOSED LOT LINE
	FUTURE LOT LINE
R/W	EXISTING RIGHT–OF–WAY
R/W	PROPOSED RIGHT–OF–WAY
R/W	FUTURE RIGHT–OF–WAY
UTILITIES	
	EXISTING COMMUNICATIONS LINE
	PROPOSED COMMUNICATIONS LINE
	FUTURE COMMUNICATIONS LINE
	EXISTING NATURAL GAS LINE
	PROPOSED NATURAL GAS LINE
	FUTURE NATURAL GAS LINE
	EXISTING POWER\ELECTRIC LINE
	PROPOSED POWER\ELECTRIC LINE
	FUTURE POWER\ELECTRIC LINE
	EXISTING SANITARY SEWER
	PROPOSED SANITARY SEWER
	FUTURE SANITARY SEWER
	EXISTING STORM SEWER
	PROPOSED STORM SEWER
	FUTURE STORM SEWER
	EXISTING WATER LINE
	PROPOSED WATER LINE
	FUTURE WATER LINE

RELEASED FOR CONSTRUCTION

As Noted on Plan Review

Development Services Department

Lee's Summit, Missouri

04/03/2023

SITEPOINT

A Division of NorthPoint Development

3315 N Oak Trafficway
Kansas City, MO 64116

816.888.7380
sitepoint@northpointkc.com

REVISIONS/APPROVALS:		NO.		DATE	
INITIAL CITY SUBMITTAL		1		2022 12 20	
REVISED PER CITY COMMENTS		2		2023 03 21	
REVISED PER MDNR COMMENTS					

REVIEWED BY:	DESIGNED BY:	DRAFTED BY:	SP PROJECT #:	MELISSA G. DECONIA	2011000892
N.W.H	N.W.H	D.A.H		P.E.	

GENERAL NOTES

TRILOGY APARTMENTS

LEFT TURN LANE ADDITION

SANITARY IMPROVEMENT

LEE'S SUMMIT, JACKSON COUNTY, MO

STATE OF MISSOURI

MELISSA G. DECONIA

PROFESSIONAL ENGINEER

NUMBER

PE 301000892

Melissa G. DeConia

04/24/2023

Certificate of Authority #MO 2020018354


SHEET #:

C-0010

ALL NOTES REFERENCED ON THIS PLAN SHEET MAY HAVE APPLICATIONS TO EVERY FACET OF THE CONSTRUCTION PLANS. THE NOTE HEADINGS OR TITLES ARE TO BE USED AS A GENERAL GUIDE TO APPLICABLE SITUATIONS.

S:\01 PROJECTS\MULTI-FAMILY\424 SUMMIT SQUARE 3YDP AND PUBLIC IMPROVEMENTS\PLANS\02 SANITARY SEWER PLANS\C-0200 GENERAL LAYOUT.DWG

MINOR SUBDIVISION - SUMMIT FAIR
LOTS 27A/27B
(2015E00112075-1)




560 NW Chipman Road
Owner: VD Summit LLC
Parcel Number: 52-900-03-63-00-0-00-000
Summit Orchard Lots 4A-4E - Lot 4A

RELEASED FOR CONSTRUCTION
As Noted on Plan Review

Development Services Department
Lee's Summit, Missouri

04/03/2023

- NOTE:
1. FEMA FLOOD BOUNDARY MAP 29095C0417G DOES NOT DESIGNATE ANY FLOODPLAIN ON THE PROPERTY. THE ENTIRE PROPERTY IS UNSHADED ZONE X.
 2. NO EXISTING OIL AND GAS WELLS LOCATED ON SITE ACCORDING TO MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI GEOLOGICAL SURVEY.



REVIEWED BY:	DATE:	NO.:	REVISIONS/APPROVALS:
N.W.H.	2022.10.10	1	INITIAL CITY SUBMITTAL
N.W.H.	2022.12.20	1	REVISED PER CITY COMMENTS
D.A.H.			
SP PROJECT #:			
MELISSA G. DECONIA, P.E.			
2011000892			




GENERAL LAYOUT
TRILOGY APARTMENTS
LEFT TURN LANE ADDITION
SANITARY IMPROVEMENT
LEE'S SUMMIT, JACKSON COUNTY, MO



SHEET #:

C-0200

S:\01 PROJECTS\MULTI-FAMILY\424 SUMMIT SQUARE 3YDP AND PUBLIC IMPROVEMENTS\PLANS\02_SANITARY SEWER PLANS\C-0600 SANITARY SEWER PLAN & PROFILING.dwg



RELEASED FOR CONSTRUCTION
As Noted on Plan Review

Development Services Department
Lee's Summit, Missouri

04/03/2023

REVIEWED BY:	DATE:	NO.:	REVISIONS/APPROVALS:
N.W.H	2022.10.10		INITIAL CITY SUBMITTAL
N.W.H	2022.12.20	1	REVISED PER CITY COMMENTS
D.A.H	2023.03.21	2	REVISED PER MDNR COMMENTS
SP PROJECT #:			
MELISSA G. DEGENIA P.E.			
201100092			

SANITARY SEWER PLAN & PROFILE

TRILOGY APARTMENTS
LEFT TURN LANE ADDITION
SANITARY IMPROVEMENT

LEE'S SUMMIT, JACKSON COUNTY, MO




SHEET #:

C-0600

S:\01 PROJECTS\MULTI-FAMILY\024 SUMMIT SQUARE 3YDP AND PUBLIC IMPROVEMENTS\PLANS\02 SANITARY SEWER PLANS\C-0610 SANITARY TABLES.DWG

Sanitary Sewer Design Information											
Upstream Manhole	Downstream Pipe Slope	Downstream Pipe Diameter	Proposed Cumulative Area	Future Area	Peak Base Flow	Peak Infiltration Flow	Peak Inflow	Total Peak Flow	Downstream Pipe Mannings N	Downstream Pipe Capacity	Downstream Pipe Full Flow Velocity
	(%)	(in)	(Ac.)	(Ac.)	(gpd)	(gpd)	(cfs)	(cfs)		(cfs)	(fps)
SS MH3	1.87%	10	11.90	2.70	21900.00	7300.000	0.404	0.449	0.013	3.00	5.49
SS MH4	0.50%	10	11.90	2.70	21900.00	7300.000	0.404	0.449	0.013	1.55	2.84
SS MH5	0.50%	10	11.90	2.70	21900.00	7300.000	0.404	0.449	0.013	1.55	2.84
SS MH6	0.50%	10	5.60	2.70	12450.00	4150.000	0.243	0.269	0.013	1.55	2.84




UPSTREAM AREA UNKNOWN.
CALCULATIONS REPRESENT PROPOSED
DEVELOPMENT ONLY AND
ASSUMES ADAQUATE CAPACITY FOR EXISTING
FLOW CONDITIONS

RELEASED FOR CONSTRUCTION
As Noted on Plan Review

Development Services Department
Lee's Summit, Missouri

04/03/2023





REVISIONS/APPROVALS:	NO.	DATE	REVISIONS/APPROVALS:
INITIAL CITY SUBMITTAL	1	2022 10 10	1
REVISED PER CITY COMMENTS	2	2022 12 20	2
REVISED PER MDNR COMMENTS		2023 03 21	
SP PROJECT #:			
MELISSA G. DECONIA, P.E.			
201100092			

AREA MAP
TRILOGY APARTMENTS
LEFT TURN LANE ADDITION
SANITARY IMPROVEMENT
LEE'S SUMMIT, JACKSON COUNTY, MO


STATE OF MISSOURI
MELISSA G. DECONIA
PE 201100092
Professional Engineer
Certificate of Authority # MO 2020018354
Expires 04/24/2023

SHEET #:

C-0610





	LEE'S SUMMIT MISSOURI PUBLIC WORKS ENGINEERING DIVISION 220 SE GREEN STREET LEE'S SUMMIT, MO 64063	Date: 02/2013 Drawn By: MJF Checked By: DL
	MANHOLE WALL CONNECTION	SAN-5



1. PRECAST CONCRETE MANHOLES SHALL CONFORM TO ASTM C478 EXCEPT AS MODIFIED BY THE SPECIFICATIONS.
2. A WALL THICKNESS NOT LESS THAN ONE-TWELFTH ($\frac{1}{12}$) OF THE INSIDE DIAMETER OR 4", WHICHEVER IS GREATER, SHALL BE USED WHEN THE MANHOLE DEPTH IS LESS THAN 15'.
3. WATER-PROOFING SHALL BE DONE ON THE OUTSIDE OF THE MANHOLE. THE WATERPROOFING SHALL CONSIST OF A TOTAL DRY FILM THICKNESS OF NOT LESS THAN 14 MILS OF BITUMINOUS COATING.
4. ONLY EXISTING MANHOLE COINGS WILL BE ALLOWED UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.
5. THE FILL CONCRETE FLOW CHANNEL FOR SIDE BRANCHES SHALL BE PLACED TO PROVIDE A SMOOTH TRANSITION INTO THE FLOW LINE.
6. REFER TO THE APPROVED PRODUCTS LIST FOR WATER UTILITIES FOR APPROVED MANHOLE GASKET MODELS.
7. REFER TO THE APPROVED PRODUCTS LIST FOR APPROVED STEPPES.

	LEE'S SUMMIT MISSOURI PUBLIC WORKS ENGINEERING DIVISION 220 SE GREEN STREET LEE'S SUMMIT, MO 64063		Date: 12/2015 Drawn By: SC Checked By: DL
	STANDARD SANITARY PRECAST MANHOLE		SAN-2



1. ALL SEWER STUBS SHALL BE CONSTRUCTED TO PROPERTY LINE OR 10' MINIMUM FROM THE MAIN, WHICHEVER IS GREATER. WHERE SIDEWALKS ARE PRESENT, CONTRACTOR SHALL EXTEND SERVICE LINE UNDER EXISTING SIDEWALK TO TWO FEET BEYOND.
2. INTERVENING TRENCH CHECKS SHALL BE PLACED ON BUILDING SEWER STUBS (AT LEAST 5' AWAY FROM THE SANITARY SEWER).
3. TRENCH CHECKS ON THE BUILDING SEWER STUBS SHALL EXTEND 6" BELOW THE BOTTOM OF THE PIPE. LENGTH SHALL BE A MINIMUM OF 12". THE HEIGHT OF THE TRENCH CHECK SHALL EXTEND 12" ABOVE THE TOP OF THE PIPE. THE WIDTH OF THE TRENCH CHECK SHALL BE THE WIDTH OF THE TRENCH.
4. SEE SPECIFICATION SECTION 2100 FOR SEWER MAIN BEDDING AND BACKFILL.
5. #12 GAUGE GREEN INSULATED COPPER TRACER WIRE SHALL BE INSTALLED. TRACER WIRE TERMINAL BOXES SHALL BE INSTALLED DIRECTLY ABOVE THE SEWER SERVICE OR AS DETERMINED BY THE ENGINEER.
6. FOR SERVICES, TRACER WIRE SHALL RUN FROM THE WYE AND TERMINATE IN A FLUSH MOUNTED TRACER BOX WITH A GREEN CAST IRON LOOKALIKE TOP. WIRE SHALL BE TAPED OR TIED TO THE PIPE AT 5' INTERVALS.
7. TRACER WIRE BOX SHALL BE INSTALLED WITHIN 1.0' OF PROPERTY LINE.
8. THE TRACER WIRE SHALL BE INSTALLED AS NEARLY STRAIGHT AS POSSIBLE. SPLICES IN THE TRACER WIRE SHALL BE MADE WITH SPLIT BOLT CONNECTORS. WIRE NUTS SHALL NOT BE USED. A WATER-PROOF CONNECTION IS NECESSARY TO PREVENT CORROSION.

	LEE'S SUMMIT MISSOURI PUBLIC WORKS ENGINEERING DIVISION 220 SE GREEN STREET LEE'S SUMMIT, MO 64063	Date: 12/2015 Drawn By: MJF Checked By: DL
	SANITARY SEWER STUB DETAIL	SAN-1

REVIEWED BY: N.W.H	DATE: 2022.10.10	REVISIONS/APPROVALS:	
		INITIAL CITY SUBMITTAL	
DESIGNED BY: N.W.H	2022.12.20	1	REVISED PER CITY COMMENTS
DRAFTED BY: D.A.H			
SP PROJECT #: 4024			
MELISSA REGGIONE, P.E.			
2011000892			

LEE'S SUMMIT, JACKSON COUNTY, MO



C-2000

C-2000

04/03/2023