

DEVELOPMENT SERVICES

**Commercial Final Development Plan
Applicant's Letter**

Date: Thursday, March 14, 2024

To:

Property Owner: JOHN KNOX VILLAGE

Email:

Applicant: JOHN KNOX VILLAGE

Email:

Engineer/Surveyor: BHC RHODES

Email: JEFF.BARTZ@IBHC.COM or
PATRICK.JOYCE@IBHC.COM

Review Contact: ERIC BYRD

Email: ERIC.BYRD@IBHC.COM

Applicant: SFCS ARCHITECTS

Email:

From: Mike Weisenborn, Project Manager

Re:

Application Number: PL2023334

Application Type: Commercial Final Development Plan

Application Name: JOHN KNOX VILLAGE COURTYARDS BUILDING E

Location: 515 NW MOORE ST, LEES SUMMIT, MO 64081

Electronic Plans for Resubmittal

All Planning application and development engineering plan resubmittals shall include an electronic copy of the documents as well as the required number of paper copies.

Electronic copies shall be provided in the following formats:

- Plats – All plats shall be provided in multi-page Portable Document Format (PDF).
- Engineered Civil Plans – All engineered civil plans shall be provided in multi-page Portable Document Format (PDF).
- Architectural and other plan drawings – Architectural and other plan drawings, such as site electrical and landscaping, shall be provided in multi-page Portable Document Format (PDF).
- Studies – Studies, such as stormwater and traffic, shall be provided in Portable Document Format (PDF).

Please contact Staff with any questions or concerns.

Excise Tax

On April 1, 1998, an excise tax on new development for road construction went into effect. This tax is levied based on the type of development and trips generated. If you require additional information about this development cost, as well as other permit costs and related fees, please contact the Development Services Department at (816) 969-1200.

Review Status:

Approved: See below for any conditions of approval.

Required Corrections:

Planning Review

No Comments

Engineering Review

Gene Williams, P.E.
(816) 969-1223

Senior Staff Engineer
Gene.Williams@cityofls.net

Approved with Conditions

1. The Engineer's Estimate of Probable Construction Costs has been accepted for this project, and the Engineering Plan Review and Inspection Fee (which is calculated as 3% of the total infrastructure cost plus a water test inspection fee(s)), sanitary sewer fee, and the water tap and meter setup fee have been included. These must be paid prior to the issuance of an infrastructure permit and/or the final processing of a building permit. \$58,572.76
2. Prior to the commencement of any construction activities, the Contractor shall contact Field Engineering Inspections at (816) 969-1200 to coordinate a project coordination meeting with the assigned Field Engineering Inspector.
3. Please be aware that any future repair work to public infrastructure (e.g., water main repair, sanitary sewer repair, storm sewer repair, etc.) within public easements will not necessarily include the repair of pavement, curbing, landscaping, or other private improvements which are located within the easement.

Fire Review

Jim Eden
(816) 969-1303

Assistant Chief
Jim.Eden@cityofls.net

Approved with Conditions

1. All issues pertaining to life safety and property protection from the hazards of fire, explosion or dangerous conditions in new and existing buildings, structures and premises, and to the safety to fire fighters and emergency responders during emergency operations, shall be in accordance with the 2018 International Fire Code and local amendments.
2. IFC 503.3 - 503.3 Marking. Where required by the fire code official, approved signs or other approved notices or markings that include the words NO PARKING—FIRE LANE shall be provided for fire apparatus access roads to identify such roads or prohibit the obstruction thereof. The means by which fire lanes are designated shall be maintained in a clean and legible condition at all times and be replaced or repaired when necessary to provide adequate visibility. Fire lanes may be marked in one or a combination of methods as approved by the fire code official. Curbs. All curbs and curb ends shall be painted red with four inch (4") white lettering stating "FIRE LANE—NO PARKING". Wording may not be spaced more than fifteen feet (15') apart. Where no curb exists or a rolled curb is installed, a 6-inch (6") wide painted red stripe applied to the concrete or asphalt with four inch (4") white lettering stating "FIRE LANE—NO PARKING". Signs. In areas where fire lanes are required, but no continuous curb is available, one of the following methods shall be used to indicate the fire lane. Option 1 : A sign twelve inches (12") wide and eighteen inches (18") in height shall be mounted on a metal post set in concrete a minimum of depth of eighteen inches (18") set back one

foot (1') in from the edge of the roadway with the bottom of the sign being seven feet (7') from finished grade. Signs shall face oncoming traffic. Spacing of signs shall not exceed fifty feet (50') between signs. Signs shall be reflective material with a white color background with symbols, letters and border in red color. "FIRE LANE—NO PARKING".
Option 2 : A sign twelve inches (12") wide and eighteen inches (18") in height shall be mounted on the side of a structure or other permanent fixture approved by the Fire Code Official. The bottom of the sign being seven feet (7') from finished grade. Spacing of signs shall not exceed fifty feet (50') between signs. Signs shall be reflective material with a white color background with symbols, letters and border in red color. "FIRE LANE—NO PARKING".

Traffic Review	Erin Ralovo	Erin.Ravolo@cityofls.net	No Comments
Building Codes Review	Joe Frogge (816) 969-1241	Plans Examiner Joe.Frogge@cityofls.net	No Comments