

PLOTTED ON: Monday, October 21, 2024 4:34:35 PM FILE NAME: DISCOVERY PARK LOTS 9 & 10 THE PLAZA 19e ph 1-central plaza lots 9 10 - lees summit mo\24-016 cad\24-016 cad current\discovery park lots 9 & 10 the plaza_curre

PLOTTED BY: ERIN MARSHALL File Path: p:\24-016 discovery park

| LANDSCAPING AND | D SCREENING REQUIREMENT - THE VILLAGES AT DISC | OVERY PARK - | LOT 9 | LANDSCAPING | AND SCREENING REQUIREMENT - THE VILLAGES AT DISC | OVERY PARK - | LOT 10 |
|-----------------------------|--|--------------------|-----------------|---|---|--------------------|-----------------|
| | | | | | | | |
| CODE OF ORDINANO PROTECTION | CES: DIVISION III - LANDSCAPING, BUFFERS AND TREE | | | CODE OF ORDINANCES: DIVISION III - LANDSCAPING, BUFFERS AND TREE PROTECTION | | | |
| SITE ZONED: CP-2, P | PROPOSED: PMIX | | | SITE ZONED: C | | | |
| TOTAL PROPERTY: 3 | 329,794 SF (LOT 10 = 181,882 SF + LOT 9 = 147,912 SF) | | | TOTAL PROPER | RTY: 329,794 SF (LOT 10 = 181,882 SF + LOT 9 = 147,912 SF) | | |
| | | DECLUBED | CI I CI A III I | | | DECLUDED | CLIO)A/A |
| STREET FRONTAGE | TREES: | REQUIRED PLANTS | SHOWN PLANTS | STREET FRON | TAGE TREES: | REQUIRED PLANTS | SHOWN PLANTS |
| I I | NE TREE PER 30 FEET OF STREET FRONTAGE, PUBLIC R PRIVATE. | | | SEC. 8.790 | ONE TREE PER 30 FEET OF STREET FRONTAGE, PUBLIC OR PRIVATE. | | |
| SE PF FR | REES MAY BE CLUSTERED OR ARRANGED WITHIN THE ETBACK. A MIN. 20 FEET LANDSCAPE STRIP SHALL BE ROVIDED ALONG THE FULL LENGTH OF THE STREET RONTAGE, EXCEPT WHERE THE BUILDING SETBACK IS ESS THAN 20 FEET. | | | | TREES MAY BE CLUSTERED OR ARRANGED WITHIN THE SETBACK. A MIN. 20 FEET LANDSCAPE STRIP SHALL BE PROVIDED ALONG THE FULL LENGTH OF THE STREET FRONTAGE, EXCEPT WHERE THE BUILDING SETBACK IS LESS THAN 20 FEET. | | |
| | TOTAL STREET FRONTAGE = 795 LF | | | | TOTAL STREET FRONTAGE = 393 LF | | |
| | (795 / 30 = 26.5) | 27 TREES | 27 TREES | | (393 / 30 = 13.1) | 14 TREES | 14 TREES |
| STREET FRONTAGE | SHRUBS: | REQUIRED PLANTS | SHOWN PLANTS | STREET FRON | ΓAGE SHRUBS: | REQUIRED PLANTS | SHOWN PLANTS |
| SEC. 8.790 | ONE SHRUB PER 20 FEET OF STREET FRONTAGE | | | SEC. 8,790 | ONE SHRUB PER 20 FEET OF STREET FRONTAGE | | |
| PF FR | MINIMUM 20 FEET WIDE LANDSCAPE STRIP SHALL BE ROVIDED ALONG THE FULL LENGTH OF ANY STREET RONTAGE, EXCEPT WHERE THE BUILDING SETBACK IS ESS THAN 20 FEET. | | | | A MINIMUM 20 FEET WIDE LANDSCAPE STRIP SHALL BE PROVIDED ALONG THE FULL LENGTH OF ANY STREET FRONTAGE, EXCEPT WHERE THE BUILDING SETBACK IS LESS THAN 20 FEET. | | |
| | TOTAL STREET FRONTAGE = 795 LF | | | | TOTAL STREET FRONTAGE = 393 LF | | |
| | (795 / 20 = 39.75) | 40 SHRUBS | 40 SHRUBS | | (393 / 20 = 19.65) | 20 SHRUBS | 20 SHRUBS |
| | | DEOLUBED | CLIOVAVNI | | | DEOLUBED | CHOVAVNI |
| OPEN YARD LANDS | SCAPING: | REQUIRED PLANTS | SHOWN PLANTS | OPEN YARD LA | ANDSCAPING: | REQUIRED PLANTS | SHOWN PLANTS |
| SEC. 8.790 | ONE TREE PER 5,000 SF OF TOTAL LOT AREA MINUS BUILDING FOOTPRING SF | 30 TREES | 31 TREES | SEC. 8.790 | ONE TREE PER 5,000 SF OF TOTAL LOT AREA MINUS BUILDING FOOTPRING SF | 36 TREES | 52 TREES |
| DARKING LOT LANG | DSCADING. | REQUIRED PLANTS | SHOWN PLANTS | DARKING LOT | I ANDSCADING. | REQUIRED PLANTS | SHOWN |
| SEC. 8.810 LA | ANDSCAPE ISLANDS, STRIPS, OR OTHER PLANTING | PLAN15 | PLANTS | SEC. 8,810 | LANDSCAPING: LANDSCAPE ISLANDS, STRIPS, OR OTHER PLANTING | PLANTS | PLANTS |
| AF | REA SHALL BE AT LEAST FIVE PERCENT OF THE ENTIRE ARKING AREA. | | | | AREA SHALL BE AT LEAST FIVE PERCENT OF THE ENTIRE PARKING AREA. | | |
| | TOTAL PARKING LOT AREA: 34,888 SF | | | | TOTAL PARKING LOT AREA: 56,886 SF | | |
| | TOTAL LANDSCAPE ISLAND AREA: 2,467 SF | | | | TOTAL LANDSCAPE ISLAND AREA: 2,959 SF | | |
| | (2,467 / 34,888 = 0.0707) | 5.00% | 7.07% | | (2,959 / 56,886 = 0.0520) | 5.00% | 5.20% |
| | OVERED WITH OTHER MATERIALS SHALL BE COVERED VON ALL SLOPES IN EXCESS OF 3:1 SLOPE. | VITH SOD. GRO | DUND COVER | | IOT COVERED WITH OTHER MATERIALS SHALL BE COVERED VIZED ON ALL SLOPES IN EXCESS OF 3:1 SLOPE. | VITH SOD. GRC | DUND COVER |
| PARKING LOT SCRE | EENING: | REQUIRED PLANTS | SHOWN PLANTS | PARKING LOT SCREENING: | | REQUIRED PLANTS | SHOWN PLANTS |
| SEC. 8.820 | 12 SHRUBS PER 40 LINEAR FEET | | | SEC. 8.820 | 12 SHRUBS PER 40 LINEAR FEET | | |
| MI PA | CREENING TO A HEIGHT OF TWO AND ONE-HALF FEET IUST BE PROVIDED ALONG THE EDGE OF THE ARKING LOT OR LOADING AREA CLOSEST TO AND ARALLEL TO THE STREET. | | | | SCREENING TO A HEIGHT OF TWO AND ONE-HALF FEET MUST BE PROVIDED ALONG THE EDGE OF THE PARKING LOT OR LOADING AREA CLOSEST TO AND PARALLEL TO THE STREET. | | |
| | TOTAL STREET FRONTAGE = 795 LF | | | | TOTAL STREET FRONTAGE = 393 LF | | |

Landscape Architect **Landworks Studio**

102 S. Cherry Street Olathe, KS 66061 p. 913.780.6707 www.landworksstudio.com

current submittal FINAL DEVELOPMENT **PLAN**

NW COLBERN RD & NE DOUGLAS LEE'S SUMMIT, MO 64064


issued: 11/08/2024


10/21/24 Check Set

professional seal



SITE PLAN





HARDSCAPE LEGEND

| | GRAY CONCRETE |
|-----|------------------------------------|
| | STAMPED INTEGRAL COLOR CONCRETE A |
| | STAMPED INTEGRAL COLOR CONCRETE B |
| Δ , | LIGHT DUTY CONCRETE |
| | LIGHT DUTY INTEGRAL COLOR CONCRETE |
| | DECORATIVE PAVERS |
| | SYNTHETIC TURF |
| | FIRE ACCESS LANE |

HARDSCAPE PLAN NOTES

| 1.0 | PAVEMENTS / SURFACING | DETAIL |
|-----|-------------------------------------|---------|
| 1.1 | GRAY CONCRETE | 2/LD200 |
| 1.2 | STAMPED INTEGRAL COLOR CONCRETE "A" | 3/LD200 |
| 1.3 | STAMPED INTEGRAL COLOR CONCRETE "B" | 4/LD200 |
| 1.4 | LIGHT DUTY CONCRETE | 5/LD200 |
| 1.5 | LIGHT DUTY INTEGRAL COLOR CONCRETE | 6/LD200 |
| 1.6 | DECORATIVE PAVERS | 7/LD200 |
| 1.7 | SYNTHETIC TURF | 8/LD200 |
| 1.8 | FIRE ACCESS LANE | 1/LD200 |

CONCRETE FINISH NOTES

A CONSTRUCT STAMPED INTEGRAL COLOR CONCRETE. CONCRETE COLOR TYPE "A"

B) CONSTRUCT STAMPED INTEGRAL COLOR CONCRETE. CONCRETE COLOR TYPE "B"

C CONSTRUCT LIGHT DUTY CONCRETE

D CONSTRUCT LIGHT DUTY INTEGRAL COLOR CONCRETE

E CONSTRUCT DECORATIVE PAVERS

F CONSTRUCT FIRE ACCESS LANE

G PROVIDE AND INSTALL SYNTHETIC TURF

× CONSTRUCT STANDARD GRAY CONCRETE

Landscape Architect

Landworks Studio 102 S. Cherry Street
Olathe, KS 66061
p. 913.780.6707
www.landworksstudio.com

current submittal FINAL DEVELOPMENT
PLAN

| revisions | | |
|-----------|-----------|-----|
| Date | | No. |
| 10/21/24 | Check Set | 1 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


professional seal



LOT 9 HARDSCAPE PLAN

RY PARK LOTS 9 & 10 THE PLA ery park lots 9 & 10 the plaza_c.

Monday, October 3 aza lots 9 10 - lees s



PLANT SCHEDULE

| <u>SYMBOL</u> | CODE | <u>QTY</u> | COMMON / BOTANICAL NAME | CONT | <u>CAL</u> | SIZE |
|---|------------|------------|--|-------|------------|------------------|
| TREES | | | | | | |
| (,) | GT | 17 | SKYLINE HONEY LOCUST / GLEDITSIA TRIACANTHOS INERMIS 'SKYCOLE' | B & B | 2.5"CAL | |
| (·) E | РВ | 10 | BLOODGOOD LONDON PLANE TREE / PLATANUS X ACERIFOLIA 'BLOODGOOD' | В&В | 2.5"CAL | |
| 000000000000000000000000000000000000000 | SA | 12 | WHITE COMMON LILAC / SYRINGA VULGARIS 'ALBA' | В&В | 2.5"CAL | |
| • | ZV | 33 | VILLAGE GREEN JAPANESE ZELKOVA / ZELKOVA SERRATA 'VILLAGE GREEN' | В&В | 2.5"CAL | |
| 200 | GVZ | 2 | GREEN VASE ZELKOVA / ZELKOVA SERRATA 'GREEN VASE' | В&В | 2.5"CAL | |
| ~ EVERGRE | EN TREE | ES . | | | | |
| }`` | JT | — 12 | TAYLOR EASTERN REDCEDAR / JUNIPERUS VIRGINIANA 'TAYLOR' | В&В | | 6`-7` T <i>A</i> |
| ORNAMEN | ITAL TRE | EES | | | | |
| | AS | 28 | SUGAR CONE SUGAR MAPLE / ACER SACCHARUM 'SUGAR CONE' | В&В | 1.5"CAL | |
| 0 | AG | 10 | AUTUMN BRILLIANCE SERVICEBERRY / AMELANCHIER X GRANDIFLORA 'AUTUMN BRILLIANCE' | В&В | 1.5"CAL | |
| SYMBOL | CODE | <u>QTY</u> | COMMON / BOTANICAL NAME | CONT | | |
| SHRUBS | | | | | | |
| | SN | 37 | SUMMERWINE NINEBARK / PHYSOCARPUS OPULIFOLIUS `SUMMERWINE` | 5 GAL | | |
| (+) | ST2 | 54 | GLOW GIRL® BIRCHLEAF SPIREA / SPIRAEA BETULIFOLIA 'TOR GOLD' | 5 GAL | | |
| $\begin{bmatrix} \cdot \end{bmatrix}$ | BL | 4 | BLOOMERANG LILAC / SYRINGA X `BLOOMERANG` | 5 GAL | | |
| EVERGRE | EN SHRI | <u>JBS</u> | | | | |
| (+) | SGJ | 14 | SEA GREEN CHINESE JUNIPER / JUNIPERUS CHINENSIS `SEA GREEN` | 5 GAL | | |
| GRASSES | | | | | | |
| WAND OF THE PARTY | KFG | 56 | KARL FOERSTER FEATHER REED GRASS / CALAMAGROSTIS X ACUTIFLORA `KARL FOERSTER` | 3 GAL | | |
| AND THE | BLB | 68 | THE BLUES LITTLE BLUESTEM / SCHIZACHYRIUM SCOPARIUM 'THE BLUES' | 1 GAL | | |
| | SA2 | 120 | AUTUMN MOOR GRASS / SESLERIA AUTUMNALIS | 5 GAL | | |
| PERENNIA | <u>ALS</u> | | | | | |
| | AP2 | 36 | PURPLE SENSATION ORNAMENTAL ONION / ALLIUM X 'PURPLE SENSATION' | 5 GAL | | |
| | WLC | 34 | WALKER'S LOW CATMINT / NEPETA X FAASSENII 'WALKER'S LOW' | 1 GAL | | |
| £ } 3 | DGS | 12 | DRAGON'S BLOOD GROUNDCOVER STONECROP / SEDUM SPURIUM 'DRAGON'S BLOOD' | 1 GAL | | |
| • | | | | | | |

LANDSCAPE PLAN NOTES

- 1) PROVIDE AND INSTALL PLANTING BED. REFER TO LANDSCAPE PLANS AND SPECIFICATIONS.
- (2) PROVIDE AND INSTALL STEEL BED EDGE. REFER TO DTL 6/L003.
- 3) AREA TO BE SODDED WITH TURF-TYPE TALL FESCUE. REFER TO SPECIFICATIONS.

NOTES:

- ALL WORK DESCRIBED IN THE LANDSCAPE PLAN SHALL COMPLY WITH ASSOCIATED CODES, ORDINANCES, AND PLAN REPORT REQUIREMENTS BY THE CITY OF LEE'S SUMMIT, MISSOURI AND THE PROPERTY MASTER PLAN UNLESS SPECIFICALLY MODIFIED BY AGREEMENT BETWEEN THE OWNER AND CITY OF LEE'S SUMMIT, MO., IN WHICH CASE THE MODIFIED AGREEMENT REQUIREMENTS SHALL TAKE PRECEDENCE.
- IRRIGATION SYSTEM TO BE INSTALLED.
 REFER TO SHEET L003 FOR ADDITIONAL LANDSCAPE NOTES AND DETAILS.

Landscape Architect



THE VILLAGE AT

PROJECT # 24-016 THI

current submittal

FINAL DEVELOPMENT

PLAN

issued: 11/08/2024

revisions


Date No.

10/21/24 Check Set 1

professional seal




LOT 9 LANDSCAPE PLAN




RY PARK LOTS 9 & 10 THE PLAZ. rery park lots 9 & 10 the plaza_curr

Monday, October 21, iza lots 9 10 - lees sum



HARDSCAPE LEGEND



HARDSCAPE PLAN NOTES

| (1.0 | PAVEMENTS / SURFACING | DETAIL |
|------|-------------------------------------|---------|
| 1.1 | GRAY CONCRETE | 2/LD200 |
| 1.2 | STAMPED INTEGRAL COLOR CONCRETE "A" | 3/LD200 |
| 1.3 | STAMPED INTEGRAL COLOR CONCRETE "B" | 4/LD200 |
| 1.4 | LIGHT DUTY CONCRETE | 5/LD200 |
| 1.5 | LIGHT DUTY INTEGRAL COLOR CONCRETE | 6/LD200 |
| 1.6 | DECORATIVE PAVERS | 7/LD200 |
| 1.7 | SYNTHETIC TURF | 8/LD200 |
| 1.8 | FIRE ACCESS LANE | 1/LD200 |
| | | |

CONCRETE FINISH NOTES

(A) CONSTRUCT STAMPED INTEGRAL COLOR CONCRETE. CONCRETE COLOR TYPE "A"

B CONSTRUCT STAMPED INTEGRAL COLOR CONCRETE. CONCRETE COLOR TYPE "B"

C CONSTRUCT LIGHT DUTY CONCRETE

D CONSTRUCT LIGHT DUTY INTEGRAL COLOR CONCRETE

(E) CONSTRUCT DECORATIVE PAVERS

F CONSTRUCT FIRE ACCESS LANE

G PROVIDE AND INSTALL SYNTHETIC TURF

X CONSTRUCT STANDARD GRAY CONCRETE

Landscape Architect



THE VILLAGE AT DISCOVERY PARK

current submittal
FINAL DEVELOPMENT
PLAN

NW COLBE LEE'S SUMI

| issued | 11/08/2024 |
|--------|------------|


| revisions | | | |
|-----------|-----------|-----|--|
| OVISIONS | | | |
| Date | | No. | |
| 10/21/24 | Check Set | 1 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

professional seal



LOT 10 HARDSCAPE PLAN

PLOTTED ON: Monday, October 21, age ph 1-central plaza lots 9 10 - lees sum



Landscape Architect Landworks Studio 102 S. Cherry Street
Olathe, KS 66061
p. 913.780.6707
www.landworksstudio.com

| SYMBOL | CODE | <u>QTY</u> | COMMON / BOTANICAL NAME | CONT | <u>CAL</u> | SIZE |
|---|------------|------------|--|-------|------------|-----------|
| TREES | | | | | | |
| | GT | 17 | SKYLINE HONEY LOCUST / GLEDITSIA TRIACANTHOS INERMIS 'SKYCOLE' | В&В | 2.5"CAL | |
| 200 | РВ | 10 | BLOODGOOD LONDON PLANE TREE / PLATANUS X ACERIFOLIA 'BLOODGOOD' | В&В | 2.5"CAL | |
| 000000000000000000000000000000000000000 | SA | 12 | WHITE COMMON LILAC / SYRINGA VULGARIS 'ALBA' | В&В | 2.5"CAL | |
| | ZV | 33 | VILLAGE GREEN JAPANESE ZELKOVA / ZELKOVA SERRATA 'VILLAGE GREEN' | В&В | 2.5"CAL | |
| | GVZ | 2 | GREEN VASE ZELKOVA / ZELKOVA SERRATA `GREEN VASE` | B & B | 2.5"CAL | |
| EVERGRE | EN TREE | S | | | | |
| | JT | — 12 | TAYLOR EASTERN REDCEDAR / JUNIPERUS VIRGINIANA 'TAYLOR' | В&В | | 6`-7` TAL |
| ORNAMEN | ITAL TRE | <u>ES</u> | | | | |
| | AS | 28 | SUGAR CONE SUGAR MAPLE / ACER SACCHARUM 'SUGAR CONE' | В&В | 1.5"CAL | |
| \circ | AG | 10 | AUTUMN BRILLIANCE SERVICEBERRY / AMELANCHIER X GRANDIFLORA 'AUTUMN BRILLIANCE' | В&В | 1.5"CAL | |
| SYMBOL | CODE | <u>QTY</u> | COMMON / BOTANICAL NAME | CONT | | |
| SHRUBS SHRUBS | SN | 37 | SUMMERWINE NINEBARK / PHYSOCARPUS OPULIFOLIUS `SUMMERWINE` | 5 GAL | | |
| (+) | ST2 | 54 | GLOW GIRL® BIRCHLEAF SPIREA / SPIRAEA BETULIFOLIA 'TOR GOLD' | 5 GAL | | |
| $\check{\bigcirc}$ | BL | 4 | BLOOMERANG LILAC / SYRINGA X `BLOOMERANG` | 5 GAL | | |
| EVERGRE | EN SHRI | IRS | | | | |
| + | SGJ | 14 | SEA GREEN CHINESE JUNIPER / JUNIPERUS CHINENSIS 'SEA GREEN' | 5 GAL | | |
| GRASSES | | | | | | |
| AND | KFG | 56 | KARL FOERSTER FEATHER REED GRASS / CALAMAGROSTIS X ACUTIFLORA `KARL FOERSTER` | 3 GAL | | |
| AMANA HAVE | BLB | 68 | THE BLUES LITTLE BLUESTEM / SCHIZACHYRIUM SCOPARIUM 'THE BLUES' | 1 GAL | | |
| | SA2 | 120 | AUTUMN MOOR GRASS / SESLERIA AUTUMNALIS | 5 GAL | | |
| PERENNIA | <u>ALS</u> | | | | | |
| | AP2 | 36 | PURPLE SENSATION ORNAMENTAL ONION / ALLIUM X 'PURPLE SENSATION' | 5 GAL | | |

12 DRAGON'S BLOOD GROUNDCOVER STONECROP / SEDUM SPURIUM 'DRAGON'S BLOOD' 1 GAL

LANDSCAPE PLAN NOTES

WLC 34 WALKER'S LOW CATMINT / NEPETA X FAASSENII 'WALKER'S LOW'

- 1) PROVIDE AND INSTALL PLANTING BED. REFER TO LANDSCAPE PLANS AND SPECIFICATIONS.
- 2 PROVIDE AND INSTALL STEEL BED EDGE. REFER TO DTL 6/L003.
- (3) AREA TO BE SODDED WITH TURF-TYPE TALL FESCUE. REFER TO SPECIFICATIONS.

NOTES:

- ALL WORK DESCRIBED IN THE LANDSCAPE PLAN SHALL COMPLY WITH ASSOCIATED CODES, ORDINANCES, AND PLAN REPORT REQUIREMENTS BY THE CITY OF LEE'S SUMMIT, MISSOURI AND THE PROPERTY MASTER PLAN UNLESS SPECIFICALLY MODIFIED BY AGREEMENT BETWEEN THE OWNER AND CITY OF LEE'S SUMMIT, MO., IN WHICH CASE THE MODIFIED AGREEMENT REQUIREMENTS SHALL TAKE PRECEDENCE.
- IRRIGATION SYSTEM TO BE INSTALLED. REFER TO SHEET L003 FOR ADDITIONAL LANDSCAPE NOTES AND DETAILS.

FINAL DEVELOPMENT

PLAN

issued: 11/08/2024

10/21/24 Check Set

professional seal



LOT 10 LANDSCAPE PLAN


1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.

EXTERIOR PAVING: FIRE ACCESS LANE SCALE = 1 1/2" = 1'-0"

- EXPANSION JOINT JOINT SEALER, TYP. - CONTRACTION JOINT CONCRETE PAVEMENT REINFORCED WITH FIBER MESH. MEET APWA STANDARDS. FILLER HOMEX COMPACTED AB3 GRAVEL BASE TO 95% STANDARD PROCTOR - COMPACTED SUBGRADE


1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.

INTERIOR PAVING: GREY CONCRETE SCALE = 1 1/2" = 1'-0"



CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.


| INTERIOR PAVING: STAMPED CONCRETE A 3 INTERIOR PAVIN



NOTES:

1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.

INTERIOR PAVING: STAMPED CONCRETE B SCALE = 1 1/2" = 1'-0"



DISCOVERY PARK LOTS 9 & 10 THE PLAZ rent\discovery park lots 9 & 10 the plaza_curr

ctober 21, 2024 4:49:52 PM - Iees summit mo\24-016

Monday, iza lots 9 1


PLOTTED ON: age ph 1-central p


PLOTTED BY: ERIN MARSHALL File Path: p:\24-016 discovery park

1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.


INTERIOR PAVING: LIGHT DUTY CONCRETE SCALE = 1 1/2" = 1'-0"

| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES | | | ACTO | | FACES 30 Pine Stre Tel (412) 78 | et, Pittsb | Jrgh, | PA 15223 |
|---|---|--------------|---------------------|------------------------------|------------------------------------|------------|-------|-------------|
| TOLERANCES (UNLESS OTHERWISE SPECIFIED): | | ryni | AISTO | חטפ | FACES Tel (412) 78 | 1-9003 Fc | x (41 | 2) 781-7840 |
| FRACTIONAL:±1/32 ANGULAR/BEND:±1° | | NAME | DATE | DESC | RIPTION: | | | |
| TWO PLACE DECIMAL ±.030 THREE PLACE DECIMAL±.020 | DWN | JJH | 7/20/16 | KNIGHT BENCH, BACKED, 6 FOOT | | | Т | |
| MATERIAL: -SEE DATA SHEET | СНК | | | | | | | |
| FINISH: -SEE DATA SHEET | DO NO | OT SCALE | DRAWING | TWO ARMRESTS | | | | |
| WEIGHT: -SEE DATA SHEET | | ETARY AND CO | | | | | | |
| SOURCE: - | THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF | | SIZE | DWG. NO. | RE | ٧ | SHEET | |
| FORMS + SURFACES . ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED. | | В | SBKNI-072B-2A-SFM-T | |) | 1 OF 1 | | |






BENCH - 6' BACKED SCALE = 3/4" = 1'-0"




NOTES:


1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.

INTERIOR PAVING: INTEGRAL COLOR CONCRETE











NOTES:

1. CROSS SLOPE NOT TO EXCEED 2.0%. 2. CONTROL JOINTS TO OCCUR AT SPACING EQUAL TO WIDTH OF SLAB UNLESS INDICATED ON PLAN OR BY OWNER.


DECORATIVE PAVERS SCALE = 3/4" = 1'-0"







1 | BENCH - 8' WALL MOUNTED




NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFCATIONS.

SYNTHETIC TURF

| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES TOLERANCES (UNLESS OTHERWISE | \$1 | FORM | VIS +S | UR | FACES 30 Pine Str Tel (412) 7 | eet, Pittsburgh 81-9003 Fax (4 | , PA 15223 12) 781-7840 |
|---|-----------|--|---------------|--------|----------------------------------|-----------------------------------|----------------------------|
| SPECIFIED): FRACTIONAL:±1/32 ANGULAR/BEND:±1° | | NAME | DATE | DESC | RIPTION: | | |
| TWO PLACE DECIMAL ±.030 THREE PLACE DECIMAL±.020 | DWN | MGJ | 12/19/2019 | | | | |
| material: - Refer so | CHK | | | | | | |
| FINISH: - REFER SO | DO NO | OT SCALE | DRAWING | LUNN,2 | 4 GAL,STANDARD,STA | .ndard,sIde | E OPEN I N |
| WEIGHT: - VARIES | | ETARY AND CO | | | | | |
| SOURCE: - | DRAWIN | RMATION CONT. G IS THE SOLE PR SURFACES AN | | SIZE | DWG. NO. | REV | SHEET |
| SCALE: N.T.S | IN PART (| OR AS A WHOLE PERMISSION IS PI | WITHOUT | В | | 0 | 1 OF 1 |



2 TRASH/RECYCLE RECEPTACLE

SCALE = 1 1/2" = 1'-0"

Landscape Architect Landworks Studio 102 S. Cherry Street Olathe, KS 66061 p. 913.780.6707 www.landworksstudio.com

VILL THE DISC

> 9 0 0

I RD & NE DOUGL⁴ I, MO 64064

current submittal FINAL DEVELOPMENT **PLAN**

issued: 11/08/2024


10/21/24 Check Set


professional seal




LANDSCAPE DETAILS

LD200







EVERGREEN TREE PLANTING





3 | SHRUB PLANTING | SCALE = 1/2" = 1'-0"





| SPACING "D" | ROW WIDTH "A" | NO. OF PLANTS/1 S.F |
|-------------|---------------|---------------------|
| 6" O.C. | 5.2" | 4.61 |
| 8" O.C. | 6.93" | 2.60 |
| 10" O.C. | 8.66" | 1.66 |
| 12" O.C. | 10.4" | 1.15 |
| 15" O.C. | 13.0" | .738 |
| 18" O.C. | 15.6" | .512 |
| 24" O.C. | 20.8" | .330 |






PERENNIAL PLANTING


SCALE = 1/2" = 1'-0"


TYPICAL PLANT SPACING

PLOTTED ON: Monday, October 21, 2024 4:49:28 PM FILE NAME: DISCOVERY PARK LOTS 9 & 10 THE PLA; village ph 1-central plaza lots 9 10 - lees summit mo\24-016 cad\24-016 cad current\discovery park lots 9 & 10 the plaza_cur

PLOTTED BY: ERIN MARSHALL File Path: p:\24-016 discovery park







SANDSTONE BOULDER

SCALE = 1" = 1'-0"

RAISED PLANTER BED

1 0 | SANDSTONE EDGING | SCALE = 1" = 1'-0"

IF THIS DRAWING IS PRINTED LESS THAN 24" X 36" IN SIZE, IT IS A REDUCED SIZE DRAWING. ADJUST SCALES ACCORDINGLY.



ROJ

current submittal FINAL DEVELOPMENT **PLAN**

issued: 11/08/2024

| revisions | | |
|-----------|-----------|-----|
| Date | | No. |
| 10/21/24 | Check Set | 1 |
| | | |
| | | |
| | | |
| | | |

professional seal



LANDSCAPE DETAILS

LD201