Warranty Information:

1 1/2"

10'-0

1.) 10 Year Warranty on GE 7100K LED Lighting

7'-0"

4" Ø Steel Pipe

1/2" Ø Nut Welded to Tube for Tension Bolt

6" x 6" x 1/4" Steel Tube

2" x 4" x 1/8" Alum. Tube Frame w/ 2" x 4" ACM Wrap

10'-8" to Grade

.250" Stub Pipe Insert Baffle

6'-7 1/2"

Front (Entrance) View

Scale: 1/2"=1'-0"

POP20-SB

Microphone/Speaker Box


2.) 5 Year Warranty on GE Power Supplies


1'-0"

Drive Thru Order Canopy










7'-0"



General Specifications:

Canopy: Fabricated Aluminum & ACM Structure w/ Steel Tube Support.

Actual Number of Circuits to be Determined by Licensed Electrical Contractor Electrical:

(1) 20 AMP Circuit, 120 Volts - All Wiring Shall be 12 GA

Quantity: (1) ONE

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF **ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE** AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN. MET ... Allen Industries FILE NUMBER: E212503

Description

Date





Copyright © 2021 Allen Industries, Inc.
This is an original, unpublished drawing, created by Allen Industries, Inc. This drawing is submitted to you in confidence for your use solely in connection with the project being planned for you by Allen Industries, Inc. and is not to be shown to anyone outside your organization, nor used, reproduced, copied or exhibited in any fashion whatsoever. The designs shown on the drawing (except for any registered trademarks that may belong to a client of Allen Industries, Inc.) remain the

ent: OPEYES	Issue Date: 05/23/22		Page #: 14 of 21	
lress:	File Name: Popeyes_2100 Series Signage Reference Book			
	Sales: House	Design: ECW	<u>PM:</u>	



Client Signature: Approval Date: