SM Engineering


November 15, 2024

Attn: Susan Nelson City Engineer Lee's Summit, MO

Re: Streets of West Pryor, Lot 13

PL2023290

The attached railing shop drawing has been reviewed and is acceptable for use as temporary railing. A 4' section of railing shall be installed at each end of the retaining wall south of the building as shown below.



GRAINGER.



Compare


HOLLAENDER Handrail
Section: Toe Board Not
Included, 5 in x 5 in, Floor
Mounted Rail Mounting,
Round

Item 39K859 Mfr. Model 50220

APPROVED VENDOR Handrail
Section: Toe Board Not Included,
Floor Mounted Rail Mounting,
Round, Silver

Compare Products

Web Price (2)
\$187.64 / each



Web Price 1

\$210.62 / each

Product Details Catalog Page N/A

Includes Toe Board **Toe Board Not Included**

Brand HOLLAENDER

Rail Mounting Style Floor Mounted

Number of Rail Levels 2

Overall Length 4 ft

Mounting Plate Width 5 in


Mounting Plate Length 5 in

Mid-Rail Height 21 in

Product Type Handrail Section

Handrail Shape Round

Top Rail Height 42 in



Color Silver	
Material Aluminum	
Compatible with Manufacturer Model Num r 39K859; 39K860; 39K861; 39K862; 39K863; 39	K864
Manufacturer Part Number 50220	
Displayed Brand HOLLAENDER	
Includes Mounting Hardware Mounting Hardwa	re Not Included
Number of Mounting Holes 4	
Mounting Hole Diameter 1/2 in	
Includes (2) Posts; (2) Rails	
Finish Mill	
UNSPSC 24101809	
Country of Origin USA (subject to change)	

Handrail lengths come fully assembled and attach to a flat surface (such as concrete or flooring) to provide stability to pedestrians. Multiple lengths can be connected.

#