SM Engineering

November 18, 2024

Attn: Susan Nelson City Engineer Lee's Summit, MO

Re: Streets of West Pryor, Lot 13


PL2023290

The attached railing shop drawing has been reviewed and is acceptable for use as temporary and permanent railing. A 4' section of temporary railing shall be installed at each end of the retaining wall south of the building as shown below. Also, a 4' section of permanent railing and 45' of permanent railing will be installed by the trash enclosure and south of the trash enclosure as shown below.

Samuel D. Malinowsky, P.E.

SM Engineering





GRAINGER.



Compare


HOLLAENDER Handrail
Section: Toe Board Not
Included, 5 in x 5 in, Floor
Mounted Rail Mounting,
Round

Item 39K859 Mfr. Model 50220

APPROVED VENDOR Handrail
Section: Toe Board Not Included,
Floor Mounted Rail Mounting,
Round, Silver

Compare Products

Web Price (2)
\$187.64 / each



Web Price 1

\$210.62 / each

Product Details Catalog Page N/A

Includes Toe Board **Toe Board Not Included**

Brand HOLLAENDER

Rail Mounting Style Floor Mounted

Number of Rail Levels 2

Overall Length 4 ft

Mounting Plate Width 5 in


Mounting Plate Length 5 in

Mid-Rail Height 21 in

Product Type Handrail Section

Handrail Shape Round

Top Rail Height 42 in



Color Silver	
Material Aluminum	
Compatible with Manufacturer Model Num r 39K859; 39K860; 39K861; 39K862; 39K863; 39	K864
Manufacturer Part Number 50220	
Displayed Brand HOLLAENDER	
Includes Mounting Hardware Mounting Hardwa	re Not Included
Number of Mounting Holes 4	
Mounting Hole Diameter 1/2 in	
Includes (2) Posts; (2) Rails	
Finish Mill	
UNSPSC 24101809	
Country of Origin USA (subject to change)	

Handrail lengths come fully assembled and attach to a flat surface (such as concrete or flooring) to provide stability to pedestrians. Multiple lengths can be connected.

#